(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
15 February 2001 (15.02.2001)

PCT

(10) International Publication Number
WO 01/11029 A1

(51) International Patent Classification[7]: C12N 9/52, 15/82, C07K 14/24, C12N 15/11

(21) International Application Number: PCT/US00/22237

(22) International Filing Date: 11 August 2000 (11.08.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60,148,356 11 August 1999 (11.08.1999) US

(71) Applicant: DOW AGROSCIENCES LLC [US/US]; 9330 Zionsville Road, Indianapolis, IN 46268 (US).

(72) Inventors: PETELL, James, K.; 16825 Meyer Lane, Grass Valley, CA 95949 (US). MERLO, Donald, J.; 11845 Durbin Drive, Carmel, IN 46032 (US). HERMAN, Rod, A.; 11153 West 500 South, New Ross, IN 47968 (US). ROBERTS, Jean, L.; 26035 State Road 19, Arcadia, IN 46030 (US). GUO, Lining; 3212 Summit Ridge Loop, Morrissville, NC 27560 (US). SCHAFER, Barry, W.; 1429 Lighthouse Point, Cicero, IN 46034 (US). SUKHAPINDA, Kitisri; 4748 Ashwood Court, Zionsville, IN 46077 (US). MERLO, Ann, Owens; 11845 Durbin Drive, Carmel, IN 46032 (US).

(74) Agent: STUART, Donald, R.; Dow AgroSciences LLC, 9330 Zionsville Road, Indianapolis, IN 46268 (US).

(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:
— *With international search report.*
— *Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 01/11029 A1

(54) Title: TRANSGENIC PLANTS EXPRESSING *PHOTORHABDUS* TOXIN

(57) Abstract: Novel polynucleotide sequences that encode insect toxins TcdA and TcbA have base compositions that differ substantially from the native genes, making them more similar to plant genes. The new sequences are suitable for use for high expression in both monocots and dicots. Transgenic plants with a genome comprising a nucleic acid of SEQ ID NO: 3 or SEQ ID NO:4 are insect resistant.

TRANSGENIC PLANTS EXPRESSING *PHOTORHABDUS* TOXIN

BACKGROUND OF THE INVENTION

As reported in WO98/08932, protein toxins from the genus *Photorhabdus* have been shown to have oral toxicity against insects. The toxin complex produced by *Photorhabdus luminescens* (W-14), for example, has been shown to contain ten to fourteen proteins, and it is known that these are produced by expression of genes from four distinct genomic regions: *tca, tcb, tcc,* and *tcd.* WO98/08932 discloses nucleotide sequences for the native toxin genes.

Of the separate toxins isolated from *Photorhabdus luminescens* (W-14), those designated Toxin A and Toxin B are especially potent against target insect species of interest, for example corn rootworm. Toxin A is comprised of two different subunits. The native gene *tcdA* (SEQ ID NO:1) encodes protoxin TcdA (see SEQ ID NO:1). As determined by mass spectrometry, TcdA is processed by one or more proteases to provide Toxin A. More specifically, TcdA is an approximately 282.9 kDA protein (2516 aa) that is processed to provide TcdAii, an approximately 208.2 kDA (1849 aa) protein encoded by nucleotides 265-5811 of SEQ ID NO:1, and TcdAiii, an approximately 63.5 kDA (579 aa) protein encoded by nucleotides 5812-7551 of SEQ ID NO:1.

Toxin B is similarly comprised of two different subunits. The native gene *tcbA* (SEQ ID NO:2) encodes protoxin TcbA (see SEQ ID NO:2). As determined by mass spectrometry, TcbA is processed by one or more proteases to provide Toxin B. More specifically, TcbA is an approximately 280.6 kDA (2504 aa) protein that is processed to provide TcbAii, an approximately 207.7 kDA (1844 aa) protein encoded by nucleotides 262-5793 of SEQ ID NO:2 and TcbAiii, an approximately 62.9 kDA (573 aa) protein encoded by nucleotides 5794-7512 of SEQ ID NO:2.

The native *tcdA* and *tcbA* genes are not well suited for high level expression in plants. They encode multiple destabilization sequences, mRNA splice sites, polyA addition sites and other possibly detrimental sequence motifs. In addition, the codon compositions are not like those of plant genes. WO98/08932 gives general guidance on how the toxin genes could be reengineered to more efficiently expressed in the cytoplasm of plants, and describes how plants can be transformed to incorporate the *Photorhabdus* toxin genes into their genomes.

SUMMARY OF THE INVENTION

In a preferred embodiment, the invention provides novel polynucleotide sequences that encode TcdA and TcbA. The novel sequences have base compositions that differ substantially from the native genes, making them more similar to plant genes. The new sequences are suitable for use for high expression in both monocots and dicots, and this feature is designated by referring to the sequences as the "hemicot" criteria, which is set forth in detail hereinafter. Other important features of the sequences are that potentially deleterious sequences have been eliminated, and unique restriction sites have been built in to enable adding or changing expression elements, organellar targeting signals, engineered protease sites and the like, if desired.

In a particularly preferred embodiment, the invention provides polynucleotide sequences that satisfy hemicot criteria and that comprise a sequence encoding an endoplasmic reticulum signal or similar targeting sequence for a cellular organelle in combination with a sequence encoding TcdA or TdbA.

More broadly, the invention provides engineered nucleic acids encoding functional *Photorhabdus* toxins wherein the sequences satisfy hemicot criteria.

The invention also provides transgenic plants with genomes comprising a novel sequence of the invention that imparts functional activity against insects.

BRIEF DESCRIPTION OF SEQUENCES

SEQ ID NO:1 is the native *tcdA* DNA sequence together with the corresponding encoded amino acid sequence for TcdA.

SEQ ID NO:2 is the native *tcbA* DNA sequence together with the corresponding encoded amino acid sequence for TcbA.

SEQ ID NO:3 is an artificial sequence encoding TcdA that is suitable for expression in monocot and dicot plants.

SEQ ID NO:4 is an artificial sequence encoding TdbA that is suitable for expression in monocot and dicot plants.

SEQ ID NO:5 is an artificial hemicot sequence that encodes the 21 amino acid ER signal peptide of 15 kDa zein from Black Mexican Sweet maize.

SEQ ID NO:6 is an artificial hemicot sequence that encodes for the full-length native TcdA protein (amino acids 22-2537) fused to the modified 15 kDa zein endoplasmic reticulum signal peptide (amino acids 1-21).

DETAILED DESCRIPTION

The native *Photorhabdus* toxins are protein complexes that are produced and secreted by growing bacteria cells of the genus *Photorhabdus*. Of particular interest are the proteins produced by the species *Photorhabdus luminescens*. The protein complexes have a molecular size of approximately 1,000 kDa and can be separated by SDS-PAGE gel analysis into numerous component proteins. The toxins contain no hemolysin, lipase, type C phospholipase, or nuclease activities. The toxins exhibit significant toxicity upon ingestion by a number of insects.

A unique feature of *Photorhabdus* is its bioluminescence. *Photorhabdus* may be isolated from a variety of sources. One such source is nematodes, more particularly nematodes of the genus *Heterorhabditis*. Another such source is from human clinical samples from wounds, see Farmer et al. 1989 J. Clin. Microbiol. 27 pp. 1594-1600. These saprohytic strains are deposited in the American Type Culture Collection (Rockville, MD) ATCC #s 43948, 43949, 43950, 43951, and 43952, and are incorporated herein by reference. It is possible that other sources could harbor *Photorhabdus* bacteria that produce insecticidal toxins. Such sources in the environment could be either terrestrial or aquatic based.

The genus *Photorhabdus* is taxonomically defined as a member of the Family *Enterobacteriaceae*, although it has certain traits atypical of this family. For example, strains of this genus are nitrate reduction negative, yellow and red pigment producing and bioluminescent. This latter trait is otherwise unknown within the *Enterobacteriaceae*. *Photorhabdus* has only recently been described as a genus separate from the *Xenorhabdus* (Boemare et al., 1993 Int. J. Syst. Bacteriol. 43, 249-255). This differentiation is based on DNA-DNA hybridization studies, phenotypic differences (e.g., presence (*Photorhabdus*) or absence (*Xenorhabdus*) of catalase and bioluminescence) and the Family of the nematode host (*Xenorhabdus; Steinernematidae*, *Photorhabdus; Heterorhabditidae*). Comparative, cellular fatty-acid analyses (Janse et al. 1990, Lett. Appl. Microbiol 10, 131-135; Suzuki et al. 1990, J. Gen. Appl. Microbiol., 36, 393-401) support the separation of *Photorhabdus* from *Xenorhabdus*.

Currently, the bacterial genus *Photorhabdus* is comprised of a single defined species, *Photorhabdus luminescens* (ATCC Type strain #29999, Poinar et al., 1977, Nematologica 23, 97-102). A variety of related

strains have been described in the literature (e.g., Akhurst et al. 1988 J. Gen. Microbiol., 134, 1835-1845; Boemare et al. 1993 Int. J. Syst. Bacteriol. 43 pp. 249-255; Putz et al. 1990, Appl. Environ. Microbiol., 56, 181-186).

The following toxin producing *Photorhabdus* strains have been deposited:

strain	accession number	date of deposit
W-14	ATCC 55397	March 5, 1993
WX1	NRRL B-21710	April 29, 1997
WX2	NRRL B-21711	April 29, 1997
WX3	NRRL B-21712	April 29, 1997
WX4	NRRL B-21713	April 29, 1997
WX5	NRRL B-21714	April 29, 1997
WX6	NRRL B-21715	April 29, 1997
WX7	NRRL B-21716	April 29, 1997
WX8	NRRL B-21717	April 29, 1997
WX9	NRRL B-21718	April 29, 1997
WX10	NRRL B-21719	April 29, 1997
WX11	NRRL B-21720	April 29, 1997
WX12	NRRL B-21721	April 29, 1997
WX14	NRRL B-21722	April 29, 1997
WX15	NRRL B-21723	April 29, 1997
H9	NRRL B-21727	April 29, 1997
Hb	NRRL B-21726	April 29, 1997
Hm	NRRL B-21725	April 29, 1997
HP88	NRRL B-21724	April 29, 1997
NC-1	NRRL B-21728	April 29, 1997
W30	NRRL B-21729	April 29, 1997
WIR	NRRL B-21730	April 29, 1997
B2	NRRL B-21731	April 29, 1997
ATCC 43948	ATCC 55878	November 5, 1996
ATCC 43949	ATCC 55879	November 5, 1996
ATCC 43950	ATCC 55880	November 5, 1996
ATCC 53951	ATCC 55881	November 5, 1996
ATCC 43952	ATCC 55882	November 5, 1996
DEP1	NRRL B-21707	April 29, 1997
DEP2	NRRL B-21708	April 29, 1997
DEP3	NRRL B-21709	April 29, 1997
P. zealandrica	NRRL B-21683	April 29, 1997
P. hepialus	NRRL B-21684	April 29, 1997
HB-Arg	NRRL B-21685	April 29, 1997
HB Oswego	NRRL B-21686	April 29, 1997
Hb Lewiston	NRRL B-21687	April 29, 1997
K-122	NRRL B-21688	April 29, 1997
HMGD	NRRL B-21689	April 29, 1997
Indicus	NRRL B-21690	April 29, 1997
GD	NRRL B-21691	April 29, 1997
PWH-5	NRRL B-21692	April 29, 1997
Megidis	NRRL B-21693	April 29, 1997
HF-85	NRRL B-21694	April 29, 1997
A. Cows	NRRL B-21695	April 29, 1997
MP1	NRRL B-21696	April 29, 1997
MP2	NRRL B-21697	April 29, 1997
MP3	NRRL B-21698	April 29, 1997
MP4	NRRL B-21699	April 29, 1997
MP5	NRRL B-21700	April 29, 1997
GL98	NRRL B-21701	April 29, 1997
Gl101	NRRL B-21702	April 29, 1997
GL138	NRRL B-21703	April 29, 1997
GL155	NRRL B-21704	April 29, 1997
GL217	NRRL B-21705	April 29, 1997
GL257	NRRL B-21706	April 29, 1997

All strains were deposited in accordance with the terms of the Budapest Treaty. Strains having

accession numbers prefaced by "ATTC" were deposited on the indicated date in the American Type Culture Collection, 12301 Parklawn Drive, Rockville, MD 20852 USA. Strains prefaced by "NRRL" were deposited on the indicated date in the Agricultural Research Service Patent Culture Collection (NRRL), National Center for Agricultural Utilization Research, ARS-USDA, 1815 North University St., Peoria IL 61604 USA.

The present invention provides hemicot nucleic acid sequences encoding toxins from any *Photorhabdus* species or strain that produces a toxin having functional activity. Hemicot nucleic acid sequences encoding proteins homologous to such toxins are also encompassed by the invention.

Several terms that are used herein have a particular meaning and are defined as follows:

By "functional activity" it is meant herein that the protein toxins) function as insect control agents in that the proteins are orally active, or have a toxic effect, or are able to disrupt or deter feeding, which may or may not cause death of the insect. When an insect comes into contact with an effective amount of toxin delivered via transgenic plant expression, formulated protein compositions), sprayable protein compositions), a bait matrix or other delivery system, the results are typically death of the insect, or the insects do not feed upon the source which makes the toxins available to the insects.

By "homolog" it is meant an amino acid sequence that is identified as possessing homology to a reference *Photorhabdus* toxin polypeptide amino acid sequence.

By "homology" it is meant an amino acid sequence that has a similarity index of at least 33% and/or an identity index of at least 26% to a reference *Photorhabdus* toxin polypeptide amino acid sequence, as

scored by the GAP algorithm using the B10sum 62 protein scoring matrix Wisconsin Package Version 9.0, Genetics Computer Group GCG), Madison, WI).

By "identity" is meant an amino acid sequence that contains an identical residue at a given position, following alignment with a reference *Photrhabdus* toxin polypeptide amino acid sequence by the GAP algorithm.

By the use of the term "*Photorhabdus* toxin" it is meant any protein produced by a *Photorhabdus* microorganism strain which has functional activity against insects, where the *Photorhabdus* toxin could be formulated as a sprayable composition, expressed by a transgenic plant, formulated as a bait matrix, delivered via baculovirus, or delivered by any other applicable host or delivery system.

By the use of the term "toxic" or "toxicity" as used herein it is meant that the toxins produced by *Photorhabdus* have "functional activity" as defined herein.

By "substantial sequence homology" is meant either: a DNA fragment having a nucleotide sequence sufficiently similar to another DNA fragment to produce a protein having similar biochemical properties; or a polypeptide having an amino acid sequence sufficiently similar to another polypeptide to exhibit similar biochemical properties.

As with other bacterial toxins, the rate of mutation of the bacteria in a population causes many related toxins slightly different in sequence to exist. Toxins of interest here are those which produce protein complexes toxic to a variety of insects upon exposure, as described herein. Preferably, the toxins are active against *Lepidoptera*, *Coleoptera*, *Homopotera*, *Diptera*, *Hymenoptera*, *Dictyoptera* and *Acarina*. The inventions herein are intended to capture the protein toxins homologous to protein toxins produced by the strains

herein and any derivative strains thereof, as well as any protein toxins produced by *Photorhabdus*. These homologous proteins may differ in sequence, but do not differ in function from those toxins described herein. Homologous toxins are meant to include protein complexes of between 300 kDa to 2,000 kDa and are comprised of at least two 2) subunits, where a subunit is a peptide which may or may not be the same as the other subunit. Various protein subunits have been identified and are taught in the Examples herein. Typically, the protein subunits are between about 18 kDa to about 230 kDa; between about 160 kDa to about 230 kDa; 100 kDa to 160 kDa; about 80 kDa to about 100 kDa; and about 50 kDa to about 80 kDa.

As discussed above, some *Photorhabdus* strains can be isolated from nematodes. Some nematodes, elongated cylindrical parasitic worms of the phylum *Nematoda*, have evolved an ability to exploit insect larvae as a favored growth environment. The insect larvae provide a source of food for growing nematodes and an environment in which to reproduce. One dramatic effect that follows invasion of larvae by certain nematodes is larval death. Larval death results from the presence of, in certain nematodes, bacteria that produce an insecticidal toxin which arrests larval growth and inhibits feeding activity.

Interestingly, it appears that each genus of insect parasitic nematode hosts a particular species of bacterium, uniquely adapted for symbiotic growth with that nematode. In the interim since this research was initiated, the name of the bacterial genus *Xenorhabdus* was reclassified into the *Xenorhabdus* and the *Photorhabdus*. Bacteria of the genus *Photorhabdus* are characterized as being symbionts of *Heterorhabditus* nematodes while *Xenorhabdus* species are symbionts of the *Steinernema* species. This change in nomenclature is reflected in this specification, but in no way should a

change in nomenclature alter the scope of the inventions described herein.

The peptides and genes that are disclosed herein are named according to the guidelines recently published in the Journal of Bacteriology "Instructions to Authors" p. *i-xii* Jan. 1996), which is incorporated herein by reference.

Transformation methods useful in carrying out the invention are well known, and are described, for example, in WO98/08932.

Hemicot tcdA and tcbA

SEQ ID NO: 3 is the nucleotide sequence for an engineered *tcdA* gene in accordance with the invention. SEQ ID NO: 4 is the nucleotide sequence for an engineered *tcbA* gene in accordance with the invention.

The following Tables 1 and 2 identify significant features of the engineered *tcdA* and *tcbA* genes.

Table 1
tcdA

Feature	nucleotides of SEQ ID NO:3
*Nco*I	1-6
*Hind*III	48-53
*Kpn*I	246-254
sequence encoding TcbAii	267-5798
*Nhe*I	333-338
*Bgl*II	1215-1220
*Cla*I	2604-2609
*Pst*I	4015-4020
*Age*I	5088-5093
*Mun*I	5598-5603
*Xba*I	5778-5783
sequence encoding TcbAiii	5799-7517
*Afl*II	5853-5858
*Sph*I	6439-6444
*Sfu*I	7392-7397
*Sac*I	7519-7524
*Xho*I	7522-7527
*Stu*I	7528-7533
*Not*I	7533-7538

Table 2
tcbA

Feature	nucleotides of SEQ ID NO:5
*Nco*I	1-6
*Hind*III	48-53

*Kpn*I	246-251
sequence encoding TcbAii	267-5798
*Nhe*I	333-338
*Bgl*II	1215-1220
*Cla*I	2604-2609
*Pst*I	4015-4020
*Age*I	5088-5093
*Mun*I	5598-5603
*Xba*I	5778-5783
sequence encodingTcbAiii	5799-7517
*Afl*II	5853-5858
*Sph*I	6439-6444
*Sfu*I	7392-7397
*Sac*I	7519-7524
*Sfu*I	7392-7397
*Sac*I	7519-7524
*Xho*I	7522-7527
*Stu*I	7528-7533
*Not*I	7535-7540

It should be noted that the proteins encoded by the plant-optimized *tcdA* (SEQ ID NO:3) and *tcbA* (SEQ ID NO:5) differ from the native proteins by the addition of an Ala residue at position #2. This modification was made to accommodate the *Nco*I site which spans the ATG start codon.

The following Table 3 compares the codon composition of the engineered tcdA gene of SEQ ID NO:3 and engineered tcbA gene of SEQ ID NO:5 with the codon compositions of the native genes, the typical dicot genes, and maize genes.

Table 3

amino acid	codon	% in SEQ ID NO:3	% in *tcdA*	% in SEQ ID NO:5	% in *tcbA*	% in dicot	% in maize
Ala	GCT	62	21	69	41	42	24
	GCC	26	32	27	17	27	34
	GCA	11	25	4	22	25	18
	GCG	0	21	0	21	6	24
Arg	AGG	48	0	60	2	25	26
	CGC	22	36	18	16	11	24
	AGA	20	11	15	6	30	15
	CGT	11	39	7	57	21	11
	CGG	0	7	0	13	4	15
	CGA	0	8	0	6	8	9
Asn	AAC	100	32	100	33	55	68
	AAT	0	68	0	67	45	32
Asp	GAC	67	22	70	25	42	63

amino acid	codon	% in SEQ ID NO:3	% in *tcdA*	% in SEQ ID NO:5	% in *tcbA*	% in dicot	% in maize
	GAT	33	78	30	75	58	37
Cys	TGC	100	30	100	19	56	68
	TGT	0	70	0	81	44	32
End	TGA	100	0	100	0	33	59
	TAG	0	0	0	0	19	21
	TAA	0	100	0	100	48	20
Gln	CAA	65	61	74	53	59	38
	CAG	35	39	26	47	41	62
Glu	GAG	100	24	98	36	51	71
	GAA	0	76	2	64	49	29
Gly	GGT	67	37	64	44	33	20
	GGC	32	36	36	22	16	42
	GGA	1	20	0	19	38	19
	GGG	0	8	0	16	12	20
His	CAC	62	40	72	31	46	62
	CAT	38	60	28	69	54	38
Ile	ATC	73	34	65	24	37	58
	ATT	27	51	35	59	45	28
	ATA	0	15	0	17	18	14
Leu	CTC	54	11	59	7	28	26
	TTG	29	17	25	32	26	15
	CTT	16	9	15	7	19	17
	TTA	0	18	0	19	10	5
	CTG	0	32	0	29	9	29
	CTA	0	13	0	7	8	8
Lys	AAG	99	79	99	75	61	78
	AAA	1	21	1	25	39	22
Met	ATG	100	100	100	100	100	100
Phe	TTC	100	42	100	41	55	71
	TTT	0	58	0	59	45	29
Pro	CCA	74	30	91	26	42	26
	CCT	22	28	7	20	32	22
	CCC	4	14	3	7	17	24
	CCG	0	27	0	47	9	28
Ser	TCC	47	19	55	11	18	23
	TCT	35	15	30	15	25	15
	AGC	18	22	15	18	18	23
	AGT	0	20	0	31	14	9
	TCG	0	7	0	8	6	14
	TCA	0	17	0	17	19	16
Thr	ACC	60	41	64	31	30	37
	ACT	28	25	32	34	35	20
	ACA	12	21	4	18	27	21
	ACG	0	13	0	18	8	22
Trp	TGG	100	100	100	100	100	100
Tyr	TAC	100	24	100	19	57	73
	TAT	0	76	0	81	43	27
Val	GTC	69	27	73	11	20	31
	GTG	21	17	22	27	29	39
	GTT	10	34	3	48	39	21
	GTA	0	22	2	14	12	8

EXAMPLE 1

Design Of Plant Codon-Biased Genes Encoding W-14 Peptides TcbA and TcdA

A. Gene Design

The coding strands of the native DNA sequences of the *Photorhabdus* W-14 genes encoding peptides TcbA and TcdA were scanned for the presence of deleterious sequences such as the Shaw/Kamen RNA destabilizing motif ATTTA, intron splice recognition sites, and poly A addition motifs. This was done using the MacVector Sequence Analysis Software (Oxford Molecular Biology Group, Symantec Corp.), using a custom Nucleic Acid Subsequence File. The native sequence was also searched for runs of 4 or more of the same base.

Motif searching of the native W-14 *tcbA* and *tcdA* genes revealed the presence of many potentially deleterious sequences in the protein coding strands, as summarized in Table 4. Not shown, but also present, were many runs of four or more single residues (e.g. the native *tcbA* gene has 81 runs of four A's).

Table 4

Native Gene	ATTTA	5' Splice	3' Splice	Poly A Addition*	RNAP II term.
tcbA	18	7	17	46	0
tcdA	18	7	13	77	1

* Totals of 16 different motifs.

Analyses of eukaryotic genes and plant genes in particular have shown that CG & TA doublets are underrepresented, while the genes are enriched in CT & TG doublets. The sequences of the hemicot biased genes have accordingly been adjusted to encompass these base compositions and to have G+C compositions of about 53%, similar to many plant genes. When compared to the native W-14 *tcbA* and *tcdA* genes, the plant-biased genes have a much more uniform G+C distribution.

Nucleotide changes to remove potentially deleterious sequences were chosen to simultaneously adjust the codon composition of the coding region to more closely reflect that of plant genes. A framework for these changes was provided by the codon bias tables prepared for maize and dicot genes shown in Table 3.

Comparison of codon compositions of the native W-14 genes to maize and dicot genes revealed that the W-14 genes contain a very different preference set of the degenerate codons for the 18 amino acids for which there is a choice (Table 3). For each of 8 amino acids (Phe, Tyr, Cys, Arg, Asn, Lys, Glu, and Gly) in both W-14 genes, the most abundant codon is different from the preferred codons found in either maize or dicot genes. One might expect that translational difficulties would be encountered in efforts to produce in plants proteins (such as TcbA and TcdA) having high relative amounts of these amino acids from mRNAs having large numbers of nonpreferred codons. There is a marked difference in distribution of the codon compositions specifying the other 10 amino acids. For His, Gln, Ile, Val, and Asp, the dicot-preferred codons are found as the most abundant ones in both W-14 genes. For Leu, Thr, Ser, and Ala, the maize preferred codons are the most abundant codon choices found in the *tcdA* gene. In contrast, the *tcbA* gene contains only the CCG (Pro) maize-preferred codon as the highest abundance choice.

In making the codon choices, doublet contents were considered, so that adjacent codons preferably did not form CG or TA doublets (which are underrepresented in eukaryotic genes; 1, 4), while CT or TG doublets (which are enriched in eukaryotic genes ibid.) were created when possible.

Choices were also made to utilize a diversity of codons for Met, Trp, Asn, Asp, Cys, Glu, His, Ile, Lys, Phe, Thr, and Tyr.

The sequences were also designed to encode unique 6-bp recognition sites for restriction enzymes, spaced about every 1200 bp. Finally, an additional codon (GCT; Ala) was inserted at the second position to encode an Nco I recognition site encompassing the ATG (Met) start codon. Additional recognition sites were included after

the stop codon to facilitate subsequent cloning steps into expression vectors. These features are set forth above in Tables 1 and 2.

The new *tcdA* and *tcbA* genes of SEQ ID NO:3 and SEQ ID NO:4 share 73.5%,and 72.6%% identity, respectively, to their native W-14 counterparts (Wisconsin Genetics Computer Group, GAP algorithm).

B. Gene Synthesis

The complete synthesis of the plant codon-biased *tcbA* and *tcdA* genes was performed under contract by Operon Technologies, Inc. (OPTI, Alameda, CA). Basically, chemically synthesized oligonucleotides of appropriate sequence were assembled into DNA pieces about 500 bases long. These were joined together end-to-end (presumably by means of appropriately placed restriction enzyme sites) into four larger pieces of roughly 2 kilobase pairs (kbp) each; therefore each comprised about 1/4 of the entire coding region of the particular gene. DNA sequence of the pieces was confirmed at this step. If mistakes in sequence were present, the appropriate oligonucleotides were re-synthesized, and the assembly process was repeated. Once gene fractional parts were sequence verified, they were assembled in pairs to make the gene halves, and again sequence verified. Finally, the two halves were joined, and the sequences of the junctions between the halves was verified. Therefore, each part of the new gene was sequence verified at least twice.

It should be noted that attempts to express the native *tcbA* or *tcdA* genes in standard *Escherichia coli* cloning strains suggests that production of these proteins is lethal. Lethality problems may be encountered if standard cloning vectors having leaky expression from inherent *lacZ* promoters are used to assemble these genes.

C. Addition Of Endoplasmic Reticulum Targeting Peptide To Tcda Coding Region

It is known to those in the field of plant gene expression that proteins are specifically directed into the endoplasmic reticulum (ER) by means of a short signal peptide which is removed during or after the transport process through the ER membrane. The mature (processed) protein is incorporated into the ER endomembrane or is released into the ER lumen where the transported protein may be uniquely folded (aided by chaperonins), modified by glycosylation, accumulated in the vacuole, or additionally translocated (by secretion). These processes are reviewed by Gomord and Faye [V. Gomord and L. Faye, (1996) *Signals and mechanisms involved in intracellular transport of secreted proteins in plants.* Plant Physiol. Biochem. 34:165-181] and by Bar-Peled *et al.* [M. Bar-Peled, D. C. Bassham, and N. V. Raikhel, (1996) *Transport of proteins in eukaryotic cells: more questions ahead.* Plant Molec. Biology 32:223-249]. It is also known that the subcellular recognition mechanisms for an ER signal peptide are evolutionarily somewhat conserved, since the ER signal for a protein normally produced in monocot (maize) cells is recognized and processed normally by dicot (tobacco) cells. This is exemplified by the maize 15 kDa zein ER signal peptide [L. M. Hoffman, D. D. Donaldson, R. Bookland, K. Rashka, and E. M. Herman, (1987) *Synthesis and protein body deposition of maize 15-kd zein in transgenic tobacco seeds.* EMBO J. 6:3213-3221, and U.S. Patent 5589616]. Further, it is known that the ER signal peptide derived from one protein can direct the translocation of a different protein if it is appropriately attached to the second protein by genetic engineering methods [D. C. Hunt and M. J. Chrispeels, (1991) *The signal peptide of a vacuolar protein is necessary and sufficient for the efficient secretion of a cytosolic protein.* Plant

Physiol. 96:18-25, and Denecke, J., J. Botterman, and R. Deblaere (1990) *Protein secretion in plants can occur via a default pathway*. Plant Cell 2:51-59]. Therefore, one may expose a protein *in vivo* to different biochemical environments by directing its accumulation in the cytosol (by not providing a signal peptide sequence), or in the ER/vacuole (by provision of an appropriate signal peptide.)

The ER signal peptide of maize 15 kDa zein proteins is known to comprise the first 20 amino acids encoded by the zein coding region. Two examples of such signal peptides the ER signal peptide of 15 kDa zein from A5707 maize, NCBI Accession # M72708, and the ER signal peptide of 15 kDa zein from Black Mexican Sweet maize, NCBI Accession # M13507. There is only a single amino acid difference (Ser vs Cys at residue 17) between these signal peptides.

SEQ ID NO:5 is a modified sequence coding the ER signal peptide of 15 kDa zein from Black Mexican Sweet maize. The modifications embodied in this sequence were made to accommodate the different monocot/dicot codon usages and other sequence motif considerations discussed above in the design of the plant-optimized *tcdA* coding region. The sequence includes an additional Ala residue at position #2 to accommodate the *NcoI* site which spans the ATG start codon.

SEQ ID NO:6 gives a sequence coding for the full-length native TcdA protein (amino acids 22-2537) fused to the modified 15 kDa zein endoplasmic reticulum signal peptide (amino acids 1-21).

Example 2
Transformation Of Tobacco With *Agrobacterium* Carrying Plasmid pDAB2041 Encoding *Photorhabdus* Toxins

A. Plasmid pDAB2041

Preparation of tobacco transformation vectors was accomplished in three steps. First, a modified plant-optimized *tcdA* coding region was ligated into a tobacco

plant expression cassette plasmid. In this step, the coding region was placed under the transcriptional control of a promoter functional in tobacco plant cells. RNA transcription termination and polyadenylation were mediated by a downstream copy of the terminator region from the *Agrobacterium* nopaline synthase gene. Two plasmids designed to function in this role are pDAB1507 and pDAB2006. In the second step, the complete gene comprised of the promoter, coding region, and terminator region was ligated between the T-DNA borders of an *Agrobacterium* binary vector, pDAB1542. Also positioned between the T-DNA borders was a plant selectable marker gene to allow selection of transformed tobacco plant cells. In the third step, the engineered binary vector plasmid was conjugated from its *E. coli* host strain into a disabled *Agrobacterium tumefaciens* strain capable of transforming tobacco plant cells that regenerate into fertile transgenic plants.

It is a feature of plasmid pDAB1507 that any coding region having an *Nco*I site at its 5′ end and a *Sac*I site 3′ to the coding region, when cloned into the unique *Nco*I and *Sac*I sites of pDAB1507, is placed under the transcriptional control of an enhanced version of the CaMV 35S promoter. It is also a feature of pDAB1507 that the 5′ untranslated leader (UTR) sequence preceding the *Nco*I site comprises a modified version of the 5′ UTR of the MSV coat protein gene, into which has been cloned an internally deleted version of the maize Adh1S intron 1. Additionally it is a feature of pDAB1507 that transcription termination and polyadenylation of the mRNA containing the introduced coding region are mediated by termination/Poly A addition sequences derived from the nopaline synthase (Nos) gene. Finally, it is a feature of pDAB1507 that the entire assembly of promoter/coding region/3′UTR can be obtained as a single DNA fragment by cleavage at the flanking *Not*I sites.

It is a feature of plasmid pDAB2006 that any coding region having an *Nco*I site at its 5′ end and a SacI site 3′ to the coding region, when cloned into the unique *Nco*I and *Sac*I sites of pDAB2006, is placed under the transcriptional control of the CaMV 35S promoter. It is also a feature of pDAB2006 that the 5′ untranslated leader (UTR) sequence preceding the *Nco*I site comprises a polylinker. Additionally it is a feature of pDAB2006 that transcription termination and polyadenylation of the mRNA containing the introduced coding region are mediated by termination/Poly A addition sequences derived from the nopaline synthase (Nos) gene. Finally, it is a feature of pDAB2006 that the entire assembly of promoter/coding region/3′UTR can be obtained as a single DNA fragment by cleavage at the flanking *Not*I sites.

It is a feature of pDAB1542 that any DNA fragment flanked by *Not*I sites can be cloned into the unique *Not*I site of pDAB1542, thus placing the introduced fragment between the T-DNA borders, and adjacent to the neomycin phosphotransferase II (kanamycin resistance) gene.

To prepare a plant-expressible gene to produce the non-targeted TcdA protein in tobacco plant cells, DNA of a plasmid (pA0H_4-OPTI) containing the plant-optimized *tcdA* coding region, (SEQ ID No:3) was cleaved with restriction enzymes *Nco*I and *Sac*I, and the large 7550 bp fragment was ligated to similarly-cut DNA of plasmid pDAB1507 to produce plasmid pDAB2040. DNA of pDAB2040 was then digested with *Not*I, and the 8884 bp fragment was ligated to *Not*I digested DNA of pDAB1542 to produce plasmid pDAB2041. This plasmid was then conjugated by triparental mating [Firoozabady, E., D. L. DeBoer, D. J. Merlo, E. L. Halk, L. N. Amerson, K. E. Rashka, and E. E. Murray (1987) *Transformation of cotton (Gossypium hirsutum L.) by Agrobacterium tumefaciens and regeneration of transgenic plants.* Plant Molec. Biol.

10:105-116] from the host *Escherichia coli* strain (XL1-Blue, Stratagene, La Jolla, CA), into the nontumorigenic *Agrobacterium tumefaciens* strain EHA101S, which is a spontaneous streptomycin-resistant mutant of strain EHA101 (Hood, E. E., G. L. Helmer, R. T. Fraley, and M.-D. Chilton (1986) *The hypervirulence of Agrobacterium tumefaciens A281 is encoded in a region of pTiBo542 outside of T-DNA.* J. Bacteriol. 168:1291-1301). Strain EHA101S(pDAB2041) was then used to produce transgenic tobacco plants that expressed the TcdA protein.

B. Plasmid pRK2013

To prepare a plant-expressible gene to produce the endoplasmic reticulum-targeted TcdA protein in tobacco plant cells, DNA of a plasmid (pA0H_4-ER) containing the plant-optimized, ER-targeted *tcdA* coding region, (SEQ ID No:6) was cleaved with restriction enzymes *Nco*I and *Sac*I, and the large 7610 bp fragment was ligated to similarly-cut DNA of plasmid pDAB2006 to produce plasmid pDAB1833. DNA of pDAB1833 was then digested with *Not*I, and the 8822 bp fragment was ligated to *Not*I digested DNA of pDAB1542 to produce plasmid pDAB2052. This plasmid was then conjugated by triparental mating from the host *Escherichia coli* strain (XL1-Blue), into the nontumorigenic *Agrobacterium tumefaciens* strain EHA101S. Strain EHA101S(pDAB2052) was then used to produce transgenic tobacco plants that expressed the TcdA protein containing an amino terminus endoplasmic reticulum targeting peptide.

C. Transfer of Plasmid pDAB2041 Into *Agrobacterium* Strain EHA101S

Cultures of *E. coli* carrying the engineered Ti plasmid pDAB2041 (plasmid containing the rebuilt Toxin A gene, *tcdA*), *E. coli* carrying the plasmid pRK2013, and *Agrobacterium* strain EHA101S were grown overnight, then mixed 1:1:1 on plain LB medium solidified with agar and

cultured in the dark at 28°C. Two days later, the lawn of bacteria was scraped up with a loop, suspended in plain LB medium, vortexed, and then diluted $1:10^4$, $1:10^5$, and $1:10^6$ fold in plain LB liquid medium. Aliquots of these dilutions were spread on selective plates containing medium YEP plus erythromycin (100 mg/L) and streptomycin (250 mg/L) and grown at 28°C. Two days later, single colonies were picked and streaked onto the same medium, then spread to give single colonies. Single colonies were picked again and streaked, then spread for single colonies. Single colonies were picked a third time, grown as streaks, then subjected to a quality analysis involving growth on lactose medium and chromogenic assay with Benedict's reagent. Of ten strains developed in this way, the fastest coloring colony was chosen for further work.

D. Transformation Of Tobacco With *Agrobacterium* Carrying Plasmid pDAB2041

Tobacco transformation with *Agrobacterium tumefaciens* was carried out by a method similar, but not identical, to published methods (R Horsch et al, 1988. Plant Molecular Biology Manual, S. Gelvin et al, eds., Kluwer Academic Publishers, Boston). To provide source tissue for the transformation, tobacco seed (*Nicotiana tabacum* cv. Kentucky 160) were surface sterilized and planted on the surface of TOB- , which is a hormone-free Murashige and Skoog medium (T. Murashige and F. Skoog, 1962). A revised medium for rapid growth and bioassays with tobacco tissue culture. Plant Physiol. 75: 473-497) solidified with agar. Plants were grown for 6-8 weeks in a lighted incubator room at 28-30°C and leaves were collected sterilely for use in the transformation protocol. Approximately one cm^2 pieces were sterilely cut from these leaves, excluding the midrib. Cultures of the

Agrobacterium strains (EHA101S containing pDAB2041), which had been grown overnight on a rotor at 28°C, were pelleted in a centrifuge and resuspended in sterile Murashige & Skoog salts, adjusted to a final optical density of 0.7 at 600 nm. Leaf pieces were dipped in this bacterial suspension for approximately 30 seconds, then blotted dry on sterile paper towels and placed right side up on medium TOB+ (Murashige and Skoog medium containing 1 mg/L indole acetic acid and 2.5 mg/L benzyladenine) and incubated in the dark at 28°C. Two days later the leaf pieces were moved to medium TOB+ containing 250 mg/L cefotaxime (Agri-Bio, North Miami, Florida) and 100 mg/L kanamycin sulfate (AgriBio) and incubated at 28-30°C in the light. Leaf pieces were moved to fresh TOB+ with cefotaxime and kanamycin twice per week for the first two weeks and once per week thereafter. Leaf pieces which showed regrowth of the *Agrobacterium* strain were moved to medium TOB+ with cefotaxime and kanamycin, plus 100 mg/l carbenicillin (Sigma). Four to six weeks after the leaf pieces were treated with the bacteria, small plants arising from transformed foci were removed from this tissue preparation and planted into medium TOB- containing 250 mg/L cefotaxime and 100 mg/L kanamycin in Magenta GA7 boxes (Magenta Corp., Chicago). These plantlets were grown in a lighted incubator room. After 3-4 weeks the primary transgenic plants had rooted and grown to a size sufficient that leaf samples could be analyzed for expression of protein from the transgene. Twenty-five independent transgenic events were recovered as single plants from the pDAB2041 transformation.

Eight independent lines expressing various levels of transgenic protein from the T-DNA of pDAB2041 were propagated *in vitro* from leaf pieces as follows. Twelve to sixteen approximately one cm^2 pieces were sterilely cut from leaves of each primary transgenic plant, excluding

the midrib and all naturally occurring edges. These leaf pieces were placed on medium TOB+ containing 250 mg/L cefotaxime and 100 mg/L kanamycin, and cultured in the lighted incubator at 28-30°C for 3-4 weeks, at which time small plants could be cut from the proliferating tissue mass. Several small plantlets from each transgenic line were moved into Magenta boxes containing medium TOB- plus cefotaxime and kanamycin and allowed to root and grow. The proliferating tissue mass was further cultured on medium TOB+ with cefotaxime and kanamycin, and additional plants could be cut out and grown up as needed.

Plants were moved into the greenhouse by washing the agar from the roots, transplanting into soil in 5 ½" square pots, placing the pot into a Ziploc bag (DowBrands), placing plain water into the bottom of the bag, and placing in indirect light in a 30°C greenhouse for one week. After one week the bag could be opened; the plants were fertilized and allowed to grow further, until the plants were acclimated and the bag was removed. Plants were grown under ordinary warm greenhouse conditions (30°C, 16 H light). Plants were suitable for sampling four weeks post transplant.

Example 3
Chacterization Of Transgenic Tobacco Plants Expressing Photorhabdus Toxin That Confer Insect Control.

A. Polyclonal Antibody Production

The *E. coli* produced recombinant TcdA protein was purified by a series of column purification. The protein was sent to Berkley Antibody Company (Richmond, CA) for the production of antiserum in a rabbit. Inoculations with the antigen were initiated with 0.5 mg of protein followed by four boosting injections of 0.25 mg each at about three week intervals. The rabbit serum was tested by the standard Western analysis using the recombinant TcdA protein as the antigen and enhanced chemi-

luminescens, ECL method (Amersham, Arlington Heights, IL) .The antibodies (PAb-EA_0) were purified using a PURE I antibody purification kit (Sigma, St. Luis, MO). PAb-EA_0 antibodies recognize the full-length TcdA and its processed components.

B. Expression Of TcdA Protein In Tobacco

Protein was extracted from the leaf tissue of transformed and non-transformed tobacco plants following the procedure described immediately below.

Two leaf disks of 1.4 cm in diameter were harvested from the middle portion of a fully expanded leaf. The disks were placed on a 1.6 x 4 cm piece of 3M Whatman paper. The paper was folded lengthwise and inserted in a flexible straw. Four hundred micro liters of the extraction buffer (9.5 ml of 0.2 M NaH_2PO_4, 15.5 ml of 0.2 M Na_2HPO_4, 2 ml of 0.5 M Na_2EDTA, 100 ml of Triton X100, 1 ml of 10% Sarkosyl, 78 ml of beta-mercaptoethanol, H_2O to bring total volume to 100 ml) was pipetted on to the paper. The straw containing the sample was then passed through a rolling device used for squeezing out the extract 1.5 mL micro centrifuge tube was placed at the other end of the straw to collect the extract. The extract was centrifuged for 10 minutes at 14,000 rpm in an Eppendorf regrigerated microcentrifuge. The supernatant was transferred into a new tube. Protein quantitation analysis was performed using the standard Bio-Rad Protein Analysis protocol (Bio-Rad Laboratories, Hercules, CA). The extract was diluted to 2 mg/ml of total protein using the extraction buffer.

For the detection of transgenic protein, Western blot analysis was performed. Following a standard procedure for protein separation (Laemmli, 1970), 40 µg of protein was loaded in each well of 4-20% gradient polyacrylamide gel (Owl Scientific Co., MA) for electrophoresis. Subsequently, the protein was

transferred onto a nitrocellulose membrane using a semi-dry electroblotter (Pharmacia LKB Biotechnology, Piscataway, NJ). The membrane was incubated for one hour in Blotto (5% milk in TBST solution; 25 mM Tris HCL pH 7.4, 136 mM NaCl, 2.7 mM KCl, 0.1% Tween 20). Thereafter , Blotto was replaced by the primary antibody solution (in Blotto). After one hour in the primary antibody, the membrane was washed with TBST for five minutes three times. Then the secondary antibody in Blotto (1:2000 dilution of goat anti-rabbit IgG conjugated to horseradish peroxidase; Bio-Rad Laboratories). was added to the membrane. After one hour of incubation, the membrane was washed with an excess amount of TBST for 10 minutes four times. The protein was visualized by using the enhanced chemi-luminescens, ECL method (Amersham, Arlington Heights, IL). The differential intensity of the protein bands were measured using densitometer (Molecular Dynamics Inc., Sunnyvale, CA).

To determine the expression of TcdA protein in tobacco transformed with pDAB2041, PAb-EA_0 antibodies were used as the primary antibodies. The expression levels of TcdA protein varied among independent transformation events. The primary plant generated from the event #2041-13 showed the highest level of pre-pro TcdA expression of extractable protein. When the leaf pieces from this plant (#2041-13) were used in *in vitro* propagation, several plants were obtained. Seven of these plants were analyzed for the expression of the TcdA protein. All but one plant produced the full-length TcdA protein as well as some processed peptide components. Using the antibodies specific to Neomycin phospho-transferase, NPT (5 prime-3 prime, Boulder, Co), the expression the selectable marker gene (*npt II*) was detected. Similar results were obtained for #2041-29.

Table 5

Western analysis of plants derived from event #2041-13.

Plant #	TcdA	NPT (selectable marker)
2041-13A	+	not done
2041-13B	+	not done
2041-13-1	-	+
2041-13-2	+	+
2041-13-3	+	+
2041-13-4	+	+
2041-13-5	+	+

C. Nucleic Acid Analysis of Transgenic Tobacco Lines

Genomic DNA was prepared from a group of 2041 transgenic events. The lines included Magenta box stage 2041-13, and greenhouse stage plants 2041-13-1, 2041-13-2, 2041-13-5, 2041-9, 2041-20A and 2041-20B. A transgenic GUS line (2023) was included as a negative control. Southern analysis of these lines was performed. The genomic tobacco DNA was restricted with the enzyme SstI which should result in a 8.9 kb hybridization product when hybridized to a *tcdA* gene specific probe. The 8.9 kb hybridization product should consist of the 35T promoter and the *tcdA* coding region. All 2041 plants contained a band of the expected size. Events 2041-9 and -20 appear to be the same line with 5 identical hybridizing bands. Event 2041-13 produced 6 hybridization fragments with the *tcdA* coding region probe. Magenta box and various greenhouse plants of 2041-13 all produced the same hybridization profile. This hybridization pattern was different from that of events 2041-9 and -20.

RNA analysis, using the *tcdA* coding region probe, was performed on the same group of greenhouse 2041 plants. Immunoblot analysis had revealed that plants 2041-9, 2041-20A, 2041-20B, and 2041-13-1 produced no detectable TcdA protein; while 2041-13-2 and 2041-13-5 produced substantial amounts of full-length TcdA. Northern analysis was in agreement with the immunoblot

result. A faint RNA signal was detected for plants 2041-9, 2041-20A, 2041-20B, and 2041-13-1. Only faintly visible was a band corresponding to full-length *tcdA* transcript in plant 2041-13.1. In contrast, for plants 2041-13-2 and 2041-13-5 a strong RNA signal was detected, with a substantial amount of full-length size (~8.0 kb) *tcdA* transcript. These data support the observed bioassay activity for this group of plants.

Genomic DNA was prepared from a second functionally active 2041 transgenic event, 2041-29. Southern analysis of this line was performed. A transgenic GUS line (2023) was included as a negative control, DNA of line 2041-9 was included as a positive control.

The genomic tobacco DNAs were restricted with the enzyme SstI which should result in a 8.9 kb hybridization product when hybridized to a *tcdA* gene specific probe. The 8.9 kb hybridization product should consist of the 35T promoter and the *tcdA* coding region. For plant 2041-29-5, three hybridization products larger than 8.9 kb the were detected with the *tcdA* gene specific probe. Immunoblot analysis has demonstrated pre-pro TcdA protein is made by this plant, it is therefore likely that a restriction site was lost during transformation or regeneration, or the 2041-29 genomic DNA was not thoroughly digested.

D. Tobacco Leaf-Disk Tests With Tobacco Hornworm Exhibiting Insect Control

Leaves were sampled from tobacco plants, *Nicotiana tabaco*, previously transplanted into the greenhouse. A single leaf was sampled from each plant on each test date. Leaves were selected from the zone where younger elongate leaves transition into older ovate leaves. Excised leaves were placed into 12 oz. cups with the petiole submerged in water to maintain turgor, and transported to the laboratory.

Eight, 1.4 cm disks were cut from the center portion of one side of each leaf (right adaxial side up, with distal portion facing away from the observer). Each disk was placed individually into a well of a C-D International 128 well tray (Pitman, NJ.) into which 0.5 ml of a 1.6% aqueous agar solution had been previously pipetted. The solidified agar prevented the leaf disks from drying out. The adaxial surface of the disk was always oriented up.

A single neonate tobacco hornworm, *Manduca sexta*, was placed on each disk and the wells were sealed with vented plastic lids. The assay was held at 27°C and 40% RH. Larval mortality and live-weight data were collected after 3 days. Data were subjected to analysis of variance and Duncan's multiple range test ($\alpha = 0.05$) (Proc GLM, SAS Institute Inc., Cary, NC.). Data were transformed using a logarithmic function to correct a correlation between the magnitude of the mean and variance.

Table 6
Results of leaf-disk assays from greenhouse grown tobacco plants with event 2041-13.

			Weight of Surviving Larvae (mg) & Duncan's Group[1]				
TRT	Plant	Plant Age	Pretest	Test 1	Test 2	Test 3	3 Test Sum.
13	non-transformed - 2	young	---	---	---	18.8 a*	---
14	non-transformed - 3	young	---	---	---	17.0 ab	---
16	non-transformed - 5	young	---	---	---	16.4 ab	---
3	2041-13-1 (western -)	young	---	17.6 a	18.2 a	16.1 ab	17.3 a
9	Gus Control	old	19.3 a	14.6 a	16.3 a	14.5 ab	15.1 a
10	non-transformed - 1	young	---	8.3 b	16.8 a	13.9 b	13.0 b
11	2041-20B (western -)	old	---	10.0 b*	13.7 ab	14.6 ab	12.9 b
15	non-transformed - 4	young	---	---	---	13.0 bc	---
8	2041-20A (western -)	old	15.7 a	8.3 b	11.3 bc	9.2 cd	9.6 c
12	2041-9 (western -)	old	19.5 a	---	---	7.9 d	---
7	2041-13-5 (western +)	young	---	6.3 bc	9.6 cd	7.2 de	7.7 d
5	2041-13-3 (western +)	young	---	6.4 bc****	6.2 e	6.8 de**	6.4 de
1	2041-13A (western +)	old	7.2 b	6.8 bc*	7.0 de*	5.4 e	6.4 de
6	2041-13-4 (western +)	young	---	4.9 c****	5.8 e	7.6 d	6.4 de
4	2041-13-2 (western +)	young	---	5.7 bc	5.7 e**	7.5 d	6.3 de
2	2041-13B (western +)	old	---	4.7 c**	5.6 e	7.2 de	5.9 e

* Number of stars corresponds to the number of dead larvae per 8 tested.

1. Data transformed (logarithm) for analysis.
Means followed by the same letter are not significantly different (alpha = 0.05).

TABLE 7
Results Of Leaf-Disk Assays From Greenhouse Grown Tobacco Plants
With Event 2041-29.

	MEAN WGT (MG) / Duncan's Group				
Plant	Test 1	Test 2	Test 3	Test 4	Four Test Summary
2014-6 GUS 1	15.8 a	16.6a	**5.5bc	*12.9ab	13.2 a
2014-6 GUS 2	14.4 a	*6.6 bc	*13.4a	15.2a	12.6 a
KY-160 NTC	13.4 a	6.7 bc	7.9b	8.5bc	9.1 b
2041-29 4P	*4.9 b	*7.3b	****6.9b	********	6.3 c
2041-29 7	*5.9 b	5.1bc	***6.7b	***7.2c	6.1 c
2041-29 3P	*5.6 b	**7.9b	*****6.5b	***3.6d	5.9 c
2041-29 2P	6.3 b	****4.7c	******4.1c	******4.6d	5.4 c

* Number of stars corresponds to the number of dead larvae per 8 tested.

1. Data transformed (logarithm) for analysis.
Means followed by the same letter are not significantly different (alpha = 0.05).

All event 2041-29 plants significantly depressed THW larval weight gain compared to control plants. Average weight depression was 49%. Statistically significant mortality occurred in THW larvae exposed to foliage from 2041-29 plants. Mortality averaged 37.5% compared to 5.2% in controls.

E. Isolation and Characterization of Functional Photorhabdus Toxin Protein From Transgenic Plants

Seven grams of transgenic tobacco plants (2041-13) expressing TcdA (Toxin A) gene were homogenized with 10 ml 50 mM Potassium Phosphate buffer, pH 7.0 using a bead beater (Biospec Products, Bartlesville, OK) according to manufacturer's instructions. The homogenate was filtered through four layers of cheese cloth and then centrifuged at 35,000 g for 15 min. The supernant was collected and filtered through 0.22 µm Millipore Express™ membrane. It was then applied to a Superdex 200 cloumn (2.6 x 40 cm)

which had been equilibrated with 20 mM Tris buffer, pH 8.0 (Buffer A). The protein was eluted in Buffer A at a flow rate of 3 ml/min. Fractions with 3 ml each were collected and subjected to southern corn rootworm (SCR) bioassay. It was found that fractions corresponding to a native molecular weight around 860 kDa had the highest insecticidal activity. Western analysis of the active fraction using a polyclonal antibody specific to Toxin A indicated the presence of full-length TcdA peptide. The active fractions were further combined and applied to a Mono Q 10/10 column which had been equilibrated with Buffer A. Proteins bound to the column were then eluted by a linear gradient of 0 to 1 M NaCl in Buffer A. Fractions with 2 ml each were collected and analyzed by both SCR bioassay and Western using antibody specific to Toxin A. The results again demonstrated the correlation between insecticidal activity and presence of full-length TcdA peptide.

F. Characterization of Progeny Transgenic Plants

The inheritability of the genetically engineering plants containing the Photorhabdus toxin gene was evaluated by generating F1 progeny. Progeny was generated from 2041-13 event by selfing expression positive plants. The 2041-13 plants in the greenhouse were allowed to self-pollinate. Seed capsules were collected when mature and were allowed to dry and after-ripen on the laboratory bench for two weeks. Seed from plant designated 2041-13A was surface-sterilized and distributed on the surface of medium TOB- without selection, to allow recovery of nonexpressing or nontransgenic progeny as well as expressing and segregating transgenic siblings. Seed was germinated in a C lighted incubator room (16 H light, 28 C). After 1 month, fifty-one seedlings, designated 2041-13A-S1 through S51, were distributed into Magenta boxes

containing medium TOB- to grow further. Three weeks later, leaf samples from these Magenta-box grown seedlings were submitted for evaluation of the level of expression of TcdA toxin.

Leaf samples were tested for kanamycin response by placing sterile leaf segments on medium TOB+ containing 100 mg/L kanamycin in the light and scoring for tissue growth and color after two weeks. All leaf pieces showed some positive response, indicating complex segregation.

This group of in vitro grown event 2041-13 progeny seedlings were all transplanted into the greenhouse approximately two months after seeding onto medium, using the following method. After washing the agar from the roots, plants were transplanted into 5 ½ inch square pots in a soil mix containing 75% MetroMix and 25% mineral soil. They were enclosed in a zip-lock bag and plain water added to leave 1-2 inches of water in the bottom of the bag after soil absorption. These bags were closed and placed under a cart in the greenhouse to protect them from direct sunlight. The bags were opened after 5-6 days, and removed after 7 days, when the plants were adapted to soil and were moved to the top of the cart for normal greenhouse culture. Plants were ready to test in insect bioassays at four weeks post transplant.

F1 progeny were evaluated for expression of protein toxin by immunological screen and for biological activity by plant bioassays, as described previously, using tobacco hornworm. There existed a positive correlation between levels of expression protein toxin and degree of growth inhibition and at higher expression levels mortality was observed. The biological activity was observed to be statistical significance with high cofidence levels between populations of non-transformed and transformed expressing protein toxin.

The following table summarizes the results of insect (tobacco hornworm) bioassays conducted with F1 progeny of

self-fertilized 2041-13 plants genetically engineered to produce the "204" *A* toxin. The tests included 6 non-expressing progeny (protein-negative controls), 45 toxin *A* expressors, and 4 non-transformed controls (KY-160). Results are from three leaf-disk assays (method previously outlined) where eight disks were used per test. The data were analyzed using analysis of variance and were blocked by test.

The treatment effect for each of these analyses indicated the Pr > F was less than 0.0001. The Toxin A expressors produced significant control of tobacco hornworm compared to each of the control groups based on each of the three measures of efficacy. The two control groups behaved similarly. Statistical analysis using ANOVA and an LSD test with alpha equal to 0.01 (or 1%) showed differences between the 3 groups. The LSD test indicated that the non-expressors and the non-transformed plants were similar in larvae weights but the expressors gave weights significantly lower than either of the other two groups of plants. These data demonstrated that the genetic basis for insect control was inheritable and corresponded to the presence of expressed toxin gene.

Table 8
Tobacco hornworm results from F1 progeny of self-fertilized
2041-13 tobacco plants.

	Mean Value and Duncan's Grouping[d]		
Treatment Group	Total Weight (mg)[a]	Survivor Weight (mg)[b]	Leaf Area (cm^2)[c]
Non-transformed Control	15.8 a	15.8 a	1.2 a
Protein-negative Control	16.4 a	16.5 a	1.2 a
Toxin *A* Expressor	8.1 b	9.2 b	4.9 b

[a] Average insect weight with dead insects considered to weigh nothing.

[b] Average insect weight with dead insects excluded from analysis.

[c] Total leaf area remaining per eight leaf disks. Initial area was approximately 12 cm^2.

[d] Means followed by the same letter are not significantly different (alpha = 0.05).

Example 4

Transformation Of Maize With a Vector Carrying Plasmid pDAB1834 Encoding *Photorhabdus* Toxins

A. Preparation Of Maize Transformation Vectors Containing Modified Plant-Optimized *Tcda* Coding Regions: Plasmid Pdab1834

Preparation of maize transformation vectors was accomplished in two steps. First, a modified plant-optimized *tcdA* coding region was ligated into a plant expression cassette plasmid. In this step, the coding region was placed under the transcriptional control of a promoter functional in maize plant cells. RNA transcription termination and polyadenylation were mediated by a downstream copy of the terminator region from the *Agrobacterium* nopaline synthase gene. One plasmid designed to function in this role is pDAB1538. In the second step, the complete gene comprised of the promoter, coding region, and 3' UTR terminator region was ligated to a plant transformation vector that contained a plant expressible selectable marker gene which allowed the selection of transformed maize plant cells amongst a background of nontransformed cells. An example of such a vector is pDAB367.

It is a feature of plasmid pDAB1538 that any coding region having an *Nco*I site at its 5' end and a SacI site 3' to the coding region, when cloned into the unique *Nco*I and *Sac*I sites of pDAB1538, is placed under the transcriptional control of the maize ubiquitin1 (ubi1) promoter. It is also a feature of pDAB1538 that the 5' untranslated leader (UTR) sequence preceding the *Nco*I site comprises a polylinker. Additionally it is a feature of pDAB1538 that transcription termination and polyadenylation of the mRNA containing the introduced coding region are mediated by termination/Poly A addition

sequences derived from the nopaline synthase (Nos) gene. Finally, it is a feature of pDAB1538 that the entire assembly of promoter/coding region/3'UTR can be obtained as a single DNA fragment by cleavage at the flanking *Not*I sites.

It is a feature of pDAB367 that the phosphinothricin acetyl transferase protein, which has as its substrate phosphinothricin and related compounds, is produced in plant cells through transcription of its coding region mediated by the Cauliflower Mosaic Virus 35S promoter and that termination of transcription plus polyadenylation are mediated by the nopaline synthase terminator region. It is further a feature of pDAB367 that any DNA fragment containing flanking *Not*I sites can be cloned into the unique *Not*I site of pDAB367, thus physically linking the introduced DNA fragment to the aforementioned selectable marker gene.

To prepare a maize plant-expressible gene to produce the endoplasmic reticulum-targeted TcdA protein in plant cells, DNA of a plasmid (pA0H_4-ER) containing the plant-optimized, ER-targeted *tcdA* coding region, (SEQ ID No:6) was cleaved with restriction enzymes *Nco*I and *Sac*I, and the large 7610 bp fragment was ligated to similarly-cut DNA of plasmid pDAB1538 to produce plasmid pDAB1832. DNA of pDAB1832 was then digested with *Not*I, and the 9984 bp *Not*I fragment was ligated into the unique *Not*I site of pDAB367 to produce plasmid pDAB1834.

It is a feature of plasmids pDAB1834 that the ubi1 and 35S promoters are encoded on the same DNA strand.

B. Transformation and Regeneration of Transgenic Maize Isolates

Type II callus cultures were initiated from immature zygotic embryos of the genotype "Hi-II." (Armstrong et al, (1991) Maize Genet. Coop. Newslett., 65: 92-93). Embryos were isolated from greenhouse-grown ears from

crosses between Hi-II parent A and Hi-II parent B or F_2 embryos derived from a self- or sib-pollination of a Hi-II plant. Immature embryos (1.5 to 3.5 mm) were cultured on initiation medium consisting of N6 salts and vitamins (Chu *et al*, (1978) *The N6 medium and its application to anther culture of cereal crops*. Proc. Symp. Plant Tissue Culture, Peking Press, 43-56), 1.0 mg/L 2,4-D, 25mM L-proline, 100 mg/L casein hydrolysate, 10 mg/L $AgNO_3$, 2.5 g/L GELRITE (Schweizerhall, South Plainfield, NJ), and 20 g/L sucrose, with a pH of 5.8. After four to six weeks callus was subcultured onto maintenance medium (initiation medium in which $AgNO_3$ was omitted and L-proline was reduced to 6 mM). Selection for Type II callus took place for ca. 12-16 weeks.

Plasmid pDAB1834 was transformed into embryogenic callus. For blasting, 140 µg of plasmid DNA was precipitated onto 60 mg of alcohol-rinsed, spherical gold particles (1.5 - 3.0 µm diameter, Aldrich Chemical Co., Inc., Milwaukee, WI) by adding 74 µL of 2.5M $CaCl_2$ H_20 and 30 µL of 0.1M spermidine (free base) to 300 µL of plasmid DNA and H_2O. The solution was immediately vortexed and the DNA-coated gold particles were allowed to settle. The resulting clear supernatant was removed and the gold particles were resuspended in 1 ml of absolute ethanol. This suspension was diluted with absolute ethanol to obtain 15 mg DNA-coated gold/mL.

Approximately 600 mg of embryogenic callus tissue was spread over the surface of Type II callus maintenance medium as described herein lacking casein hydrolysate and L-proline, but supplemented with 0.2 M sorbitol and 0.2 M mannitol as an osmoticum. Following a 4 h pre-treatment, tissue was transferred to culture dishes containing blasting medium (osmotic media solidified with 20 g/L TC agar (*Phyto*Technology Laboratories, LLC, Shawnee Mission, KS) instead of 7 g/L GELRITE. Helium blasting accelerated suspended DNA-coated gold particles towards

and into the prepared tissue targets. The device used was an earlier prototype of that described in US Patent 5,141,131 which is incorporated herein by reference. Tissues were covered with a stainless steel screen (104 μm openings)and placed under a partial vacuum of 25 inches of Hg in the device chamber. The DNA-coated gold particles were further diluted 1:1 with absolute ethanol prior to blasting and were accelerated at the callus targets four times using a helium pressure of 1500 psi, with each blast delivering 20 μL of the DNA/gold suspension. Immediately post-blasting, the tissue was transferred to osmotic media for a 16-24 h recovery period. Afterwards, the tissue was divided into small pieces and transferred to selection medium (maintenance medium lacking casein hydrolysate and L-proline but containing 30 mg/L BASTA® (AgrEvo, Berlin, Germany)). Every four weeks for 3 months, tissue pieces were non-selectively transferred to fresh selection medium. After 7 weeks and up to 22 weeks, callus sectors found proliferating against a background of growth-inhibited tissue were removed and isolated. The resulting BASTA®-resistant tissue was subcultured biweekly onto fresh selection medium. Following western analysis, positive transgenic lines were identified and transferred to regeneration media. Western-negative lines underwent subsequent RNA spot blot analysis to identify negative controls for regeneration.

Regeneration was initiated by transferring callus tissue to cytokinin-based induction medium, which consisted of Murashige and Skoog salts, hereinafter MS salts, and vitamins (Murashige and Skoog, (1962) Physiol. Plant. 15: 473-497) 30 g/L sucrose, 100 mg/L *myo*-inositol, 30 g/L mannitol, 5 mg/L 6-benzylaminopurine, hereinafter BAP, 0.025 mg/L 2,4-D, 30 mg/L BASTA®, and 2.5 g/L GELRITE at pH 5.7. The cultures were placed in low light (125 ft-candles) for one week followed by one

week in high light (325 ft-candles). Following a two week induction period, tissue was non-selectively transferred to hormone-free regeneration medium, which was identical to the induction medium except that it lacked 2,4-D and BAP, and was kept in high light. Small (1.5-3 cm) plantlets were removed and placed in 150x25 mm culture tubes containing SH medium (SH salts and vitamins (Schenk and Hildebrandt, (1972) Can. J. Bot. 50:199-204), 10 g/L sucrose, 100 mg/L myo-inositol, 5 mL/L FeEDTA, and 2.5 g/L GELRITE, pH 5.8). Plantlets were transferred to 12 cm pots containing approximately 0.25 kg of METRO-MIX 360 (The Scotts Co. Marysville, OH) in the greenhouse as soon as they exhibited growth and developed a sufficient root system. They were grown with a 16 h photoperiod supplemented by a combination of high pressure sodium and metal halide lamps, and were watered as needed with a combination of three independent Peters Excel fertilizer formulations (Grace-Sierra Horticultural Products Company, Milpitas, CA). At the 6-8 leaf stage, plants were transplanted to five gallon pots containing approximately 4 kg METRO-MIX 360, and grown to maturity.

EXAMPLE 5

Characterization Of Transgenic Maize Plants Expressing Photorhabdus Toxin That Confer Insect Control.

A. Insect Bioassays

A single leaf was sampled from each plant in each test. Eight, 1.4 cm disks were cut from the outer portion of each leaf (approximately 30cm long) avoiding the center vein. Each disk was placed individually into a well of a C-D International 128 well tray (Pitman, NJ.) into which 0.5 ml of a 1.6% aqueous agar solution had been previously pipetted. The solidified agar prevented the leaf disks from drying out. The adaxial surface of the disk was always oriented up.

Five neonate southern corn rootworms, Diabrotica undecimpunctata howardi, were placed on each disk and the wells were sealed with vented plastic lids. The assay was held at 27°C and 40% RH. Larval mortality and live-weight data were collected after 3 days. Data were subjected to analysis of variance and Duncan's multiple range test ($\alpha = 0.05$)(Proc GLM, SAS Institute Inc., Cary, NC.). Weight data were transformed using a logarithmic function to correct a correlation between the magnitude of the mean and variance.

TABLE 9

Results of Maize Leaf-disk Test vs SCR

Treatment	Mean % Kill (Duncan's)	Mean Survival Weight (mg) (Duncan's)
1834 - 11	68 A	0.064 A
1834 - 17	44 B	0.098 B
1834 - 15	26 BC	0.127 C
HiII control	13 C	0.161 C

Note: Means followed by the same letter are not significantly different based on Duncan's multiple range test (alpha=0.05). Insect groups weighing less than 0.1 mg were set to 0.03 mg instead of zero to conduct a more conservative analysis. Mortality (arcsin(sqrt).) and weight(log10) data were transformed for analyses.

The results shown in Table 9 demonstrated that two events expressing TcdA protein were statistically distinct from control lines bioassayed using SCR neonates by mortality and survival weight criteria. These results demonstrated that southern corn rootworm were functionally effected by feeding on maize plants containing and expressing the *tcdA* gene. Those plants from 1834-11 were used to generate progeny for testing of inheritability of transgene.

B. PRODUCTION AND PROGENY TEST OF *tcdA* TRANSGENIC MAIZE

Origin and growth of progeny plants: Sibling plants 1834-11-07 and 1834-11-08, clonally derived by regeneration from the callus of transgenic maize event 1834-11, were transplanted to the greenhouse and pollinated with inbred OQ414. Seeds obtained from these crosses, comprising seed lots 1834-11-07A and 1834-11-08A, were planted in Rootrainers (1 ½ inch x 2 inch x 8 inch deep, product #647, C. Hummert Intl., Earth City, Mo.) filled with Metro-Mix 360 soilless mix (Scotts Terra-Lite, available from Hummert Intl.) and top irrigated with Hoagland's nutrient solution. (Hoagland's solution contains 229 ppm nitrogen as nitrate, 24.6 ppm nitrogen as ammonium, 26 ppm P, 157 ppm K, 187 ppm Ca, 49 ppm Mg. and 30 ppm Na.)

Greenhouse conditions for this trial were: 16 hour days, daylight supplemented by metal halide lamps as needed to achieve a minimum of 600 ?Einsteins/cm^2 PAR, and ambient temperature 30 C days, 22 C nights.

Leaves were sampled for protein determination approximately one week after planting. Leaf bioassays were conducted 2-3 weeks after planting; root bioassays were initiated approximately 3 weeks post planting.

Protein analysis of progeny plants: Protein was extracted from leaf and root samples harvested from transgenic plants, line 1834-11 progenies, and non-transformed plants. Each sample was placed on a 1.6 x 4 cm piece of 3M Whatman™ paper. The paper was folded lengthwise and inserted in a flexible straw. A volume of 350 µl of an extraction buffer (9.5 ml of 0.2 M NaH_2PO_4, 15.5 ml of 0.2 M Na_2HPO_4, 2 ml of 0.5 M Na_2EDTA, 100 ml of Triton X-100, 1 ml of 10% Sarkosyl, 78 ml of beta-mercaptoethanol, H_2O to bring total volume to 100 ml, 50 µg/ml Antipain, 50 µg/ml Leupeptin, 0.1 mM Chymostatin, 5 µg/ml Pepstatin) was pipetted on to the paper. The straw containing the

sample was then passed through a rolling device used for squeezing the extract into a 1.5 ml microcentrifuge tube. The extract was centrifuged for 10 minutes at 14,000 rpm in an Eppendorf refrigerated micro-centrifuge. The supernatant was transferred into a new tube. The amount of the total extractable protein was determined using a standard BioRad Protein Analysis protocol (BioRad Laboratories, Hercules, CA).

The presence of the TcdA protein was visualized by Western blot analysis following a standard procedure for protein separation (Laemmli, 1970). A volume of twenty µl of extract was loaded in each well of 4-20% gradient polyacrylamide gel (Owl Scientific Co., MA) for electrophoresis. Subsequently, the protein was transferred onto a nitrocellulose membrane using a semi-dry electroblotter (Pharmacia LKB Biotechnology, Piscataway, NJ). The membrane was incubated for one hour in TBST-M solution (10% milk in TBST solution; 25 mM Tris HCL pH 7.4, 136 mM NaCl, 2.7 mM KCl, 0.1% Tween 20). Thereafter, the primary antibody (Anti-TcdA in TBST-M) was added. After one hour, the membrane was washed with TBST for five minutes, three times. Then the secondary antibody solution (goat anti-rabbit IgG conjugated to horseradish peroxidase; Bio-Rad Laboratories, in TBST-M) was added to the membrane. After one hour of incubation, the membrane was washed with an excess amount of TBST for 10 minutes, four times. The protein was visualized using the Super Signal® West Pico chemiluminescence method (Pierce Chemical Co., Rockford, IL). The protein blot was exposed on a Hyper-film (Amersham, Arlington Heights, IL) and was developed within 3 minutes. The intensity of the protein band was measured using a densitometer (Molecular Dynamics Inc., Sunnyvale, CA) and compared to standards.

Three of six plants from seed lot 1834-11-07A and three of six plants from seed lot 1834-11-08A produced

detectable levels of TcdA protein (Table 1). Approximately 3.8 to 13.3 ppm of TcdA were detected in the leaf blades and 4.1 to 8.4 ppm were detected in the leaf tips of the protein-positive plants. The amounts of TcdA protein detected in the roots were slightly lower than those found in the leaves.

Insect bioassays with progeny plants: Plants were selected for bioassay based on results from Western blot analysis. Twelve (12), 6.4 mm diameter leaf discs were cut from the youngest leaf of each 2 week old seedling. Each disc was placed in a well of a 128-well tray (CD International) containing approximately 0.5mL of a solidified 2% agar in water solution. Two neonate southern corn rootworm, *Diabrotica undecimpunctata howardi* (Barber) (SCR), were placed in each well with a leaf disc. Trays were covered with perforated lids and maintained under a controlled environment for 3 days (28 C; 16 hours light:8 hours dark; approx. 60% relative humidity). Living larvae from 4 leaf discs were pooled and weighed producing 3 weight determinations per plant. Average weights were calculated by dividing the pooled weight by the number of survivors. Differences in average weights of SCR fed leaf discs from protein positive and protein negative plants were assessed using analysis of variance on the natural log-transformed average weights (Minitab, v. 12.2, Minitab Inc., State College, PA).

Root bioassays were initiated approximately 1 week after the initiation of the leaf disc bioassays. Approximately 24h prior to eclosion, SCR eggs were suspended in a 0.15% solution of agar in water to a concentration of 100 eggs/ml. Plants were inoculated with SCR eggs by pipetting 2.0 ml of the egg suspension (ie., approximately 200 eggs) just below the soil surface at the base of each plant. Two weeks after inoculation, plants were removed from their Rootrainer pots, their

roots washed free of potting mix, and scored for rootworm damage based on a 1 (resistant) to 9 (susceptible) rating system (Welch, 1977). The results of the root ratings were examined using non-parametric tests to determine if the distribution of root ratings from the protein positive plants was the same as the distribution of the ratings from the protein negative plants. Testing was done at the 5% significance level. (StatXact v.3, CYTEL Software Corporation, Cambridge MA)

Results from leaf and root bioassays of tcdA protein positive and protein negative progeny plants are summarized in Table 10. The average weights of SCR larvae fed leaf discs from protein positive plants were significantly lower than those of larvae fed leaf discs from protein negative plants ($F = 4.6$; $d.f. = 1, 34$; $P \leq 0.001$. The Kolmogorov-Smirnov 2 sample test (p=0.04) and the Wald Wolfowitz runs test (p=0.001) indicated that the protein positive and protein negative root rating distributions were not similar. The Wilcoxon- Mann-Whitney test (p=0.0206) and the Normal Scores test (p=0.206) indicated that the average score for the protein positive plants was lower than the average root rating from the protein negative plants.

Table 10. Protein analysis and insect bioassay results with progeny of TcdA transgenic maize.

Plant Number	TcdA Protein	Leaf Disc Bioassay Avg. Wt. (mg)	Root Bioassay Root Rating (1-9)
1834-11-07A-30	PRO-	0.190	8
1834-11-08A-21	PRO-	0.196	9
1834-11-08A-16	PRO-	0.195	9
1834-11-08A-14	PRO-	0.137	9
1834-11-07A-22	PRO-	0.208	9
1834-11-07A-20	PRO-	0.175	9

1834-11-07A-26	PRO+	0.118	9
1834-11-08A-17	PRO+	0.132	8
1834-11-07A-14	PRO+	0.110	2
1834-11-07A-11	PRO+	0.106	4
1834-11-08A-28	PRO+	0.129	8
1834-11-08A-27	PRO+	0.108	4

DNA analysis of progeny plants: Leaf samples from 1834-11.7A and 1834-11.8A progeny plants were in conical 50 ml polypropylene tubes and dried in a Labconco Freeze Dry Lyophilizer (Kansas City, MO) for 1-2 days. Lyophilized leaves were then ground in a Tecator Cyclotec 1093 Sample mill grinder (Hoganas, Sweden) and stored at -20C. Genomic DNA was extracted by the following procedure: (1) to a 25 ml Conical tube containing 300-500 mg of ground tissue, 9 ml of CTAB (cetyl trimethylammonium bromide solution) was added, and incubated at 65°C for 1 hour; (2) 4.5 ml of chloroform: octanol (24:1) was added and mixed gently for 5 minutes; (3) samples were centrifuged at 2000 rpm and DNA was precipitated from the supernatant with an equal volume of isopropanol; (4) DNA was collected on a glass hook, washed in ethanol, and dissolved in TE (10 mM Tris.HCl, 0.5 mM EDTA, pH8.0).

Genomic DNA was digested at 37 °C. for 2 hours in an Eppendorf tube containing the following mixture: 8 µl of 800ug/ml DNA, 2 µl 1 mg/ml BSA (Bovine serum albumin), 2 µl 10x buffer, 1 µl *Sac*I, 1 µl *Eco*RI, and 6 µl H2O. Digested DNA samples were electrophoresed overnight at 40 mA in a 0.85% SeaKem LE agarose gel (FMC, Rockland, Maine). The gel was blotted onto Millipore Immobilon-Ny+ (Bedford, MA) membrane overnight in 20X SSC (NaCl 175.2 g/l, Na citrate 88 g/l). The probe DNA was cut with BamHI/SacI (NEB, Beverly, MA) from pDAB1551 plasmid, which released a 7356 bp fragment containing the open reading frame of the rebuilt *tcd*A gene. This 7356 bp fragment was labeled with P32 using a Stratagene Prime-it

RmT dCTP-Labeling Reactions kit (La Jolla, CA) and used for Southern hybridization. Hybridization was conducted in hybridization buffer (10% polyethylene glycol, 7% SDS [Sodium dodecyl sulfate], 0.6X SSC, 10 mM $NaPO_4$, 5 mM EDTA, 10 µg/ml denatured salmon sperm) at 60 °C overnight. After hybridization, the membrane was washed with 10X SSC plus 0.1% SDS at 60 °C for 30 min and exposed to X ray film (Hyperfilm® MP, Amershan Life Sciences, Piscataway, NJ) for 1-2 days.

Results summarized indicate that a pattern of 8 hybridizing bands (the size of the expected fragment and larger) cosegregated with protein expression in 50% of all progeny assayed. These results are characteristic of a complex insertion at a single site. All seedlings containing the insert also expressed toxin protein.

Example 6
Transformation Of Rice With a Vector Carrying Plasmid pDAB1553 Encoding *Photorhabdus* Toxins

A. Plasmid pDAB1553

Plasmid pDAB1553 containing *tcdA* driven by the maize ubiquitin1 promoter and *hpt* (hygromycin phosphotransferase providing resistance to the antibiotic hygromycin) under the control of 35T (a modified 35S promoter), was used for transformation.

Preparation of rice transformation vectors was accomplished in two steps. First, a modified plant-optimized *tcdA* coding region was ligated into a rice plant expression cassette plasmid. In this step, the coding region was placed under the transcriptional control of a promoter functional in plant cells. RNA transcription termination and polyadenylation were mediated by a downstream copy of the terminator region from the *Agrobacterium* nopaline synthase gene. One

plasmid designed to function in this role is plasmid pDAB1538 (described in the section on maize transformation vectors). In the second step, the complete gene comprised of the promoter, coding region, and terminator region was ligated to a rice plant transformation vector that contained a plant expressible selectable marker gene which allowed the selection of transformed rice plant cells amongst a background of nontransformed cells. An example of such a vector is pDAB354-Not1.

It is a feature of pDAB354-Not1 that the hygromycin phosphotransferase protein, which has as its substrate hygromycin B and related compounds, is produced in plant cells through transcription of its coding region mediated by the Cauliflower Mosaic Virus 35S promoter and that termination of transcription plus polyadenylation are mediated by the nopaline synthase terminator region. It is further a feature of pDAB354-Not1 that any DNA fragment containing flanking *Not*I sites can be cloned into the unique *Not*I site of pDAB354-Not1, thus physically linking the introduced DNA fragment to the aforementioned selectable marker gene.

To prepare a plant-expressible gene to produce the non-targeted TcdA protein in rice plant cells, DNA of a plasmid (pA0H_4-OPTI) containing the plant-optimized *tcdA* coding region, (SEQ ID No:3) was cleaved with restriction enzymes *Nco*I and *Sac*I, and the large 7550 bp fragment was ligated to similarly-cut DNA of plasmid pDAB1538 to produce plasmid pDAB1551. DNA of pDAB1551 was then digested with *Not*I, and the large 9933 bp fragment was ligated to *Not*I digested DNA of pDAB354-Not1 to produce plasmid pDAB1553.

It is a feature of plasmid pDAB1553 that the ubi1 and 35S promoters are encoded on the same DNA strand.

B. Production of Rice transgenics

For initiation of embryogenic callus, mature seeds of a *Japonica* cultivar, Taipei 309 were dehusked and surface-sterilized in 70% ethanol for 2-5 min. followed by a 30-45 min soak in 50% commercial bleach (2.6% sodium hypochlorite) with a few drops of 'Liquinox' soap. The seeds were then rinsed 3 times in sterile distilled water and placed on filter paper before transferring to 'callus induction' medium (i.e., NB). The NB medium consisted of N6 macro elements (Chu, 1978, The N6 medium and its application to anther culture of cereal crops. Proc. Symp. Plant Tissue Culture, Peking Press, p43-56), B5 micro elements and vitamins (Gamborg et al., 1968, Nutrient requirements of suspension cultures of soybean root cells. Exp. Cell Res. 50: 151-158), 300 mg/L casein hydrolysate, 500 mg/L L-proline, 500 mg/L L-glutamine, 30 g/L sucrose, 2 mg/L 2,4-dichloro-phenoxyacetic acid (2,4-D), and 2.5 g/L gelrite (Schweizerhall, NJ) with the pH adjusted to 5.8. The mature seed cultured on 'induction' media were incubated in the dark at 28°C. After 3 weeks of culture, the emerging primary callus induced from the scutellar region of mature embryo was transferred to fresh NB medium for further maintenance.

About 140 µg of plasmid pDAB1553 DNA was precipitated onto 60 mg of 1.0 micron (Bio-Rad) gold particles as described herein.

For helium blasting, actively growing embryogenic callus cultures, 2-4 mm in size, were subjected to a high osmoticum treatment. This treatment included placing of callus on NB medium with 0.2 M mannitol and 0.2 M sorbitol (Vain et al., 1993, Osmoticum treatment enhances particle bombardment-mediated transient and stable transformation of maize. Plant Cell Rep. 12: 84-88) for 4 h before helium blasting. Following osmoticum treatment, callus cultures were transferred to 'blasting' medium (NB+2% agar) and covered with a stainless steel screen (230 micron). The callus cultures were blasted at

2,000 psi helium pressures twice per target. After blasting, callus was transferred back to the media with high osmoticum overnight before placing on selection medium, which consisted NB medium with 30 mg/L hygromycin. After 2 weeks, the cultures were transferred to fresh selection medium with a higher concentration of selection agent, i.e., NB+50mg/L hygromycin (Li et al., 1993, An improved rice transformation system using the biolistic method. Plant Cell Rep. 12: 250-255).

Compact, white-yellow, embryogenic callus cultures, recovered on NB+50 mg/L hygromycin, were regenerated by transferring to 'pre-regeneration' (PR) medium + 50 mg/L hygromycin. The PR medium consisted of NB medium with 2 mg/L benzyl aminopurine (BAP), 1 mg/L naphthalene acetic acid (NAA), and 5 mg/L abscisic acid (ABA). After 2 weeks of culture in the dark, they were transferred to 'regeneration' (RN) medium . The composition of RN medium is NB medium with 3 mg/L BAP, and 0.5 mg/L NAA. The cultures on RN medium were incubated for 2 weeks at 28° C under high fluorescent light (325-ft-candles). The plantlets with 2 cm shoot were transferred to 1/2 MS medium (Murashige and Skoog, 1962, A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiol. Plant.15:473-497) with 1/2 B5 vitamins, 10 g/L sucrose, 0.05 mg/L NAA, 50 mg/L hygromycin and 2.5 g/L gelrite adjusted to pH 5.8 in magenta boxes. When plantlets were established with well-developed root systems, they were transferred to soil (1 metromix: 1 top soil) and raised in the greenhouse (29/24°C day/night cycle, 50-60% humidity, 12 h photoperiod) until maturity.

EXAMPLE 7

Chacterization Of Transgenic Rice Plants Expressing Photorhabdus Toxin That Confer Insect Control.

A. Insect bioassays

Insect bioassays were performed using leaf discs and shown to be highly effective in controlling Southern corn rootworm. *Diabrotica undecimpunctata howardi* eggs are obtained from French Ag Research and hatched in petri dishes held at 28.5°C and 40% RH. The aerial parts are sampled from the transgenic plants and placed, singly into inverted petri dishes (100x15mm) containing 15ml of 1.6% aqueous agar in the bottom to provide humidity and filter paper in the top to absorb condensation. These preparations are infested with five neonate larvae per dish and held at 28.5°C and 40% RH for 3 days. Mortality and larval weights are recorded. Weight data were transformed using a logarithmic function to correct a correlation between the magnitude of the mean and variance.

Table 11

Treatment	Average Survivor Weight in mg[1] (Duncan's Grouping)	Presence TcdA greenhouse-grown plants (number of +/number of plants tested)
GUS Control	0.390 A	-
1553-33	0.170 BCD	++
1553-44	0.167 BCD	+++
1553-62	0.125 CD	+++
1553-41	0.100 D	+++

Note: Means followed by the same letter are not significantly different based on Duncan's multiple range test (alpha=0.05).

Insect groups weighing less than 0.1 mg were set to 0.03 mg instead of zero to conduct a more conservative analysis. Weight data were transformed (Log10) for analyses. A single replicate was used on each of three test dates. Plants were sampled from magenta boxes.

The results demonstrate that in leaf disc bioassays, several rice events derived by transformation with *tcdA* gene were demonstrated to statistically have a functional affect on corn rootworm neonate.

Claims

1. An isolated nucleic acid of SEQ ID NO: 3 or SEQ ID NO:4.

2. A transgenic monocot cell having a genome comprising SEQ ID NO:3 or SEQ ID NO:4.

3. A transgenic dicot cell having a genome comprising SEQ ID NO:3 or SEQ ID NO:4.

4. A transgenic plant with a genome comprising a nucleic acid of SEQ ID NO: 3 or SEQ ID NO:4 that imparts insect resistance.

5. A transgenic plant of claim 4 wherein the plant is rice.

6. A transgenic plant of claim 4 wherein the plant is maize.

7. A transgenic plant of claim 4 wherein the plant is tobacco.

SEQUENCE LISTING

<110> Petell, Jim
Merlo, Donald
Herman, Rod
Roberts, Jean
Guo, Lining
Schafer, Barry
Sukhapinda, Kitisri
Owens Merlo, Ann

<120> Transgenic Plants Expressing Photorhabdus Toxin

<130> 50698

<140>
<141>

<150> US 60/148,356
<151> 1999-08-11

<160> 8

<170> PatentIn Ver. 2.0

<210> 1
<211> 7551
<212> DNA
<213> Photorhabdus luminescens

<220>
<221> CDS
<222> (1)..(7548)

<400> 1

```
atg aac gag tct gta aaa gag ata cct gat gta tta aaa agc cag tgt   48
Met Asn Glu Ser Val Lys Glu Ile Pro Asp Val Leu Lys Ser Gln Cys
  1               5                  10                  15

ggt ttt aat tgt ctg aca gat att agc cac agc tct ttt aat gaa ttt   96
Gly Phe Asn Cys Leu Thr Asp Ile Ser His Ser Ser Phe Asn Glu Phe
             20                  25                  30

cgc cag caa gta tct gag cac ctc tcc tgg tcc gaa aca cac gac tta   144
Arg Gln Gln Val Ser Glu His Leu Ser Trp Ser Glu Thr His Asp Leu
         35                  40                  45

tat cat gat gca caa cag gca caa aag gat aat cgc ctg tat gaa gcg   192
Tyr His Asp Ala Gln Gln Ala Gln Lys Asp Asn Arg Leu Tyr Glu Ala
     50                  55                  60

cgt att ctc aaa cgc gcc aat ccc caa tta caa aat gcg gtg cat ctt   240
Arg Ile Leu Lys Arg Ala Asn Pro Gln Leu Gln Asn Ala Val His Leu
 65                  70                  75                  80

gcc att ctc gct ccc aat gct gaa ctg ata ggc tat aac aat caa ttt   288
Ala Ile Leu Ala Pro Asn Ala Glu Leu Ile Gly Tyr Asn Asn Gln Phe
                 85                  90                  95

agc ggt aga gcc agt caa tat gtt gcg ccg ggt acc gtt tct tcc atg   336
Ser Gly Arg Ala Ser Gln Tyr Val Ala Pro Gly Thr Val Ser Ser Met
```

```
            100                 105                 110

ttc tcc ccc gcc gct tat ttg act gaa ctt tat cgt gaa gca cgc aat   384
Phe Ser Pro Ala Ala Tyr Leu Thr Glu Leu Tyr Arg Glu Ala Arg Asn
        115                 120                 125

tta cac gca agt gac tcc gtt tat tat ctg gat acc cgc cgc cca gat   432
Leu His Ala Ser Asp Ser Val Tyr Tyr Leu Asp Thr Arg Arg Pro Asp
    130                 135                 140

ctc aaa tca atg gcg ctc agt cag caa aat atg gat ata gaa tta tcc   480
Leu Lys Ser Met Ala Leu Ser Gln Gln Asn Met Asp Ile Glu Leu Ser
145                 150                 155                 160

aca ctc tct ttg tcc aat gag ctg tta ttg gaa agc att aaa act gaa   528
Thr Leu Ser Leu Ser Asn Glu Leu Leu Leu Glu Ser Ile Lys Thr Glu
                165                 170                 175

tct aaa ctg gaa aac tat act aaa gtg atg gaa atg ctc tcc act ttc   576
Ser Lys Leu Glu Asn Tyr Thr Lys Val Met Glu Met Leu Ser Thr Phe
            180                 185                 190

cgt cct tcc ggc gca acg cct tat cat gat gct tat gaa aat gtg cgt   624
Arg Pro Ser Gly Ala Thr Pro Tyr His Asp Ala Tyr Glu Asn Val Arg
        195                 200                 205

gaa gtt atc cag cta caa gat cct gga ctt gag caa ctc aat gca tca   672
Glu Val Ile Gln Leu Gln Asp Pro Gly Leu Glu Gln Leu Asn Ala Ser
    210                 215                 220

ccg gca att gcc ggg ttg atg cat caa gcc tcc cta ttg ggt att aac   720
Pro Ala Ile Ala Gly Leu Met His Gln Ala Ser Leu Leu Gly Ile Asn
225                 230                 235                 240

gct tca atc tcg cct gag cta ttt aat att ctg acg gag gag att acc   768
Ala Ser Ile Ser Pro Glu Leu Phe Asn Ile Leu Thr Glu Glu Ile Thr
                245                 250                 255

gaa ggt aat gct gag gaa ctt tat aag aaa aat ttt ggt aat atc gaa   816
Glu Gly Asn Ala Glu Glu Leu Tyr Lys Lys Asn Phe Gly Asn Ile Glu
            260                 265                 270

ccg gcc tca ttg gct atg ccg gaa tac ctt aaa cgt tat tat aat tta   864
Pro Ala Ser Leu Ala Met Pro Glu Tyr Leu Lys Arg Tyr Tyr Asn Leu
        275                 280                 285

agc gat gaa gaa ctt agt cag ttt att ggt aaa gcc agc aat ttt ggt   912
Ser Asp Glu Glu Leu Ser Gln Phe Ile Gly Lys Ala Ser Asn Phe Gly
    290                 295                 300

caa cag gaa tat agt aat aac caa ctt att act ccg gta gtc aac agc   960
Gln Gln Glu Tyr Ser Asn Asn Gln Leu Ile Thr Pro Val Val Asn Ser
305                 310                 315                 320

agt gat ggc acg gtt aag gta tat cgg atc acc cgc gaa tat aca acc   1008
Ser Asp Gly Thr Val Lys Val Tyr Arg Ile Thr Arg Glu Tyr Thr Thr
                325                 330                 335

aat gct tat caa atg gat gtg gag cta ttt ccc ttc ggt ggt gag aat   1056
Asn Ala Tyr Gln Met Asp Val Glu Leu Phe Pro Phe Gly Gly Glu Asn
            340                 345                 350
```

```
tat cgg tta gat tat aaa ttc aaa aat ttt tat aat gcc tct tat tta   1104
Tyr Arg Leu Asp Tyr Lys Phe Lys Asn Phe Tyr Asn Ala Ser Tyr Leu
        355                 360                 365

tcc atc aag tta aat gat aaa aga gaa ctt gtt cga act gaa ggc gct   1152
Ser Ile Lys Leu Asn Asp Lys Arg Glu Leu Val Arg Thr Glu Gly Ala
    370                 375                 380

cct caa gtc aat ata gaa tac tcc gca aat atc aca tta aat acc gct   1200
Pro Gln Val Asn Ile Glu Tyr Ser Ala Asn Ile Thr Leu Asn Thr Ala
385                 390                 395                 400

gat atc agt caa cct ttt gaa att ggc ctg aca cga gta ctt cct tcc   1248
Asp Ile Ser Gln Pro Phe Glu Ile Gly Leu Thr Arg Val Leu Pro Ser
                405                 410                 415

ggt tct tgg gca tat gcc gcc gca aaa ttt acc gtt gaa gag tat aac   1296
Gly Ser Trp Ala Tyr Ala Ala Ala Lys Phe Thr Val Glu Glu Tyr Asn
            420                 425                 430

caa tac tct ttt ctg cta aaa ctt aac aag gct att cgt cta tca cgt   1344
Gln Tyr Ser Phe Leu Leu Lys Leu Asn Lys Ala Ile Arg Leu Ser Arg
        435                 440                 445

gcg aca gaa ttg tca ccc acg att ctg gaa ggc att gtg cgc agt gtt   1392
Ala Thr Glu Leu Ser Pro Thr Ile Leu Glu Gly Ile Val Arg Ser Val
    450                 455                 460

aat cta caa ctg gat atc aac aca gac gta tta ggt aaa gtt ttt ctg   1440
Asn Leu Gln Leu Asp Ile Asn Thr Asp Val Leu Gly Lys Val Phe Leu
465                 470                 475                 480

act aaa tat tat atg cag cgt tat gct att cat gct gaa act gcc ctg   1488
Thr Lys Tyr Tyr Met Gln Arg Tyr Ala Ile His Ala Glu Thr Ala Leu
                485                 490                 495

ata cta tgc aac gcg cct att tca caa cgt tca tat gat aat caa cct   1536
Ile Leu Cys Asn Ala Pro Ile Ser Gln Arg Ser Tyr Asp Asn Gln Pro
            500                 505                 510

agc caa ttt gat cgc ctg ttt aat acg cca tta ctg aac gga caa tat   1584
Ser Gln Phe Asp Arg Leu Phe Asn Thr Pro Leu Leu Asn Gly Gln Tyr
        515                 520                 525

ttt tct acc ggc gat gag gag att gat tta aat tca ggt agc acc ggc   1632
Phe Ser Thr Gly Asp Glu Glu Ile Asp Leu Asn Ser Gly Ser Thr Gly
    530                 535                 540

gat tgg cga aaa acc ata ctt aag cgt gca ttt aat att gat gat gtc   1680
Asp Trp Arg Lys Thr Ile Leu Lys Arg Ala Phe Asn Ile Asp Asp Val
545                 550                 555                 560

tcg ctc ttc cgc ctg ctt aaa att acc gac cat gat aat aaa gat gga   1728
Ser Leu Phe Arg Leu Leu Lys Ile Thr Asp His Asp Asn Lys Asp Gly
                565                 570                 575

aaa att aaa aat aac cta aag aat ctt tcc aat tta tat att gga aaa   1776
Lys Ile Lys Asn Asn Leu Lys Asn Leu Ser Asn Leu Tyr Ile Gly Lys
            580                 585                 590
```

```
tta ctg gca gat att cat caa tta acc att gat gaa ctg gat tta tta   1824
Leu Leu Ala Asp Ile His Gln Leu Thr Ile Asp Glu Leu Asp Leu Leu
        595                 600                 605

ctg att gcc gta ggt gaa gga aaa act aat tta tcc gct atc agt gat   1872
Leu Ile Ala Val Gly Glu Gly Lys Thr Asn Leu Ser Ala Ile Ser Asp
    610                 615                 620

aag caa ttg gct acc ctg atc aga aaa ctc aat act att acc agc tgg   1920
Lys Gln Leu Ala Thr Leu Ile Arg Lys Leu Asn Thr Ile Thr Ser Trp
625                 630                 635                 640

cta cat aca cag aag tgg agt gta ttc cag cta ttt atc atg acc tcc   1968
Leu His Thr Gln Lys Trp Ser Val Phe Gln Leu Phe Ile Met Thr Ser
                645                 650                 655

acc agc tat aac aaa acg cta acg cct gaa att aag aat ttg ctg gat   2016
Thr Ser Tyr Asn Lys Thr Leu Thr Pro Glu Ile Lys Asn Leu Leu Asp
            660                 665                 670

acc gtc tac cac ggt tta caa ggt ttt gat aaa gac aaa gca gat ttg   2064
Thr Val Tyr His Gly Leu Gln Gly Phe Asp Lys Asp Lys Ala Asp Leu
        675                 680                 685

cta cat gtc atg gcg ccc tat att gcg gcc acc ttg caa tta tca tcg   2112
Leu His Val Met Ala Pro Tyr Ile Ala Ala Thr Leu Gln Leu Ser Ser
    690                 695                 700

gaa aat gtc gcc cac tcg gta ctc ctt tgg gca gat aag tta cag ccc   2160
Glu Asn Val Ala His Ser Val Leu Leu Trp Ala Asp Lys Leu Gln Pro
705                 710                 715                 720

ggc gac ggc gca atg aca gca gaa aaa ttc tgg gac tgg ttg aat act   2208
Gly Asp Gly Ala Met Thr Ala Glu Lys Phe Trp Asp Trp Leu Asn Thr
                725                 730                 735

aag tat acg ccg ggt tca tcg gaa gcc gta gaa acg cag gaa cat atc   2256
Lys Tyr Thr Pro Gly Ser Ser Glu Ala Val Glu Thr Gln Glu His Ile
            740                 745                 750

gtt cag tat tgt cag gct ctg gca caa ttg gaa atg gtt tac cat tcc   2304
Val Gln Tyr Cys Gln Ala Leu Ala Gln Leu Glu Met Val Tyr His Ser
        755                 760                 765

acc ggc atc aac gaa aac gcc ttc cgt cta ttt gtg aca aaa cca gag   2352
Thr Gly Ile Asn Glu Asn Ala Phe Arg Leu Phe Val Thr Lys Pro Glu
    770                 775                 780

atg ttt ggc gct gca act gga gca gcg ccc gcg cat gat gcc ctt tca   2400
Met Phe Gly Ala Ala Thr Gly Ala Ala Pro Ala His Asp Ala Leu Ser
785                 790                 795                 800

ctg att atg ctg aca cgt ttt gcg gat tgg gtg aac gca cta ggc gaa   2448
Leu Ile Met Leu Thr Arg Phe Ala Asp Trp Val Asn Ala Leu Gly Glu
                805                 810                 815

aaa gcg tcc tcg gtg cta gcg gca ttt gaa gct aac tcg tta acg gca   2496
Lys Ala Ser Ser Val Leu Ala Ala Phe Glu Ala Asn Ser Leu Thr Ala
            820                 825                 830

gaa caa ctg gct gat gcc atg aat ctt gat gct aat ttg ctg ttg caa   2544
```

```
Glu Gln Leu Ala Asp Ala Met Asn Leu Asp Ala Asn Leu Leu Leu Gln
        835                 840                 845

gcc agt att caa gca caa aat cat caa cat ctt ccc cca gta act cca   2592
Ala Ser Ile Gln Ala Gln Asn His Gln His Leu Pro Pro Val Thr Pro
    850                 855                 860

gaa aat gcg ttc tcc tgt tgg aca tct atc aat act atc ctg caa tgg   2640
Glu Asn Ala Phe Ser Cys Trp Thr Ser Ile Asn Thr Ile Leu Gln Trp
865                 870                 875                 880

gtt aat gtc gca caa caa ttg aat gtc gcc cca cag ggc gtt tcc gct   2688
Val Asn Val Ala Gln Gln Leu Asn Val Ala Pro Gln Gly Val Ser Ala
                885                 890                 895

ttg gtc ggg ctg gat tat att caa tca atg aaa gag aca ccg acc tat   2736
Leu Val Gly Leu Asp Tyr Ile Gln Ser Met Lys Glu Thr Pro Thr Tyr
            900                 905                 910

gcc cag tgg gaa aac gcg gca ggc gta tta acc gcc ggg ttg aat tca   2784
Ala Gln Trp Glu Asn Ala Ala Gly Val Leu Thr Ala Gly Leu Asn Ser
        915                 920                 925

caa cag gct aat aca tta cac gct ttt ctg gat gaa tct cgc agt gcc   2832
Gln Gln Ala Asn Thr Leu His Ala Phe Leu Asp Glu Ser Arg Ser Ala
    930                 935                 940

gca tta agc acc tac tat atc cgt caa gtc gcc aag gca gcg gcg gct   2880
Ala Leu Ser Thr Tyr Tyr Ile Arg Gln Val Ala Lys Ala Ala Ala Ala
945                 950                 955                 960

att aaa agc cgt gat gac ttg tat caa tac tta ctg att gat aat cag   2928
Ile Lys Ser Arg Asp Asp Leu Tyr Gln Tyr Leu Leu Ile Asp Asn Gln
                965                 970                 975

gtt tct gcg gca ata aaa acc acc cgg atc gcc gaa gcc att gcc agt   2976
Val Ser Ala Ala Ile Lys Thr Thr Arg Ile Ala Glu Ala Ile Ala Ser
            980                 985                 990

att caa ctg tac gtc aac cgg gca ttg gaa aat gtg gaa gaa aat gcc   3024
Ile Gln Leu Tyr Val Asn Arg Ala Leu Glu Asn Val Glu Glu Asn Ala
        995                1000                1005

aat tcg ggg gtt atc agc cgc caa ttc ttt atc gac tgg gac aaa tac   3072
Asn Ser Gly Val Ile Ser Arg Gln Phe Phe Ile Asp Trp Asp Lys Tyr
   1010                1015                1020

aat aaa cgc tac agc act tgg gcg ggt gtt tct caa tta gtt tac tac   3120
Asn Lys Arg Tyr Ser Thr Trp Ala Gly Val Ser Gln Leu Val Tyr Tyr
1025                1030                1035                1040

ccg gaa aac tat att gat ccg acc atg cgt atc gga caa acc aaa atg   3168
Pro Glu Asn Tyr Ile Asp Pro Thr Met Arg Ile Gly Gln Thr Lys Met
                1045                1050                1055

atg gac gca tta ctg caa tcc gtc agc caa agc caa tta aac gcc gat   3216
Met Asp Ala Leu Leu Gln Ser Val Ser Gln Ser Gln Leu Asn Ala Asp
            1060                1065                1070

acc gtc gaa gat gcc ttt atg tct tat ctg aca tcg ttt gaa caa gtg   3264
Thr Val Glu Asp Ala Phe Met Ser Tyr Leu Thr Ser Phe Glu Gln Val
```

```
        1075                1080                1085

gct aat ctt aaa gtt att agc gca tat cac gat aat att aat aac gat   3312
Ala Asn Leu Lys Val Ile Ser Ala Tyr His Asp Asn Ile Asn Asn Asp
    1090                1095                1100

caa ggg ctg acc tat ttt atc gga ctc agt gaa act gat gcc ggt gaa   3360
Gln Gly Leu Thr Tyr Phe Ile Gly Leu Ser Glu Thr Asp Ala Gly Glu
1105                1110                1115                1120

tat tat tgg cgc agt gtc gat cac agt aaa ttc aac gac ggt aaa ttc   3408
Tyr Tyr Trp Arg Ser Val Asp His Ser Lys Phe Asn Asp Gly Lys Phe
                1125                1130                1135

gcg gct aat gcc tgg agt gaa tgg cat aaa att gat tgt cca att aac   3456
Ala Ala Asn Ala Trp Ser Glu Trp His Lys Ile Asp Cys Pro Ile Asn
            1140                1145                1150

cct tat aaa agc act atc cgt cca gtg ata tat aaa tcc cgc ctg tat   3504
Pro Tyr Lys Ser Thr Ile Arg Pro Val Ile Tyr Lys Ser Arg Leu Tyr
        1155                1160                1165

ctg ctc tgg ttg gaa caa aag gag atc acc aaa cag aca gga aat agt   3552
Leu Leu Trp Leu Glu Gln Lys Glu Ile Thr Lys Gln Thr Gly Asn Ser
    1170                1175                1180

aaa gat ggc tat caa act gaa acg gat tat cgt tat gaa cta aaa ttg   3600
Lys Asp Gly Tyr Gln Thr Glu Thr Asp Tyr Arg Tyr Glu Leu Lys Leu
1185                1190                1195                1200

gcg cat atc cgc tat gat ggc act tgg aat acg cca atc acc ttt gat   3648
Ala His Ile Arg Tyr Asp Gly Thr Trp Asn Thr Pro Ile Thr Phe Asp
                1205                1210                1215

gtc aat aaa aaa ata tcc gag cta aaa ctg gaa aaa aat aga gcg ccc   3696
Val Asn Lys Lys Ile Ser Glu Leu Lys Leu Glu Lys Asn Arg Ala Pro
            1220                1225                1230

gga ctc tat tgt gcc ggt tat caa ggt gaa gat acg ttg ctg gtg atg   3744
Gly Leu Tyr Cys Ala Gly Tyr Gln Gly Glu Asp Thr Leu Leu Val Met
        1235                1240                1245

ttt tat aac caa caa gac aca cta gat agt tat aaa aac gct tca atg   3792
Phe Tyr Asn Gln Gln Asp Thr Leu Asp Ser Tyr Lys Asn Ala Ser Met
    1250                1255                1260

caa gga cta tat atc ttt gct gat atg gca tcc aaa gat atg acc cca   3840
Gln Gly Leu Tyr Ile Phe Ala Asp Met Ala Ser Lys Asp Met Thr Pro
1265                1270                1275                1280

gaa cag agc aat gtt tat cgg gat aat agc tat caa caa ttt gat acc   3888
Glu Gln Ser Asn Val Tyr Arg Asp Asn Ser Tyr Gln Gln Phe Asp Thr
                1285                1290                1295

aat aat gtc aga aga gtg aat aac cgc tat gca gag gat tat gag att   3936
Asn Asn Val Arg Arg Val Asn Asn Arg Tyr Ala Glu Asp Tyr Glu Ile
            1300                1305                1310

cct tcc tcg gta agt agc cgt aaa gac tat ggt tgg gga gat tat tac   3984
Pro Ser Ser Val Ser Ser Arg Lys Asp Tyr Gly Trp Gly Asp Tyr Tyr
        1315                1320                1325
```

```
ctc agc atg gta tat aac gga gat att cca act atc aat tac aaa gcc   4032
Leu Ser Met Val Tyr Asn Gly Asp Ile Pro Thr Ile Asn Tyr Lys Ala
   1330                1335                1340

gca tca agt gat tta aaa atc tat atc tca cca aaa tta aga att att   4080
Ala Ser Ser Asp Leu Lys Ile Tyr Ile Ser Pro Lys Leu Arg Ile Ile
1345                1350                1355                1360

cat aat gga tat gaa gga cag aag cgc aat caa tgc aat ctg atg aat   4128
His Asn Gly Tyr Glu Gly Gln Lys Arg Asn Gln Cys Asn Leu Met Asn
               1365                1370                1375

aaa tat ggc aaa cta ggt gat aaa ttt att gtt tat act agc ttg ggg   4176
Lys Tyr Gly Lys Leu Gly Asp Lys Phe Ile Val Tyr Thr Ser Leu Gly
           1380                1385                1390

gtc aat cca aat aac tcg tca aat aag ctc atg ttt tac ccc gtc tat   4224
Val Asn Pro Asn Asn Ser Ser Asn Lys Leu Met Phe Tyr Pro Val Tyr
       1395                1400                1405

caa tat agc gga aac acc agt gga ctc aat caa ggg aga cta cta ttc   4272
Gln Tyr Ser Gly Asn Thr Ser Gly Leu Asn Gln Gly Arg Leu Leu Phe
   1410                1415                1420

cac cgt gac acc act tat cca tct aaa gta gaa gct tgg att cct gga   4320
His Arg Asp Thr Thr Tyr Pro Ser Lys Val Glu Ala Trp Ile Pro Gly
1425                1430                1435                1440

gca aaa cgt tct cta acc aac caa aat gcc gcc att ggt gat gat tat   4368
Ala Lys Arg Ser Leu Thr Asn Gln Asn Ala Ala Ile Gly Asp Asp Tyr
               1445                1450                1455

gct aca gac tct ctg aat aaa ccg gat gat ctt aag caa tat atc ttt   4416
Ala Thr Asp Ser Leu Asn Lys Pro Asp Asp Leu Lys Gln Tyr Ile Phe
           1460                1465                1470

atg act gac agt aaa ggg act gct act gat gtc tca ggc cca gta gag   4464
Met Thr Asp Ser Lys Gly Thr Ala Thr Asp Val Ser Gly Pro Val Glu
       1475                1480                1485

att aat act gca att tct cca gca aaa gtt cag ata ata gtc aaa gcg   4512
Ile Asn Thr Ala Ile Ser Pro Ala Lys Val Gln Ile Ile Val Lys Ala
   1490                1495                1500

ggt ggc aag gag caa act ttt acc gca gat aaa gat gtc tcc att cag   4560
Gly Gly Lys Glu Gln Thr Phe Thr Ala Asp Lys Asp Val Ser Ile Gln
1505                1510                1515                1520

cca tca cct agc ttt gat gaa atg aat tat caa ttt aat gcc ctt gaa   4608
Pro Ser Pro Ser Phe Asp Glu Met Asn Tyr Gln Phe Asn Ala Leu Glu
               1525                1530                1535

ata gac ggt tct ggt ctg aat ttt att aac aac tca gcc agt att gat   4656
Ile Asp Gly Ser Gly Leu Asn Phe Ile Asn Asn Ser Ala Ser Ile Asp
           1540                1545                1550

gtt act ttt acc gca ttt gcg gag gat ggc cgc aaa ctg ggt tat gaa   4704
Val Thr Phe Thr Ala Phe Ala Glu Asp Gly Arg Lys Leu Gly Tyr Glu
       1555                1560                1565
```

```
agt ttc agt att cct gtt acc ctc aag gta agt acc gat aat gcc ctg   4752
Ser Phe Ser Ile Pro Val Thr Leu Lys Val Ser Thr Asp Asn Ala Leu
   1570                1575                1580

acc ctg cac cat aat gaa aat ggt gcg caa tat atg caa tgg caa tcc   4800
Thr Leu His His Asn Glu Asn Gly Ala Gln Tyr Met Gln Trp Gln Ser
1585               1590                1595                1600

tat cgt acc cgc ctg aat act cta ttt gcc cgc cag ttg gtt gca cgc   4848
Tyr Arg Thr Arg Leu Asn Thr Leu Phe Ala Arg Gln Leu Val Ala Arg
               1605                1610                1615

gcc acc acc gga atc gat aca att ctg agt atg gaa act cag aat att   4896
Ala Thr Thr Gly Ile Asp Thr Ile Leu Ser Met Glu Thr Gln Asn Ile
           1620                1625                1630

cag gaa ccg cag tta ggc aaa ggt ttc tat gct acg ttc gtg ata cct   4944
Gln Glu Pro Gln Leu Gly Lys Gly Phe Tyr Ala Thr Phe Val Ile Pro
       1635                1640                1645

ccc tat aac cta tca act cat ggt gat gaa cgt tgg ttt aag ctt tat   4992
Pro Tyr Asn Leu Ser Thr His Gly Asp Glu Arg Trp Phe Lys Leu Tyr
   1650                1655                1660

atc aaa cat gtt gtt gat aat aat tca cat att atc tat tca ggc cag   5040
Ile Lys His Val Val Asp Asn Asn Ser His Ile Ile Tyr Ser Gly Gln
1665               1670                1675                1680

cta aca gat aca aat ata aac atc aca tta ttt att cct ctt gat gat   5088
Leu Thr Asp Thr Asn Ile Asn Ile Thr Leu Phe Ile Pro Leu Asp Asp
               1685                1690                1695

gtc cca ttg aat caa gat tat cac gcc aag gtt tat atg acc ttc aag   5136
Val Pro Leu Asn Gln Asp Tyr His Ala Lys Val Tyr Met Thr Phe Lys
           1700                1705                1710

aaa tca cca tca gat ggt acc tgg tgg ggc cct cac ttt gtt aga gat   5184
Lys Ser Pro Ser Asp Gly Thr Trp Trp Gly Pro His Phe Val Arg Asp
       1715                1720                1725

gat aaa gga ata gta aca ata aac cct aaa tcc att ttg acc cat ttt   5232
Asp Lys Gly Ile Val Thr Ile Asn Pro Lys Ser Ile Leu Thr His Phe
   1730                1735                1740

gag agc gtc aat gtc ctg aat aat att agt agc gaa cca atg gat ttc   5280
Glu Ser Val Asn Val Leu Asn Asn Ile Ser Ser Glu Pro Met Asp Phe
1745               1750                1755                1760

agc ggc gct aac agc ctc tat ttc tgg gaa ctg ttc tac tat acc ccg   5328
Ser Gly Ala Asn Ser Leu Tyr Phe Trp Glu Leu Phe Tyr Tyr Thr Pro
               1765                1770                1775

atg ctg gtt gct caa cgt ttg ctg cat gaa cag aac ttc gat gaa gcc   5376
Met Leu Val Ala Gln Arg Leu Leu His Glu Gln Asn Phe Asp Glu Ala
           1780                1785                1790

aac cgt tgg ctg aaa tat gtc tgg agt cca tcc ggt tat att gtc cac   5424
Asn Arg Trp Leu Lys Tyr Val Trp Ser Pro Ser Gly Tyr Ile Val His
       1795                1800                1805

ggc cag att cag aac tac cag tgg aac gtc cgc ccg tta ctg gaa gac   5472
```

```
Gly Gln Ile Gln Asn Tyr Gln Trp Asn Val Arg Pro Leu Leu Glu Asp
   1810                1815                1820

acc agt tgg aac agt gat cct ttg gat tcc gtc gat cct gac gcg gta   5520
Thr Ser Trp Asn Ser Asp Pro Leu Asp Ser Val Asp Pro Asp Ala Val
1825                1830                1835                1840

gca cag cac gat cca atg cac tac aaa gtt tca act ttt atg cgt acc   5568
Ala Gln His Asp Pro Met His Tyr Lys Val Ser Thr Phe Met Arg Thr
               1845                1850                1855

ttg gat cta ttg ata gca cgc ggc gac cat gct tat cgc caa ctg gaa   5616
Leu Asp Leu Leu Ile Ala Arg Gly Asp His Ala Tyr Arg Gln Leu Glu
          1860                1865                1870

cga gat aca ctc aac gaa gcg aag atg tgg tat atg caa gcg ctg cat   5664
Arg Asp Thr Leu Asn Glu Ala Lys Met Trp Tyr Met Gln Ala Leu His
       1875                1880                1885

cta tta ggt gac aaa cct tat cta ccg ctg agt acg aca tgg agt gat   5712
Leu Leu Gly Asp Lys Pro Tyr Leu Pro Leu Ser Thr Thr Trp Ser Asp
   1890                1895                1900

cca cga cta gac aga gcc gcg gat atc act acc caa aat gct cac gac   5760
Pro Arg Leu Asp Arg Ala Ala Asp Ile Thr Thr Gln Asn Ala His Asp
1905                1910                1915                1920

agc gca ata gtc gct ctg cgg cag aat ata cct aca ccg gca cct tta   5808
Ser Ala Ile Val Ala Leu Arg Gln Asn Ile Pro Thr Pro Ala Pro Leu
               1925                1930                1935

tca ttg cgc agc gct aat acc ctg act gat ctc ttc ctg ccg caa atc   5856
Ser Leu Arg Ser Ala Asn Thr Leu Thr Asp Leu Phe Leu Pro Gln Ile
          1940                1945                1950

aat gaa gtg atg atg aat tac tgg cag aca tta gct cag aga gta tac   5904
Asn Glu Val Met Met Asn Tyr Trp Gln Thr Leu Ala Gln Arg Val Tyr
       1955                1960                1965

aat ctg cgt cat aac ctc tct atc gac ggc cag ccg tta tat ctg cca   5952
Asn Leu Arg His Asn Leu Ser Ile Asp Gly Gln Pro Leu Tyr Leu Pro
   1970                1975                1980

atc tat gcc aca ccg gcc gat ccg aaa gcg tta ctc agc gcc gcc gtt   6000
Ile Tyr Ala Thr Pro Ala Asp Pro Lys Ala Leu Leu Ser Ala Ala Val
1985                1990                1995                2000

gcc act tct caa ggt gga ggc aag cta ccg gaa tca ttt atg tcc ctg   6048
Ala Thr Ser Gln Gly Gly Gly Lys Leu Pro Glu Ser Phe Met Ser Leu
               2005                2010                2015

tgg cgt ttc ccg cac atg ctg gaa aat gcg cgc ggc atg gtt agc cag   6096
Trp Arg Phe Pro His Met Leu Glu Asn Ala Arg Gly Met Val Ser Gln
          2020                2025                2030

ctc acc cag ttc ggc tcc acg tta caa aat att atc gaa cgt cag gac   6144
Leu Thr Gln Phe Gly Ser Thr Leu Gln Asn Ile Ile Glu Arg Gln Asp
       2035                2040                2045

gcg gaa gcg ctc aat gcg tta tta caa aat cag gcc gcc gag ctg ata   6192
Ala Glu Ala Leu Asn Ala Leu Leu Gln Asn Gln Ala Ala Glu Leu Ile
```

```
    2050                2055                2060

ttg act aac ctg agc att cag gac aaa acc att gaa gaa ttg gat gcc   6240
Leu Thr Asn Leu Ser Ile Gln Asp Lys Thr Ile Glu Glu Leu Asp Ala
2065              2070                2075                2080

gag aaa acg gtg ttg gaa aaa tcc aaa gcg gga gca caa tcg cgc ttt   6288
Glu Lys Thr Val Leu Glu Lys Ser Lys Ala Gly Ala Gln Ser Arg Phe
                2085                2090                2095

gat agc tac ggc aaa ctg tac gat gag aat atc aac gcc ggt gaa aac   6336
Asp Ser Tyr Gly Lys Leu Tyr Asp Glu Asn Ile Asn Ala Gly Glu Asn
           2100                2105                2110

caa gcc atg acg cta cga gcg tcc gcc gcc ggg ctt acc acg gca gtt   6384
Gln Ala Met Thr Leu Arg Ala Ser Ala Ala Gly Leu Thr Thr Ala Val
       2115                2120                2125

cag gca tcc cgt ctg gcc ggt gcg gcg gct gat ctg gtg cct aac atc   6432
Gln Ala Ser Arg Leu Ala Gly Ala Ala Ala Asp Leu Val Pro Asn Ile
   2130                2135                2140

ttc ggc ttt gcc ggt ggc ggc agc cgt tgg ggg gct atc gct gag gcg   6480
Phe Gly Phe Ala Gly Gly Gly Ser Arg Trp Gly Ala Ile Ala Glu Ala
2145              2150                2155                2160

aca ggt tat gtg atg gaa ttc tcc gcg aat gtt atg aac acc gaa gcg   6528
Thr Gly Tyr Val Met Glu Phe Ser Ala Asn Val Met Asn Thr Glu Ala
                2165                2170                2175

gat aaa att agc caa tct gaa acc tac cgt cgt cgc cgt cag gag tgg   6576
Asp Lys Ile Ser Gln Ser Glu Thr Tyr Arg Arg Arg Arg Gln Glu Trp
           2180                2185                2190

gag atc cag cgg aat aat gcc gaa gcg gaa ttg aag caa atc gat gct   6624
Glu Ile Gln Arg Asn Asn Ala Glu Ala Glu Leu Lys Gln Ile Asp Ala
       2195                2200                2205

cag ctc aaa tca ctc gct gta cgc cgc gaa gcc gcc gta ttg cag aaa   6672
Gln Leu Lys Ser Leu Ala Val Arg Arg Glu Ala Ala Val Leu Gln Lys
   2210                2215                2220

acc agt ctg aaa acc caa caa gaa cag acc caa tct caa ttg gcc ttc   6720
Thr Ser Leu Lys Thr Gln Gln Glu Gln Thr Gln Ser Gln Leu Ala Phe
2225              2230                2235                2240

ctg caa cgt aag ttc agc aat cag gcg tta tac aac tgg ctg cgt ggt   6768
Leu Gln Arg Lys Phe Ser Asn Gln Ala Leu Tyr Asn Trp Leu Arg Gly
                2245                2250                2255

cga ctg gcg gcg att tac ttc cag ttc tac gat ttg gcc gtc gcg cgt   6816
Arg Leu Ala Ala Ile Tyr Phe Gln Phe Tyr Asp Leu Ala Val Ala Arg
           2260                2265                2270

tgc ctg atg gca gaa caa gct tac cgt tgg gaa ctc aat gat gac tct   6864
Cys Leu Met Ala Glu Gln Ala Tyr Arg Trp Glu Leu Asn Asp Asp Ser
       2275                2280                2285

gcc cgc ttc att aaa ccg ggc gcc tgg cag gga acc tat gcc ggt ctg   6912
Ala Arg Phe Ile Lys Pro Gly Ala Trp Gln Gly Thr Tyr Ala Gly Leu
   2290                2295                2300
```

```
ctt gca ggt gaa acc ttg atg ctg agt ctg gca caa atg gaa gac gct   6960
Leu Ala Gly Glu Thr Leu Met Leu Ser Leu Ala Gln Met Glu Asp Ala
2305              2310                2315                2320

cat ctg aaa cgc gat aaa cgc gca tta gag gtt gaa cgc aca gta tcg   7008
His Leu Lys Arg Asp Lys Arg Ala Leu Glu Val Glu Arg Thr Val Ser
                2325                2330                2335

ctg gcc gaa gtt tat gca gga tta cca aaa gat aac ggt cca ttt tcc   7056
Leu Ala Glu Val Tyr Ala Gly Leu Pro Lys Asp Asn Gly Pro Phe Ser
          2340                2345                2350

ctg gct cag gaa att gac aag ctg gtg agt caa ggt tca ggc agt gcc   7104
Leu Ala Gln Glu Ile Asp Lys Leu Val Ser Gln Gly Ser Gly Ser Ala
       2355                2360                2365

ggc agt ggt aat aat aat ttg gcg ttc ggc gcc ggc acg gac act aaa   7152
Gly Ser Gly Asn Asn Asn Leu Ala Phe Gly Ala Gly Thr Asp Thr Lys
   2370                2375                2380

acc tct ttg cag gca tca gtt tca ttc gct gat ttg aaa att cgt gaa   7200
Thr Ser Leu Gln Ala Ser Val Ser Phe Ala Asp Leu Lys Ile Arg Glu
2385              2390                2395                2400

gat tac ccg gca tcg ctt ggc aaa att cga cgt atc aaa cag atc agc   7248
Asp Tyr Pro Ala Ser Leu Gly Lys Ile Arg Arg Ile Lys Gln Ile Ser
                2405                2410                2415

gtc act ttg ccc gcg cta ctg gga ccg tat cag gat gta cag gca ata   7296
Val Thr Leu Pro Ala Leu Leu Gly Pro Tyr Gln Asp Val Gln Ala Ile
          2420                2425                2430

ttg tct tac ggc gat aaa gcc gga tta gct aac ggc tgt gaa gcg ctg   7344
Leu Ser Tyr Gly Asp Lys Ala Gly Leu Ala Asn Gly Cys Glu Ala Leu
       2435                2440                2445

gca gtt tct cac ggt atg aat gac agc ggc caa ttc cag ctc gat ttc   7392
Ala Val Ser His Gly Met Asn Asp Ser Gly Gln Phe Gln Leu Asp Phe
   2450                2455                2460

aac gat ggc aaa ttc ctg cca ttc gaa ggc atc gcc att gat caa ggc   7440
Asn Asp Gly Lys Phe Leu Pro Phe Glu Gly Ile Ala Ile Asp Gln Gly
2465              2470                2475                2480

acg ctg aca ctg agc ttc cca aat gca tct atg ccg gag aaa ggt aaa   7488
Thr Leu Thr Leu Ser Phe Pro Asn Ala Ser Met Pro Glu Lys Gly Lys
                2485                2490                2495

caa gcc act atg tta aaa acc ctg aac gat atc att ttg cat att cgc   7536
Gln Ala Thr Met Leu Lys Thr Leu Asn Asp Ile Ile Leu His Ile Arg
          2500                2505                2510

tac acc att aaa taa                                             7551
Tyr Thr Ile Lys
       2515
```

<210> 2

<211> 7515
<212> DNA
<213> Photorhabdus luminescens

<220>
<221> CDS
<222> (1)..(7512)

<400> 2

```
atg caa aac tca tta tca agc act atc gat act att tgt cag aaa ctg   48
Met Gln Asn Ser Leu Ser Ser Thr Ile Asp Thr Ile Cys Gln Lys Leu
  1               5                  10                  15

caa tta act tgt ccg gcg gaa att gct ttg tat ccc ttt gat act ttc   96
Gln Leu Thr Cys Pro Ala Glu Ile Ala Leu Tyr Pro Phe Asp Thr Phe
             20                  25                  30

cgg gaa aaa act cgg gga atg gtt aat tgg ggg gaa gca aaa cgg att   144
Arg Glu Lys Thr Arg Gly Met Val Asn Trp Gly Glu Ala Lys Arg Ile
         35                  40                  45

tat gaa att gca caa gcg gaa cag gat aga aac cta ctt cat gaa aaa   192
Tyr Glu Ile Ala Gln Ala Glu Gln Asp Arg Asn Leu Leu His Glu Lys
     50                  55                  60

cgt att ttt gcc tat gct aat ccg ctg ctg aaa aac gct gtt cgg ttg   240
Arg Ile Phe Ala Tyr Ala Asn Pro Leu Leu Lys Asn Ala Val Arg Leu
 65                  70                  75                  80

ggt acc cgg caa atg ttg ggt ttt ata caa ggt tat agt gat ctg ttt   288
Gly Thr Arg Gln Met Leu Gly Phe Ile Gln Gly Tyr Ser Asp Leu Phe
                 85                  90                  95

ggt aat cgt gct gat aac tat gcc gcg ccg ggc tcg gtt gca tcg atg   336
Gly Asn Arg Ala Asp Asn Tyr Ala Ala Pro Gly Ser Val Ala Ser Met
            100                 105                 110

ttc tca ccg gcg gct tat ttg acg gaa ttg tac cgt gaa gcc aaa aac   384
Phe Ser Pro Ala Ala Tyr Leu Thr Glu Leu Tyr Arg Glu Ala Lys Asn
        115                 120                 125

ttg cat gac agc agc tca att tat tac cta gat aaa cgt cgc ccg gat   432
Leu His Asp Ser Ser Ser Ile Tyr Tyr Leu Asp Lys Arg Arg Pro Asp
    130                 135                 140

tta gca agc tta atg ctc agc cag aaa aat atg gat gag gaa att tca   480
Leu Ala Ser Leu Met Leu Ser Gln Lys Asn Met Asp Glu Glu Ile Ser
145                 150                 155                 160

acg ctg gct ctc tct aat gaa ttg tgc ctt gcc ggg atc gaa aca aaa   528
Thr Leu Ala Leu Ser Asn Glu Leu Cys Leu Ala Gly Ile Glu Thr Lys
                165                 170                 175

aca gga aaa tca caa gat gaa gtg atg gat atg ttg tca act tat cgt   576
Thr Gly Lys Ser Gln Asp Glu Val Met Asp Met Leu Ser Thr Tyr Arg
            180                 185                 190

tta agt gga gag aca cct tat cat cac gct tat gaa act gtt cgt gaa   624
Leu Ser Gly Glu Thr Pro Tyr His His Ala Tyr Glu Thr Val Arg Glu
        195                 200                 205
```

```
atc gtt cat gaa cgt gat cca gga ttt cgt cat ttg tca cag gca ccc   672
Ile Val His Glu Arg Asp Pro Gly Phe Arg His Leu Ser Gln Ala Pro
    210                 215                 220

att gtt gct gct aag ctc gat cct gtg act ttg ttg ggt att agc tcc   720
Ile Val Ala Ala Lys Leu Asp Pro Val Thr Leu Leu Gly Ile Ser Ser
225                 230                 235                 240

cat att tcg cca gaa ctg tat aac ttg ctg att gag gag atc ccg gaa   768
His Ile Ser Pro Glu Leu Tyr Asn Leu Leu Ile Glu Glu Ile Pro Glu
                245                 250                 255

aaa gat gaa gcc gcg ctt gat acg ctt tat aaa aca aac ttt ggc gat   816
Lys Asp Glu Ala Ala Leu Asp Thr Leu Tyr Lys Thr Asn Phe Gly Asp
            260                 265                 270

att act act gct cag tta atg tcc cca agt tat ctg gcc cgg tat tat   864
Ile Thr Thr Ala Gln Leu Met Ser Pro Ser Tyr Leu Ala Arg Tyr Tyr
        275                 280                 285

ggc gtc tca ccg gaa gat att gcc tac gtg acg act tca tta tca cat   912
Gly Val Ser Pro Glu Asp Ile Ala Tyr Val Thr Thr Ser Leu Ser His
    290                 295                 300

gtt gga tat agc agt gat att ctg gtt att ccg ttg gtc gat ggt gtg   960
Val Gly Tyr Ser Ser Asp Ile Leu Val Ile Pro Leu Val Asp Gly Val
305                 310                 315                 320

ggt aag atg gaa gta gtt cgt gtt acc cga aca cca tcg gat aat tat   1008
Gly Lys Met Glu Val Val Arg Val Thr Arg Thr Pro Ser Asp Asn Tyr
                325                 330                 335

acc agt cag acg aat tat att gag ctg tat cca cag ggt ggc gac aat   1056
Thr Ser Gln Thr Asn Tyr Ile Glu Leu Tyr Pro Gln Gly Gly Asp Asn
            340                 345                 350

tat ttg atc aaa tac aat cta agc aat agt ttt ggt ttg gat gat ttt   1104
Tyr Leu Ile Lys Tyr Asn Leu Ser Asn Ser Phe Gly Leu Asp Asp Phe
        355                 360                 365

tat ctg caa tat aaa gat ggt tcc gct gat tgg act gag att gcc cat   1152
Tyr Leu Gln Tyr Lys Asp Gly Ser Ala Asp Trp Thr Glu Ile Ala His
    370                 375                 380

aat ccc tat cct gat atg gtc ata aat caa aag tat gaa tca cag gcg   1200
Asn Pro Tyr Pro Asp Met Val Ile Asn Gln Lys Tyr Glu Ser Gln Ala
385                 390                 395                 400

aca atc aaa cgt agt gac tct gac aat ata ctc agt ata ggg tta caa   1248
Thr Ile Lys Arg Ser Asp Ser Asp Asn Ile Leu Ser Ile Gly Leu Gln
                405                 410                 415

aga tgg cat agc ggt agt tat aat ttt gcc gcc gcc aat ttt aaa att   1296
Arg Trp His Ser Gly Ser Tyr Asn Phe Ala Ala Ala Asn Phe Lys Ile
            420                 425                 430

gac caa tac tcc ccg aaa gct ttc ctg ctt aaa atg aat aag gct att   1344
Asp Gln Tyr Ser Pro Lys Ala Phe Leu Leu Lys Met Asn Lys Ala Ile
        435                 440                 445

cgg ttg ctc aaa gct acc ggc ctc tct ttt gct acg ttg gag cgt att   1392
```

```
Arg Leu Leu Lys Ala Thr Gly Leu Ser Phe Ala Thr Leu Glu Arg Ile
    450                 455                 460

gtt gat agt gtt aat agc acc aaa tcc atc acg gtt gag gta tta aac   1440
Val Asp Ser Val Asn Ser Thr Lys Ser Ile Thr Val Glu Val Leu Asn
465                 470                 475                 480

aag gtt tat cgg gta aaa ttc tat att gat cgt tat ggc atc agt gaa   1488
Lys Val Tyr Arg Val Lys Phe Tyr Ile Asp Arg Tyr Gly Ile Ser Glu
                485                 490                 495

gag aca gcc gct att ttg gct aat att aat atc tct cag caa gct gtt   1536
Glu Thr Ala Ala Ile Leu Ala Asn Ile Asn Ile Ser Gln Gln Ala Val
            500                 505                 510

ggc aat cag ctt agc cag ttt gag caa cta ttt aat cac ccg ccg ctc   1584
Gly Asn Gln Leu Ser Gln Phe Glu Gln Leu Phe Asn His Pro Pro Leu
        515                 520                 525

aat ggt att cgc tat gaa atc agt gag gac aac tcc aaa cat ctt cct   1632
Asn Gly Ile Arg Tyr Glu Ile Ser Glu Asp Asn Ser Lys His Leu Pro
    530                 535                 540

aat cct gat ctg aac ctt aaa cca gac agt acc ggt gat gat caa cgc   1680
Asn Pro Asp Leu Asn Leu Lys Pro Asp Ser Thr Gly Asp Asp Gln Arg
545                 550                 555                 560

aag gcg gtt tta aaa cgc gcg ttt cag gtt aac gcc agt gag ttg tat   1728
Lys Ala Val Leu Lys Arg Ala Phe Gln Val Asn Ala Ser Glu Leu Tyr
                565                 570                 575

cag atg tta ttg atc act gat cgt aaa gaa gac ggt gtt atc aaa aat   1776
Gln Met Leu Leu Ile Thr Asp Arg Lys Glu Asp Gly Val Ile Lys Asn
            580                 585                 590

aac tta gag aat ttg tct gat ctg tat ttg gtt agt ttg ctg gcc cag   1824
Asn Leu Glu Asn Leu Ser Asp Leu Tyr Leu Val Ser Leu Leu Ala Gln
        595                 600                 605

att cat aac ctg act att gct gaa ttg aac att ttg ttg gtg att tgt   1872
Ile His Asn Leu Thr Ile Ala Glu Leu Asn Ile Leu Leu Val Ile Cys
    610                 615                 620

ggc tat ggc gac acc aac att tat cag att acc gac gat aat tta gcc   1920
Gly Tyr Gly Asp Thr Asn Ile Tyr Gln Ile Thr Asp Asp Asn Leu Ala
625                 630                 635                 640

aaa ata gtg gaa aca ttg ttg tgg atc act caa tgg ttg aag acc caa   1968
Lys Ile Val Glu Thr Leu Leu Trp Ile Thr Gln Trp Leu Lys Thr Gln
                645                 650                 655

aaa tgg aca gtt acc gac ctg ttt ctg atg acc acg gcc act tac agc   2016
Lys Trp Thr Val Thr Asp Leu Phe Leu Met Thr Thr Ala Thr Tyr Ser
            660                 665                 670

acc act tta acg cca gaa att agc aat ctg acg gct acg ttg tct tca   2064
Thr Thr Leu Thr Pro Glu Ile Ser Asn Leu Thr Ala Thr Leu Ser Ser
        675                 680                 685

act ttg cat ggc aaa gag agt ctg att ggg gaa gat ctg aaa aga gca   2112
Thr Leu His Gly Lys Glu Ser Leu Ile Gly Glu Asp Leu Lys Arg Ala
```

```
    690                 695                 700

atg gcg cct tgc ttc act tcg gct ttg cat ttg act tct caa gaa gtt   2160
Met Ala Pro Cys Phe Thr Ser Ala Leu His Leu Thr Ser Gln Glu Val
705                 710                 715                 720

gcg tat gac ctg ctg ttg tgg ata gac cag att caa ccg gca caa ata   2208
Ala Tyr Asp Leu Leu Leu Trp Ile Asp Gln Ile Gln Pro Ala Gln Ile
                725                 730                 735

act gtt gat ggg ttt tgg gaa gaa gtg caa aca aca cca acc agc ttg   2256
Thr Val Asp Gly Phe Trp Glu Glu Val Gln Thr Thr Pro Thr Ser Leu
            740                 745                 750

aag gtg att acc ttt gct cag gtg ctg gca caa ttg agc ctg atc tat   2304
Lys Val Ile Thr Phe Ala Gln Val Leu Ala Gln Leu Ser Leu Ile Tyr
        755                 760                 765

cgt cgt att ggg tta agt gaa acg gaa ctg tca ctg atc gtg act caa   2352
Arg Arg Ile Gly Leu Ser Glu Thr Glu Leu Ser Leu Ile Val Thr Gln
    770                 775                 780

tct tct ctg cta gtg gca ggc aaa agc ata ctg gat cac ggt ctg tta   2400
Ser Ser Leu Leu Val Ala Gly Lys Ser Ile Leu Asp His Gly Leu Leu
785                 790                 795                 800

acc ctg atg gcc ttg gaa ggt ttt cat acc tgg gtt aat ggc ttg ggg   2448
Thr Leu Met Ala Leu Glu Gly Phe His Thr Trp Val Asn Gly Leu Gly
                805                 810                 815

caa cat gcc tcc ttg ata ttg gcg gcg ttg aaa gac gga gcc ttg aca   2496
Gln His Ala Ser Leu Ile Leu Ala Ala Leu Lys Asp Gly Ala Leu Thr
            820                 825                 830

gtt acc gat gta gca caa gct atg aat aag gag gaa tct ctc cta caa   2544
Val Thr Asp Val Ala Gln Ala Met Asn Lys Glu Glu Ser Leu Leu Gln
        835                 840                 845

atg gca gct aat cag gtg gag aag gat cta aca aaa ctg acc agt tgg   2592
Met Ala Ala Asn Gln Val Glu Lys Asp Leu Thr Lys Leu Thr Ser Trp
    850                 855                 860

aca cag att gac gct att ctg caa tgg tta cag atg tct tcg gcc ttg   2640
Thr Gln Ile Asp Ala Ile Leu Gln Trp Leu Gln Met Ser Ser Ala Leu
865                 870                 875                 880

gcg gtt tct cca ctg gat ctg gca ggg atg atg gcc ctg aaa tat ggg   2688
Ala Val Ser Pro Leu Asp Leu Ala Gly Met Met Ala Leu Lys Tyr Gly
                885                 890                 895

ata gat cat aac tat gct gcc tgg caa gct gcg gcg gct gcg ctg atg   2736
Ile Asp His Asn Tyr Ala Ala Trp Gln Ala Ala Ala Ala Ala Leu Met
            900                 905                 910

gct gat cat gct aat cag gca cag aaa aaa ctg gat gag acg ttc agt   2784
Ala Asp His Ala Asn Gln Ala Gln Lys Lys Leu Asp Glu Thr Phe Ser
        915                 920                 925

aag gca tta tgt aac tat tat att aat gct gtt gtc gat agt gct gct   2832
Lys Ala Leu Cys Asn Tyr Tyr Ile Asn Ala Val Val Asp Ser Ala Ala
    930                 935                 940
```

```
gga gta cgt gat cgt aac ggt tta tat acc tat ttg ctg att gat aat   2880
Gly Val Arg Asp Arg Asn Gly Leu Tyr Thr Tyr Leu Leu Ile Asp Asn
945                 950                 955                 960

cag gtt tct gcc gat gtg atc act tca cgt att gca gaa gct atc gcc   2928
Gln Val Ser Ala Asp Val Ile Thr Ser Arg Ile Ala Glu Ala Ile Ala
                965                 970                 975

ggt att caa ctg tac gtt aac cgg gct tta aac cga gat gaa ggt cag   2976
Gly Ile Gln Leu Tyr Val Asn Arg Ala Leu Asn Arg Asp Glu Gly Gln
            980                 985                 990

ctt gca tcg gac gtt agt acc cgt cag ttc ttc act gac tgg gaa cgt   3024
Leu Ala Ser Asp Val Ser Thr Arg Gln Phe Phe Thr Asp Trp Glu Arg
        995                1000                1005

tac aat aaa cgt tac agt act tgg gct ggt gtc tct gaa ctg gtc tat   3072
Tyr Asn Lys Arg Tyr Ser Thr Trp Ala Gly Val Ser Glu Leu Val Tyr
    1010                1015                1020

tat cca gaa aac tat gtt gat ccc act cag cgc att ggg caa acc aaa   3120
Tyr Pro Glu Asn Tyr Val Asp Pro Thr Gln Arg Ile Gly Gln Thr Lys
1025                1030                1035                1040

atg atg gat gcg ctg ttg caa tcc atc aac cag agc cag cta aat gcg   3168
Met Met Asp Ala Leu Leu Gln Ser Ile Asn Gln Ser Gln Leu Asn Ala
                1045                1050                1055

gat acg gtg gaa gat gct ttc aaa act tat ttg acc agc ttt gag cag   3216
Asp Thr Val Glu Asp Ala Phe Lys Thr Tyr Leu Thr Ser Phe Glu Gln
            1060                1065                1070

gta gca aat ctg aaa gta att agt gct tac cac gat aat gtg aat gtg   3264
Val Ala Asn Leu Lys Val Ile Ser Ala Tyr His Asp Asn Val Asn Val
        1075                1080                1085

gat caa gga tta act tat ttt atc ggt atc gac caa gca gct ccg ggt   3312
Asp Gln Gly Leu Thr Tyr Phe Ile Gly Ile Asp Gln Ala Ala Pro Gly
    1090                1095                1100

acg tat tac tgg cgt agt gtt gat cac agc aaa tgt gaa aat ggc aag   3360
Thr Tyr Tyr Trp Arg Ser Val Asp His Ser Lys Cys Glu Asn Gly Lys
1105                1110                1115                1120

ttt gcc gct aat gct tgg ggt gag tgg aat aaa att acc tgt gct gtc   3408
Phe Ala Ala Asn Ala Trp Gly Glu Trp Asn Lys Ile Thr Cys Ala Val
                1125                1130                1135

aat cct tgg aaa aat atc atc cgt ccg gtt gtt tat atg tcc cgc tta   3456
Asn Pro Trp Lys Asn Ile Ile Arg Pro Val Val Tyr Met Ser Arg Leu
            1140                1145                1150

tat ctg cta tgg ctg gag cag caa tca aag aaa agt gat gat ggt aaa   3504
Tyr Leu Leu Trp Leu Glu Gln Gln Ser Lys Lys Ser Asp Asp Gly Lys
        1155                1160                1165

acc acg att tat caa tat aac tta aaa ctg gct cat att cgt tac gac   3552
Thr Thr Ile Tyr Gln Tyr Asn Leu Lys Leu Ala His Ile Arg Tyr Asp
    1170                1175                1180
```

```
ggt agt tgg aat aca cca ttt act ttt gat gtg aca gaa aag gta aaa   3600
Gly Ser Trp Asn Thr Pro Phe Thr Phe Asp Val Thr Glu Lys Val Lys
1185              1190                1195                1200

aat tac acg tcg agt act gat gct gct gaa tct tta ggg ttg tat tgt   3648
Asn Tyr Thr Ser Ser Thr Asp Ala Ala Glu Ser Leu Gly Leu Tyr Cys
               1205                1210                1215

act ggt tat caa ggg gaa gac act cta tta gtt atg ttc tat tcg atg   3696
Thr Gly Tyr Gln Gly Glu Asp Thr Leu Leu Val Met Phe Tyr Ser Met
          1220                1225                1230

cag agt agt tat agc tcc tat acc gat aat aat gcg ccg gtc act ggg   3744
Gln Ser Ser Tyr Ser Ser Tyr Thr Asp Asn Asn Ala Pro Val Thr Gly
      1235                1240                1245

cta tat att ttc gct gat atg tca tca gac aat atg acg aat gca caa   3792
Leu Tyr Ile Phe Ala Asp Met Ser Ser Asp Asn Met Thr Asn Ala Gln
  1250                1255                1260

gca act aac tat tgg aat aac agt tat ccg caa ttt gat act gtg atg   3840
Ala Thr Asn Tyr Trp Asn Asn Ser Tyr Pro Gln Phe Asp Thr Val Met
1265              1270                1275                1280

gca gat ccg gat agc gac aat aaa aaa gtc ata acc aga aga gtt aat   3888
Ala Asp Pro Asp Ser Asp Asn Lys Lys Val Ile Thr Arg Arg Val Asn
               1285                1290                1295

aac cgt tat gcg gag gat tat gaa att cct tcc tct gtg aca agt aac   3936
Asn Arg Tyr Ala Glu Asp Tyr Glu Ile Pro Ser Ser Val Thr Ser Asn
          1300                1305                1310

agt aat tat tct tgg ggt gat cac agt tta acc atg ctt tat ggt ggt   3984
Ser Asn Tyr Ser Trp Gly Asp His Ser Leu Thr Met Leu Tyr Gly Gly
      1315                1320                1325

agt gtt cct aat att act ttt gaa tcg gcg gca gaa gat tta agg cta   4032
Ser Val Pro Asn Ile Thr Phe Glu Ser Ala Ala Glu Asp Leu Arg Leu
  1330                1335                1340

tct acc aat atg gca ttg agt att att cat aat gga tat gcg gga acc   4080
Ser Thr Asn Met Ala Leu Ser Ile Ile His Asn Gly Tyr Ala Gly Thr
1345              1350                1355                1360

cgc cgt ata caa tgt aat ctt atg aaa caa tac gct tca tta ggt gat   4128
Arg Arg Ile Gln Cys Asn Leu Met Lys Gln Tyr Ala Ser Leu Gly Asp
               1365                1370                1375

aaa ttt ata att tat gat tca tca ttt gat gat gca aac cgt ttt aat   4176
Lys Phe Ile Ile Tyr Asp Ser Ser Phe Asp Asp Ala Asn Arg Phe Asn
          1380                1385                1390

ctg gtg cca ttg ttt aaa ttc gga aaa gac gag aac tca gat gat agt   4224
Leu Val Pro Leu Phe Lys Phe Gly Lys Asp Glu Asn Ser Asp Asp Ser
      1395                1400                1405

att tgt ata tat aat gaa aac cct tcc tct gaa gat aag aag tgg tat   4272
Ile Cys Ile Tyr Asn Glu Asn Pro Ser Ser Glu Asp Lys Lys Trp Tyr
  1410                1415                1420

ttt tct tcg aaa gat gac aat aaa aca gcg gat tat aat ggt gga act   4320
```

```
Phe Ser Ser Lys Asp Asp Asn Lys Thr Ala Asp Tyr Asn Gly Gly Thr
1425                1430                1435                1440

caa tgt ata gat gct gga acc agt aac aaa gat ttt tat tat aat ctc   4368
Gln Cys Ile Asp Ala Gly Thr Ser Asn Lys Asp Phe Tyr Tyr Asn Leu
                1445                1450                1455

cag gag att gaa gta att agt gtt act ggt ggg tat tgg tcg agt tat   4416
Gln Glu Ile Glu Val Ile Ser Val Thr Gly Gly Tyr Trp Ser Ser Tyr
            1460                1465                1470

aaa ata tcc aac ccg att aat atc aat acg ggc att gat agt gct aaa   4464
Lys Ile Ser Asn Pro Ile Asn Ile Asn Thr Gly Ile Asp Ser Ala Lys
        1475                1480                1485

gta aaa gtc acc gta aaa gcg ggt ggt gac gat caa atc ttt act gct   4512
Val Lys Val Thr Val Lys Ala Gly Gly Asp Asp Gln Ile Phe Thr Ala
    1490                1495                1500

gat aat agt acc tat gtt cct cag caa ccg gca ccc agt ttt gag gag   4560
Asp Asn Ser Thr Tyr Val Pro Gln Gln Pro Ala Pro Ser Phe Glu Glu
1505                1510                1515                1520

atg att tat cag ttc aat aac ctg aca ata gat tgt aag aat tta aat   4608
Met Ile Tyr Gln Phe Asn Asn Leu Thr Ile Asp Cys Lys Asn Leu Asn
                1525                1530                1535

ttc atc gac aat cag gca cat att gag att gat ttc acc gct acg gca   4656
Phe Ile Asp Asn Gln Ala His Ile Glu Ile Asp Phe Thr Ala Thr Ala
            1540                1545                1550

caa gat ggc cga ttc ttg ggt gca gaa act ttt att atc ccg gta act   4704
Gln Asp Gly Arg Phe Leu Gly Ala Glu Thr Phe Ile Ile Pro Val Thr
        1555                1560                1565

aaa aaa gtt ctc ggt act gag aac gtg att gcg tta tat agc gaa aat   4752
Lys Lys Val Leu Gly Thr Glu Asn Val Ile Ala Leu Tyr Ser Glu Asn
    1570                1575                1580

aac ggt gtt caa tat atg caa att ggc gca tat cgt acc cgt ttg aat   4800
Asn Gly Val Gln Tyr Met Gln Ile Gly Ala Tyr Arg Thr Arg Leu Asn
1585                1590                1595                1600

acg tta ttc gct caa cag ttg gtt agc cgt gct aat cgt ggc att gat   4848
Thr Leu Phe Ala Gln Gln Leu Val Ser Arg Ala Asn Arg Gly Ile Asp
                1605                1610                1615

gca gtg ctc agt atg gaa act cag aat att cag gaa ccg caa tta gga   4896
Ala Val Leu Ser Met Glu Thr Gln Asn Ile Gln Glu Pro Gln Leu Gly
            1620                1625                1630

gcg ggc aca tat gtg cag ctt gtg ttg gat aaa tat gat gag tct att   4944
Ala Gly Thr Tyr Val Gln Leu Val Leu Asp Lys Tyr Asp Glu Ser Ile
        1635                1640                1645

cat ggc act aat aaa agc ttt gct att gaa tat gtt gat ata ttt aaa   4992
His Gly Thr Asn Lys Ser Phe Ala Ile Glu Tyr Val Asp Ile Phe Lys
    1650                1655                1660

gag aac gat agt ttt gtg att tat caa gga gaa ctt agc gaa aca agt   5040
Glu Asn Asp Ser Phe Val Ile Tyr Gln Gly Glu Leu Ser Glu Thr Ser
```

```
1665                1670                1675                1680

caa act gtt gtg aaa gtt ttc tta tcc tat ttt ata gag gcg act gga   5088
Gln Thr Val Val Lys Val Phe Leu Ser Tyr Phe Ile Glu Ala Thr Gly
                1685                1690                1695

aat aag aac cac tta tgg gta cgt gct aaa tac caa aag gaa acg act   5136
Asn Lys Asn His Leu Trp Val Arg Ala Lys Tyr Gln Lys Glu Thr Thr
            1700                1705                1710

gat aag atc ttg ttc gac cgt act gat gag aaa gat ccg cac ggt tgg   5184
Asp Lys Ile Leu Phe Asp Arg Thr Asp Glu Lys Asp Pro His Gly Trp
        1715                1720                1725

ttt ctc agc gac gat cac aag acc ttt agt ggt ctc tct tcc gca cag   5232
Phe Leu Ser Asp Asp His Lys Thr Phe Ser Gly Leu Ser Ser Ala Gln
    1730                1735                1740

gca tta aag aac gac agt gaa ccg atg gat ttc tct ggc gcc aat gct   5280
Ala Leu Lys Asn Asp Ser Glu Pro Met Asp Phe Ser Gly Ala Asn Ala
1745                1750                1755                1760

ctc tat ttc tgg gaa ctg ttc tat tac acg ccg atg atg atg gct cat   5328
Leu Tyr Phe Trp Glu Leu Phe Tyr Tyr Thr Pro Met Met Met Ala His
                1765                1770                1775

cgt ttg ttg cag gaa cag aat ttt gat gcg gcg aac cat tgg ttc cgt   5376
Arg Leu Leu Gln Glu Gln Asn Phe Asp Ala Ala Asn His Trp Phe Arg
            1780                1785                1790

tat gtc tgg agt cca tcc ggt tat atc gtt gat ggt aaa att gct atc   5424
Tyr Val Trp Ser Pro Ser Gly Tyr Ile Val Asp Gly Lys Ile Ala Ile
        1795                1800                1805

tac cac tgg aac gtg cga ccg ctg gaa gaa gac acc agt tgg aat gca   5472
Tyr His Trp Asn Val Arg Pro Leu Glu Glu Asp Thr Ser Trp Asn Ala
    1810                1815                1820

caa caa ctg gac tcc acc gat cca gat gct gta gcc caa gat gat ccg   5520
Gln Gln Leu Asp Ser Thr Asp Pro Asp Ala Val Ala Gln Asp Asp Pro
1825                1830                1835                1840

atg cac tac aag gtg gct acc ttt atg gcg acg ttg gat ctg cta atg   5568
Met His Tyr Lys Val Ala Thr Phe Met Ala Thr Leu Asp Leu Leu Met
                1845                1850                1855

gcc cgt ggt gat gct gct tac cgc cag tta gag cgt gat acg ttg gct   5616
Ala Arg Gly Asp Ala Ala Tyr Arg Gln Leu Glu Arg Asp Thr Leu Ala
            1860                1865                1870

gaa gct aaa atg tgg tat aca cag gcg ctt aat ctg ttg ggt gat gag   5664
Glu Ala Lys Met Trp Tyr Thr Gln Ala Leu Asn Leu Leu Gly Asp Glu
        1875                1880                1885

cca caa gtg atg ctg agt acg act tgg gct aat cca aca ttg ggt aat   5712
Pro Gln Val Met Leu Ser Thr Thr Trp Ala Asn Pro Thr Leu Gly Asn
    1890                1895                1900

gct gct tca aaa acc aca cag cag gtt cgt cag caa gtg ctt acc cag   5760
Ala Ala Ser Lys Thr Thr Gln Gln Val Arg Gln Gln Val Leu Thr Gln
1905                1910                1915                1920
```

```
ttg cgt ctc aat agc agg gta aaa acc ccg ttg cta gga aca gcc aat   5808
Leu Arg Leu Asn Ser Arg Val Lys Thr Pro Leu Leu Gly Thr Ala Asn
                1925                1930                1935

tcc ctg acc gct tta ttc ctg ccg cag gaa aat agc aag ctc aaa ggc   5856
Ser Leu Thr Ala Leu Phe Leu Pro Gln Glu Asn Ser Lys Leu Lys Gly
            1940                1945                1950

tac tgg cgg aca ctg gcg cag cgt atg ttt aat tta cgt cat aat ctg   5904
Tyr Trp Arg Thr Leu Ala Gln Arg Met Phe Asn Leu Arg His Asn Leu
        1955                1960                1965

tcg att gac ggc cag ccg ctc tcc ttg ccg ctg tat gct aaa ccg gct   5952
Ser Ile Asp Gly Gln Pro Leu Ser Leu Pro Leu Tyr Ala Lys Pro Ala
    1970                1975                1980

gat cca aaa gct tta ctg agt gcg gcg gtt tca gct tct caa ggg gga   6000
Asp Pro Lys Ala Leu Leu Ser Ala Ala Val Ser Ala Ser Gln Gly Gly
1985                1990                1995                2000

gcc gac ttg ccg aag gcg ccg ctg act att cac cgc ttc cct caa atg   6048
Ala Asp Leu Pro Lys Ala Pro Leu Thr Ile His Arg Phe Pro Gln Met
                2005                2010                2015

cta gaa ggg gca cgg ggc ttg gtt aac cag ctt ata cag ttc ggt agt   6096
Leu Glu Gly Ala Arg Gly Leu Val Asn Gln Leu Ile Gln Phe Gly Ser
            2020                2025                2030

tca cta ttg ggg tac agt gag cgt cag gat gcg gaa gct atg agt caa   6144
Ser Leu Leu Gly Tyr Ser Glu Arg Gln Asp Ala Glu Ala Met Ser Gln
        2035                2040                2045

cta ctg caa acc caa gcc agc gag tta ata ctg acc agt att cgt atg   6192
Leu Leu Gln Thr Gln Ala Ser Glu Leu Ile Leu Thr Ser Ile Arg Met
    2050                2055                2060

cag gat aac caa ttg gca gag ctg gat tcg gaa aaa acc gcc ttg caa   6240
Gln Asp Asn Gln Leu Ala Glu Leu Asp Ser Glu Lys Thr Ala Leu Gln
2065                2070                2075                2080

gtc tct tta gct gga gtg caa caa cgg ttt gac agc tat agc caa ctg   6288
Val Ser Leu Ala Gly Val Gln Gln Arg Phe Asp Ser Tyr Ser Gln Leu
                2085                2090                2095

tat gag gag aac atc aac gca ggt gag cag cga gcg ctg gcg tta cgc   6336
Tyr Glu Glu Asn Ile Asn Ala Gly Glu Gln Arg Ala Leu Ala Leu Arg
            2100                2105                2110

tca gaa tct gct att gag tct cag gga gcg cag att tcc cgt atg gca   6384
Ser Glu Ser Ala Ile Glu Ser Gln Gly Ala Gln Ile Ser Arg Met Ala
        2115                2120                2125

ggc gcg ggt gtt gat atg gca cca aat atc ttc ggc ctg gct gat ggc   6432
Gly Ala Gly Val Asp Met Ala Pro Asn Ile Phe Gly Leu Ala Asp Gly
    2130                2135                2140

ggc atg cat tat ggt gct att gcc tat gcc atc gct gac ggt att gag   6480
Gly Met His Tyr Gly Ala Ile Ala Tyr Ala Ile Ala Asp Gly Ile Glu
2145                2150                2155                2160
```

```
ttg agt gct tct gcc aag atg gtt gat gcg gag aaa gtt gct cag tcg   6528
Leu Ser Ala Ser Ala Lys Met Val Asp Ala Glu Lys Val Ala Gln Ser
              2165                2170                2175

gaa ata tat cgc cgt cgc cgt caa gaa tgg aaa att cag cgt gac aac   6576
Glu Ile Tyr Arg Arg Arg Arg Gln Glu Trp Lys Ile Gln Arg Asp Asn
          2180                2185                2190

gca caa gcg gag att aac cag tta aac gcg caa ctg gaa tca ctg tct   6624
Ala Gln Ala Glu Ile Asn Gln Leu Asn Ala Gln Leu Glu Ser Leu Ser
      2195                2200                2205

att cgc cgt gaa gcc gct gaa atg caa aaa gag tac ctg aaa acc cag   6672
Ile Arg Arg Glu Ala Ala Glu Met Gln Lys Glu Tyr Leu Lys Thr Gln
  2210                2215                2220

caa gct cag gcg cag gca caa ctt act ttc tta aga agc aaa ttc agt   6720
Gln Ala Gln Ala Gln Ala Gln Leu Thr Phe Leu Arg Ser Lys Phe Ser
2225                2230                2235                2240

aat caa gcg tta tat agt tgg tta cga ggg cgt ttg tca ggt att tat   6768
Asn Gln Ala Leu Tyr Ser Trp Leu Arg Gly Arg Leu Ser Gly Ile Tyr
              2245                2250                2255

ttc cag ttc tat gac ttg gcc gta tca cgt tgc ctg atg gca gag caa   6816
Phe Gln Phe Tyr Asp Leu Ala Val Ser Arg Cys Leu Met Ala Glu Gln
          2260                2265                2270

tcc tat caa tgg gaa gct aat gat aat tcc att agc ttt gtc aaa ccg   6864
Ser Tyr Gln Trp Glu Ala Asn Asp Asn Ser Ile Ser Phe Val Lys Pro
      2275                2280                2285

ggt gca tgg caa gga act tac gcc ggc tta ttg tgt gga gaa gct ttg   6912
Gly Ala Trp Gln Gly Thr Tyr Ala Gly Leu Leu Cys Gly Glu Ala Leu
  2290                2295                2300

ata caa aat ctg gca caa atg gaa gag gca tat ctg aaa tgg gaa tct   6960
Ile Gln Asn Leu Ala Gln Met Glu Glu Ala Tyr Leu Lys Trp Glu Ser
2305                2310                2315                2320

cgc gct ttg gaa gta gaa cgc acg gtt tca ttg gca gtg gtt tat gat   7008
Arg Ala Leu Glu Val Glu Arg Thr Val Ser Leu Ala Val Val Tyr Asp
              2325                2330                2335

tca ctg gaa ggt aat gat cgt ttt aat tta gcg gaa caa ata cct gca   7056
Ser Leu Glu Gly Asn Asp Arg Phe Asn Leu Ala Glu Gln Ile Pro Ala
          2340                2345                2350

tta ttg gat aag ggg gag gga aca gca gga act aaa gaa aat ggg tta   7104
Leu Leu Asp Lys Gly Glu Gly Thr Ala Gly Thr Lys Glu Asn Gly Leu
      2355                2360                2365

tca ttg gct aat gct atc ctg tca gct tcg gtc aaa ttg tcc gac ttg   7152
Ser Leu Ala Asn Ala Ile Leu Ser Ala Ser Val Lys Leu Ser Asp Leu
  2370                2375                2380

aaa ctg gga acg gat tat cca gac agt atc gtt ggt agc aac aag gtt   7200
Lys Leu Gly Thr Asp Tyr Pro Asp Ser Ile Val Gly Ser Asn Lys Val
2385                2390                2395                2400

cgt cgt att aag caa atc agt gtt tcg cta cct gca ttg gtt ggg cct   7248
```

```
Arg Arg Ile Lys Gln Ile Ser Val Ser Leu Pro Ala Leu Val Gly Pro
                2405                2410                2415

tat cag gat gtt cag gct atg ctc agc tat ggt ggc agt act caa ttg   7296
Tyr Gln Asp Val Gln Ala Met Leu Ser Tyr Gly Gly Ser Thr Gln Leu
            2420                2425                2430

ccg aaa ggt tgt tca gcg ttg gct gtg tct cat ggt acc aat gat agt   7344
Pro Lys Gly Cys Ser Ala Leu Ala Val Ser His Gly Thr Asn Asp Ser
        2435                2440                2445

ggt cag ttc cag ttg gat ttc aat gac ggc aaa tac ctg cca ttt gaa   7392
Gly Gln Phe Gln Leu Asp Phe Asn Asp Gly Lys Tyr Leu Pro Phe Glu
    2450                2455                2460

ggt att gct ctt gat gat cag ggt aca ctg aat ctt caa ttt ccg aat   7440
Gly Ile Ala Leu Asp Asp Gln Gly Thr Leu Asn Leu Gln Phe Pro Asn
2465                2470                2475                2480

gct acc gac aag cag aaa gca ata ttg caa act atg agc gat att att   7488
Ala Thr Asp Lys Gln Lys Ala Ile Leu Gln Thr Met Ser Asp Ile Ile
                2485                2490                2495

ttg cat att cgt tat acc atc cgt taa                              7515
Leu His Ile Arg Tyr Thr Ile Arg
            2500
```

<210> 3
<211> 7577
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<222> (3)..(7553)

<220>
<223> Description of Artificial Sequence:hemicot tcdA

<400> 3

```
cc atg gct aac gag tcc gtc aag gag atc cca gac gtc ctc aag tcc    47
   Met Ala Asn Glu Ser Val Lys Glu Ile Pro Asp Val Leu Lys Ser
     1               5                  10                  15

caa tgc ggt ttc aac tgc ctc act gac atc tcc cac agc tcc ttc aac   95
Gln Cys Gly Phe Asn Cys Leu Thr Asp Ile Ser His Ser Ser Phe Asn
                20                  25                  30

gag ttc aga caa caa gtc tct gag cac ctc tcc tgg tcc gag acc cat   143
Glu Phe Arg Gln Gln Val Ser Glu His Leu Ser Trp Ser Glu Thr His
            35                  40                  45

gac ctc tac cat gac gct cag caa gct cag aag gac aac agg ctc tac   191
Asp Leu Tyr His Asp Ala Gln Gln Ala Gln Lys Asp Asn Arg Leu Tyr
        50                  55                  60

gag gct agg atc ctc aag agg gct aac cca caa ctc cag aac gct gtc   239
Glu Ala Arg Ile Leu Lys Arg Ala Asn Pro Gln Leu Gln Asn Ala Val
    65                  70                  75
```

```
cac ctc gcc atc ttg gct cca aac gct gag ttg att ggt tac aac aac   287
His Leu Ala Ile Leu Ala Pro Asn Ala Glu Leu Ile Gly Tyr Asn Asn
 80                  85                  90                  95

cag ttc tct ggc aga gct agc cag tac gtg gct cct ggt aca gtc tcc   335
Gln Phe Ser Gly Arg Ala Ser Gln Tyr Val Ala Pro Gly Thr Val Ser
                100                 105                 110

tcc atg ttc agc cca gcc gct tac ctc act gag ttg tac cgc gag gct   383
Ser Met Phe Ser Pro Ala Ala Tyr Leu Thr Glu Leu Tyr Arg Glu Ala
            115                 120                 125

agg aac ctt cat gct tct gac tcc gtc tac tac ttg gac aca cgc aga   431
Arg Asn Leu His Ala Ser Asp Ser Val Tyr Tyr Leu Asp Thr Arg Arg
        130                 135                 140

cca gac ctc aag agc atg gcc ctc agc caa cag aac atg gac att gag   479
Pro Asp Leu Lys Ser Met Ala Leu Ser Gln Gln Asn Met Asp Ile Glu
    145                 150                 155

ttg tcc acc ctc tcc ttg agc aac gag ctt ctc ttg gag tcc atc aag   527
Leu Ser Thr Leu Ser Leu Ser Asn Glu Leu Leu Leu Glu Ser Ile Lys
160                 165                 170                 175

act gag agc aag ttg gag aac tac acc aag gtc atg gag atg ctc tcc   575
Thr Glu Ser Lys Leu Glu Asn Tyr Thr Lys Val Met Glu Met Leu Ser
                180                 185                 190

acc ttc aga cca agc ggt gca act cca tac cat gat gcc tac gag aac   623
Thr Phe Arg Pro Ser Gly Ala Thr Pro Tyr His Asp Ala Tyr Glu Asn
            195                 200                 205

gtc agg gag gtc atc caa ctt caa gac cct ggt ctt gag caa ctc aac   671
Val Arg Glu Val Ile Gln Leu Gln Asp Pro Gly Leu Glu Gln Leu Asn
        210                 215                 220

gct tct cca gcc att gct ggt ttg atg cac cag gca tcc ttg ctc ggt   719
Ala Ser Pro Ala Ile Ala Gly Leu Met His Gln Ala Ser Leu Leu Gly
    225                 230                 235

atc aac gcc tcc atc tct cct gag ttg ttc aac atc ttg act gag gag   767
Ile Asn Ala Ser Ile Ser Pro Glu Leu Phe Asn Ile Leu Thr Glu Glu
240                 245                 250                 255

atc act gag ggc aac gct gag gag ttg tac aag aag aac ttc ggc aac   815
Ile Thr Glu Gly Asn Ala Glu Glu Leu Tyr Lys Lys Asn Phe Gly Asn
                260                 265                 270

att gag cca gcc tct ctt gca atg cct gag tac ctc aag agg tac tac   863
Ile Glu Pro Ala Ser Leu Ala Met Pro Glu Tyr Leu Lys Arg Tyr Tyr
            275                 280                 285

aac ttg tct gat gag gag ctt tct caa ttc att ggc aag gct tcc aac   911
Asn Leu Ser Asp Glu Glu Leu Ser Gln Phe Ile Gly Lys Ala Ser Asn
        290                 295                 300

ttc ggt caa cag gag tac agc aac aac cag ctc atc act cca gtt gtg   959
Phe Gly Gln Gln Glu Tyr Ser Asn Asn Gln Leu Ile Thr Pro Val Val
    305                 310                 315
```

```
aac tcc tct gat ggc act gtg aag gtc tac cgc atc aca cgt gag tac   1007
Asn Ser Ser Asp Gly Thr Val Lys Val Tyr Arg Ile Thr Arg Glu Tyr
320                 325                 330                 335

acc aca aac gcc tac caa atg gat gtt gag ttg ttc cca ttc ggt ggt   1055
Thr Thr Asn Ala Tyr Gln Met Asp Val Glu Leu Phe Pro Phe Gly Gly
                340                 345                 350

gag aac tac aga ctt gac tac aag ttc aag aac ttc tac aac gcc tcc   1103
Glu Asn Tyr Arg Leu Asp Tyr Lys Phe Lys Asn Phe Tyr Asn Ala Ser
            355                 360                 365

tac ctc tcc atc aag ttg aac gac aag agg gag ctt gtc agg act gag   1151
Tyr Leu Ser Ile Lys Leu Asn Asp Lys Arg Glu Leu Val Arg Thr Glu
        370                 375                 380

ggt gct cct caa gtg aac att gag tac tct gcc aac atc acc ctc aac   1199
Gly Ala Pro Gln Val Asn Ile Glu Tyr Ser Ala Asn Ile Thr Leu Asn
    385                 390                 395

aca gct gac atc tct caa cca ttc gag att ggt ttg acc aga gtc ctt   1247
Thr Ala Asp Ile Ser Gln Pro Phe Glu Ile Gly Leu Thr Arg Val Leu
400                 405                 410                 415

ccc tct ggc tcc tgg gcc tac gct gca gcc aag ttc act gtt gag gag   1295
Pro Ser Gly Ser Trp Ala Tyr Ala Ala Ala Lys Phe Thr Val Glu Glu
                420                 425                 430

tac aac cag tac tct ttc ctc ttg aag ctc aac aag gca att cgt ctc   1343
Tyr Asn Gln Tyr Ser Phe Leu Leu Lys Leu Asn Lys Ala Ile Arg Leu
            435                 440                 445

agc aga gcc act gag ttg tct ccc acc atc ttg gag ggc att gtg agg   1391
Ser Arg Ala Thr Glu Leu Ser Pro Thr Ile Leu Glu Gly Ile Val Arg
        450                 455                 460

tct gtc aac ctt caa ctt gac atc aac act gat gtg ctt ggc aag gtc   1439
Ser Val Asn Leu Gln Leu Asp Ile Asn Thr Asp Val Leu Gly Lys Val
    465                 470                 475

ttc ctc acc aag tac tac atg caa cgc tac gcc atc cat gct gag act   1487
Phe Leu Thr Lys Tyr Tyr Met Gln Arg Tyr Ala Ile His Ala Glu Thr
480                 485                 490                 495

gca ctc atc ctc tgc aac gca ccc atc tct caa cgc tcc tac gac aac   1535
Ala Leu Ile Leu Cys Asn Ala Pro Ile Ser Gln Arg Ser Tyr Asp Asn
                500                 505                 510

cag cct tcc cag ttc gac agg ctc ttc aac act cct ctc ttg aac ggc   1583
Gln Pro Ser Gln Phe Asp Arg Leu Phe Asn Thr Pro Leu Leu Asn Gly
            515                 520                 525

cag tac ttc tcc act ggt gat gag gag att gac ctc aac tct ggc tcc   1631
Gln Tyr Phe Ser Thr Gly Asp Glu Glu Ile Asp Leu Asn Ser Gly Ser
        530                 535                 540

aca ggt gac tgg aga aag acc atc ttg aag agg gcc ttc aac att gat   1679
Thr Gly Asp Trp Arg Lys Thr Ile Leu Lys Arg Ala Phe Asn Ile Asp
    545                 550                 555

gat gtc tct ctc ttc cgt ctc ttg aag atc aca gat cac gac aac aag   1727
```

```
Asp Val Ser Leu Phe Arg Leu Leu Lys Ile Thr Asp His Asp Asn Lys
560                 565                 570                 575

gat ggc aag atc aag aac aac ttg aag aac ctt tcc aac ctc tac att   1775
Asp Gly Lys Ile Lys Asn Asn Leu Lys Asn Leu Ser Asn Leu Tyr Ile
                580                 585                 590

ggc aag ttg ctt gca gac atc cac caa ctc acc att gat gag ttg gac   1823
Gly Lys Leu Leu Ala Asp Ile His Gln Leu Thr Ile Asp Glu Leu Asp
            595                 600                 605

ctc ttg ctc att gca gtc ggt gag ggc aag acc aac ctc tct gca atc   1871
Leu Leu Leu Ile Ala Val Gly Glu Gly Lys Thr Asn Leu Ser Ala Ile
        610                 615                 620

tct gac aag cag ttg gca acc ctc atc agg aag ttg aac acc atc acc   1919
Ser Asp Lys Gln Leu Ala Thr Leu Ile Arg Lys Leu Asn Thr Ile Thr
    625                 630                 635

tcc tgg ctt cac acc cag aag tgg tct gtc ttc caa ctc ttc atc atg   1967
Ser Trp Leu His Thr Gln Lys Trp Ser Val Phe Gln Leu Phe Ile Met
640                 645                 650                 655

acc agc acc tcc tac aac aag acc ctc act cct gag atc aag aac ctc   2015
Thr Ser Thr Ser Tyr Asn Lys Thr Leu Thr Pro Glu Ile Lys Asn Leu
                660                 665                 670

ttg gac aca gtc tac cac ggt ctc caa ggc ttc gac aag gac aag gct   2063
Leu Asp Thr Val Tyr His Gly Leu Gln Gly Phe Asp Lys Asp Lys Ala
            675                 680                 685

gac ttg ctt cat gtc atg gct ccc tac att gca gcc acc ctc caa ctc   2111
Asp Leu Leu His Val Met Ala Pro Tyr Ile Ala Ala Thr Leu Gln Leu
        690                 695                 700

tcc tct gag aac gtg gct cac tct gtc ttg ctc tgg gct gac aag ctc   2159
Ser Ser Glu Asn Val Ala His Ser Val Leu Leu Trp Ala Asp Lys Leu
    705                 710                 715

caa cct ggt gat ggt gcc atg act gct gag aag ttc tgg gac tgg ctc   2207
Gln Pro Gly Asp Gly Ala Met Thr Ala Glu Lys Phe Trp Asp Trp Leu
720                 725                 730                 735

aac acc aag tac aca cca ggc tcc tct gag gct gtt gag act caa gag   2255
Asn Thr Lys Tyr Thr Pro Gly Ser Ser Glu Ala Val Glu Thr Gln Glu
                740                 745                 750

cac att gtg caa tac tgc cag gct ctt gca cag ttg gag atg gtc tac   2303
His Ile Val Gln Tyr Cys Gln Ala Leu Ala Gln Leu Glu Met Val Tyr
            755                 760                 765

cac tcc act ggc atc aac gag aac gct ttc aga ctc ttc gtc acc aag   2351
His Ser Thr Gly Ile Asn Glu Asn Ala Phe Arg Leu Phe Val Thr Lys
        770                 775                 780

cct gag atg ttc ggt gct gcc aca ggt gct gca cct gct cat gat gct   2399
Pro Glu Met Phe Gly Ala Ala Thr Gly Ala Ala Pro Ala His Asp Ala
    785                 790                 795

ctc tcc ctc atc atg ttg acc agg ttc gct gac tgg gtc aac gct ctt   2447
Leu Ser Leu Ile Met Leu Thr Arg Phe Ala Asp Trp Val Asn Ala Leu
```

```
800                 805                 810                 815

ggt gag aag gct tcc tct gtc ttg gct gcc ttc gag gcc aac tcc ctc   2495
Gly Glu Lys Ala Ser Ser Val Leu Ala Ala Phe Glu Ala Asn Ser Leu
                820                 825                 830

act gct gag caa ctt gct gat gcc atg aac ctt gat gcc aac ctc ttg   2543
Thr Ala Glu Gln Leu Ala Asp Ala Met Asn Leu Asp Ala Asn Leu Leu
            835                 840                 845

ctc caa gct tcc att caa gct cag aac cac caa cac ctc cca cct gtc   2591
Leu Gln Ala Ser Ile Gln Ala Gln Asn His Gln His Leu Pro Pro Val
        850                 855                 860

act cca gag aac gct ttc tcc tgc tgg acc tcc atc aac acc atc ctc   2639
Thr Pro Glu Asn Ala Phe Ser Cys Trp Thr Ser Ile Asn Thr Ile Leu
    865                 870                 875

caa tgg gtc aac gtg gct cag caa ctc aac gtg gct cca caa ggt gtc   2687
Gln Trp Val Asn Val Ala Gln Gln Leu Asn Val Ala Pro Gln Gly Val
880                 885                 890                 895

tct gct ttg gtc ggt ctt gac tac atc cag tcc atg aag gag aca cca   2735
Ser Ala Leu Val Gly Leu Asp Tyr Ile Gln Ser Met Lys Glu Thr Pro
                900                 905                 910

acc tac gct caa tgg gag aac gca gct ggt gtc ttg act gct ggt ctc   2783
Thr Tyr Ala Gln Trp Glu Asn Ala Ala Gly Val Leu Thr Ala Gly Leu
            915                 920                 925

aac tcc caa cag gcc aac acc ctc cat gct ttc ttg gat gag tct cgc   2831
Asn Ser Gln Gln Ala Asn Thr Leu His Ala Phe Leu Asp Glu Ser Arg
        930                 935                 940

tct gct gcc ctc tcc acc tac tac atc agg caa gtc gcc aag gca gct   2879
Ser Ala Ala Leu Ser Thr Tyr Tyr Ile Arg Gln Val Ala Lys Ala Ala
    945                 950                 955

gct gcc atc aag tct cgc gat gac ctc tac caa tac ctc ctc att gac   2927
Ala Ala Ile Lys Ser Arg Asp Asp Leu Tyr Gln Tyr Leu Leu Ile Asp
960                 965                 970                 975

aac cag gtc tct gct gcc atc aag acc acc agg atc gct gag gcc atc   2975
Asn Gln Val Ser Ala Ala Ile Lys Thr Thr Arg Ile Ala Glu Ala Ile
                980                 985                 990

gct tcc atc caa ctc tac gtc aac cgc gct ctt gag aac gtt gag gag   3023
Ala Ser Ile Gln Leu Tyr Val Asn Arg Ala Leu Glu Asn Val Glu Glu
            995                1000                1005

aac gcc aac tct ggt gtc atc tct cgc caa ttc ttc atc gac tgg gac   3071
Asn Ala Asn Ser Gly Val Ile Ser Arg Gln Phe Phe Ile Asp Trp Asp
       1010                1015                1020

aag tac aac aag agg tac tcc acc tgg gct ggt gtc tct caa ctt gtc   3119
Lys Tyr Asn Lys Arg Tyr Ser Thr Trp Ala Gly Val Ser Gln Leu Val
   1025                1030                1035

tac tac cca gag aac tac att gac cca acc atg agg att ggt cag acc   3167
Tyr Tyr Pro Glu Asn Tyr Ile Asp Pro Thr Met Arg Ile Gly Gln Thr
1040                1045                1050                1055
```

```
aag atg atg gat gct ctc ttg caa tct gtc tcc caa agc caa ctc aac   3215
Lys Met Met Asp Ala Leu Leu Gln Ser Val Ser Gln Ser Gln Leu Asn
              1060                1065                1070

gct gac act gtg gag gat gcc ttc atg agc tac ctc acc tcc ttc gag   3263
Ala Asp Thr Val Glu Asp Ala Phe Met Ser Tyr Leu Thr Ser Phe Glu
          1075                1080                1085

caa gtt gcc aac ctc aag gtc atc tct gct tac cat gac aac atc aac   3311
Gln Val Ala Asn Leu Lys Val Ile Ser Ala Tyr His Asp Asn Ile Asn
      1090                1095                1100

aac gac caa ggt ctc acc tac ttc att ggt ctc tct gag act gat gct   3359
Asn Asp Gln Gly Leu Thr Tyr Phe Ile Gly Leu Ser Glu Thr Asp Ala
  1105                1110                1115

ggt gag tac tac tgg aga tcc gtg gac cac agc aag ttc aac gat ggc   3407
Gly Glu Tyr Tyr Trp Arg Ser Val Asp His Ser Lys Phe Asn Asp Gly
1120                1125                1130                1135

aag ttc gct gca aac gct tgg tct gag tgg cac aag att gac tgc cct   3455
Lys Phe Ala Ala Asn Ala Trp Ser Glu Trp His Lys Ile Asp Cys Pro
              1140                1145                1150

atc aac cca tac aag tcc acc atc aga cct gtc atc tac aag agc cgc   3503
Ile Asn Pro Tyr Lys Ser Thr Ile Arg Pro Val Ile Tyr Lys Ser Arg
          1155                1160                1165

ctc tac ttg ctc tgg ctt gag cag aag gag atc acc aag caa act ggc   3551
Leu Tyr Leu Leu Trp Leu Glu Gln Lys Glu Ile Thr Lys Gln Thr Gly
      1170                1175                1180

aac tcc aag gat ggt tac caa act gag act gac tac cgc tac gag ttg   3599
Asn Ser Lys Asp Gly Tyr Gln Thr Glu Thr Asp Tyr Arg Tyr Glu Leu
  1185                1190                1195

aag ttg gct cac atc cgc tac gat ggt acc tgg aac act cca atc acc   3647
Lys Leu Ala His Ile Arg Tyr Asp Gly Thr Trp Asn Thr Pro Ile Thr
1200                1205                1210                1215

ttc gat gtc aac aag aag atc agc gag ttg aag ttg gag aag aac cgt   3695
Phe Asp Val Asn Lys Lys Ile Ser Glu Leu Lys Leu Glu Lys Asn Arg
              1220                1225                1230

gct cct ggt ctc tac tgc gct ggt tac caa ggt gag gac acc ctc ttg   3743
Ala Pro Gly Leu Tyr Cys Ala Gly Tyr Gln Gly Glu Asp Thr Leu Leu
          1235                1240                1245

gtc atg ttc tac aac cag caa gac acc ctt gac tcc tac aag aac gct   3791
Val Met Phe Tyr Asn Gln Gln Asp Thr Leu Asp Ser Tyr Lys Asn Ala
      1250                1255                1260

tcc atg caa ggt ctc tac atc ttc gct gac atg gct tcc aag gac atg   3839
Ser Met Gln Gly Leu Tyr Ile Phe Ala Asp Met Ala Ser Lys Asp Met
  1265                1270                1275

act cca gag caa agc aac gtc tac cgt gac aac tcc tac caa cag ttc   3887
Thr Pro Glu Gln Ser Asn Val Tyr Arg Asp Asn Ser Tyr Gln Gln Phe
1280                1285                1290                1295
```

```
gac acc aac aac gtc agg cgt gtc aac aac aga tac gct gag gac tac   3935
Asp Thr Asn Asn Val Arg Arg Val Asn Asn Arg Tyr Ala Glu Asp Tyr
               1300                1305                1310

gag atc cca agc tct gtc agc tct cgc aag gac tac ggc tgg ggt gac   3983
Glu Ile Pro Ser Ser Val Ser Ser Arg Lys Asp Tyr Gly Trp Gly Asp
           1315                1320                1325

tac tac ctc agc atg gtg tac aac ggt gac atc cca acc atc aac tac   4031
Tyr Tyr Leu Ser Met Val Tyr Asn Gly Asp Ile Pro Thr Ile Asn Tyr
       1330                1335                1340

aag gct gcc tct tcc gac ctc aaa atc tac atc agc cca aag ctc agg   4079
Lys Ala Ala Ser Ser Asp Leu Lys Ile Tyr Ile Ser Pro Lys Leu Arg
   1345                1350                1355

atc atc cac aac ggc tac gag ggt cag aag agg aac cag tgc aac ttg   4127
Ile Ile His Asn Gly Tyr Glu Gly Gln Lys Arg Asn Gln Cys Asn Leu
1360                1365                1370                1375

atg aac aag tac ggc aag ttg ggt gac aag ttc att gtc tac acc tct   4175
Met Asn Lys Tyr Gly Lys Leu Gly Asp Lys Phe Ile Val Tyr Thr Ser
               1380                1385                1390

ctt ggt gtc aac cca aac aac agc tcc aac aag ctc atg ttc tac cca   4223
Leu Gly Val Asn Pro Asn Asn Ser Ser Asn Lys Leu Met Phe Tyr Pro
           1395                1400                1405

gtc tac caa tac tct ggc aac acc tct ggt ctc aac cag ggt aga ctc   4271
Val Tyr Gln Tyr Ser Gly Asn Thr Ser Gly Leu Asn Gln Gly Arg Leu
       1410                1415                1420

ttg ttc cac agg gac acc acc tac cca agc aag gtg gag gct tgg att   4319
Leu Phe His Arg Asp Thr Thr Tyr Pro Ser Lys Val Glu Ala Trp Ile
   1425                1430                1435

cct ggt gcc aag agg tcc ctc acc aac cag aac gct gcc att ggt gat   4367
Pro Gly Ala Lys Arg Ser Leu Thr Asn Gln Asn Ala Ala Ile Gly Asp
1440                1445                1450                1455

gac tac gcc aca gac tcc ctc aac aag cct gat gac ctc aag cag tac   4415
Asp Tyr Ala Thr Asp Ser Leu Asn Lys Pro Asp Asp Leu Lys Gln Tyr
               1460                1465                1470

atc ttc atg act gac tcc aag ggc aca gcc act gat gtc tct ggt cca   4463
Ile Phe Met Thr Asp Ser Lys Gly Thr Ala Thr Asp Val Ser Gly Pro
           1475                1480                1485

gtg gag atc aac act gca atc agc cca gcc aag gtc caa atc att gtc   4511
Val Glu Ile Asn Thr Ala Ile Ser Pro Ala Lys Val Gln Ile Ile Val
       1490                1495                1500

aag gct ggt ggc aag gag caa acc ttc aca gct gac aag gat gtc tcc   4559
Lys Ala Gly Gly Lys Glu Gln Thr Phe Thr Ala Asp Lys Asp Val Ser
   1505                1510                1515

atc cag cca agc cca tcc ttc gat gag atg aac tac caa ttc aac gct   4607
Ile Gln Pro Ser Pro Ser Phe Asp Glu Met Asn Tyr Gln Phe Asn Ala
1520                1525                1530                1535

ctt gag att gat ggt tct ggc ctc aac ttc atc aac aac tct gct tcc   4655
```

```
Leu Glu Ile Asp Gly Ser Gly Leu Asn Phe Ile Asn Asn Ser Ala Ser
                1540                1545                1550

att gat gtc acc ttc act gcc ttc gct gag gat ggc cgc aag ttg ggt   4703
Ile Asp Val Thr Phe Thr Ala Phe Ala Glu Asp Gly Arg Lys Leu Gly
            1555                1560                1565

tac gag agc ttc tcc atc cca gtc acc ctt aag gtt tcc act gac aac   4751
Tyr Glu Ser Phe Ser Ile Pro Val Thr Leu Lys Val Ser Thr Asp Asn
        1570                1575                1580

gca ctc acc ctt cat cac aac gag aac ggt gct cag tac atg caa tgg   4799
Ala Leu Thr Leu His His Asn Glu Asn Gly Ala Gln Tyr Met Gln Trp
    1585                1590                1595

caa agc tac cgc acc agg ttg aac acc ctc ttc gca agg caa ctt gtg   4847
Gln Ser Tyr Arg Thr Arg Leu Asn Thr Leu Phe Ala Arg Gln Leu Val
1600                1605                1610                1615

gcc cgt gcc acc aca ggc att gac acc atc ctc agc atg gag acc cag   4895
Ala Arg Ala Thr Thr Gly Ile Asp Thr Ile Leu Ser Met Glu Thr Gln
                1620                1625                1630

aac atc caa gag cca cag ttg ggc aag ggt ttc tac gcc acc ttc gtc   4943
Asn Ile Gln Glu Pro Gln Leu Gly Lys Gly Phe Tyr Ala Thr Phe Val
            1635                1640                1645

atc cca cct tac aac ctc agc act cat ggt gat gag agg tgg ttc aag   4991
Ile Pro Pro Tyr Asn Leu Ser Thr His Gly Asp Glu Arg Trp Phe Lys
        1650                1655                1660

ctc tac atc aag cac gtg gtt gac aac aac tcc cac atc atc tac tct   5039
Leu Tyr Ile Lys His Val Val Asp Asn Asn Ser His Ile Ile Tyr Ser
    1665                1670                1675

ggt caa ctc act gac acc aac atc aac atc acc ctc ttc atc cca ctt   5087
Gly Gln Leu Thr Asp Thr Asn Ile Asn Ile Thr Leu Phe Ile Pro Leu
1680                1685                1690                1695

gac gat gtc cca ctc aac cag gac tac cat gcc aag gtc tac atg acc   5135
Asp Asp Val Pro Leu Asn Gln Asp Tyr His Ala Lys Val Tyr Met Thr
                1700                1705                1710

ttc aag aag tct cca tct gat ggc acc tgg tgg ggt cca cac ttc gtc   5183
Phe Lys Lys Ser Pro Ser Asp Gly Thr Trp Trp Gly Pro His Phe Val
            1715                1720                1725

cgt gat gac aag ggc atc gtc acc atc aac cca aag tcc atc ctc acc   5231
Arg Asp Asp Lys Gly Ile Val Thr Ile Asn Pro Lys Ser Ile Leu Thr
        1730                1735                1740

cac ttc gag tct gtc aac gtt ctc aac aac atc tcc tct gag cca atg   5279
His Phe Glu Ser Val Asn Val Leu Asn Asn Ile Ser Ser Glu Pro Met
    1745                1750                1755

gac ttc tct ggt gcc aac tcc ctc tac ttc tgg gag ttg ttc tac tac   5327
Asp Phe Ser Gly Ala Asn Ser Leu Tyr Phe Trp Glu Leu Phe Tyr Tyr
1760                1765                1770                1775

aca cca atg ctt gtg gct caa agg ttg ctc cat gag cag aac ttc gat   5375
Thr Pro Met Leu Val Ala Gln Arg Leu Leu His Glu Gln Asn Phe Asp
```

```
                1780                1785                1790

gag gcc aac agg tgg ctc aag tac gtc tgg agc cca tct ggt tac att   5423
Glu Ala Asn Arg Trp Leu Lys Tyr Val Trp Ser Pro Ser Gly Tyr Ile
            1795                1800                1805

gtg cat ggt caa atc cag aac tac caa tgg aac gtc agg cca ttg ctt   5471
Val His Gly Gln Ile Gln Asn Tyr Gln Trp Asn Val Arg Pro Leu Leu
        1810                1815                1820

gag gac acc tcc tgg aac tct gac cca ctt gac tct gtg gac cct gat   5519
Glu Asp Thr Ser Trp Asn Ser Asp Pro Leu Asp Ser Val Asp Pro Asp
    1825                1830                1835

gct gtg gct caa cat gac cca atg cac tac aag gtc tcc acc ttc atg   5567
Ala Val Ala Gln His Asp Pro Met His Tyr Lys Val Ser Thr Phe Met
1840                1845                1850                1855

agg acc ttg gac ctc ttg att gcc aga ggt gac cat gct tac cgc caa   5615
Arg Thr Leu Asp Leu Leu Ile Ala Arg Gly Asp His Ala Tyr Arg Gln
                1860                1865                1870

ttg gag agg gac acc ctc aac gag gca aag atg tgg tac atg caa gct   5663
Leu Glu Arg Asp Thr Leu Asn Glu Ala Lys Met Trp Tyr Met Gln Ala
            1875                1880                1885

ctc cac ctc ttg ggt gac aag cca tac ctc cca ctc agc acc act tgg   5711
Leu His Leu Leu Gly Asp Lys Pro Tyr Leu Pro Leu Ser Thr Thr Trp
        1890                1895                1900

tcc gac cca agg ttg gac cgt gct gct gac atc acc act cag aac gct   5759
Ser Asp Pro Arg Leu Asp Arg Ala Ala Asp Ile Thr Thr Gln Asn Ala
    1905                1910                1915

cat gac tct gcc att gtt gct ctc agg cag aac atc cca act cct gct   5807
His Asp Ser Ala Ile Val Ala Leu Arg Gln Asn Ile Pro Thr Pro Ala
1920                1925                1930                1935

cca ctc tcc ctc aga tct gct aac acc ctc act gac ttg ttc ctc cca   5855
Pro Leu Ser Leu Arg Ser Ala Asn Thr Leu Thr Asp Leu Phe Leu Pro
                1940                1945                1950

cag atc aac gag gtc atg atg aac tac tgg caa acc ttg gct caa agg   5903
Gln Ile Asn Glu Val Met Met Asn Tyr Trp Gln Thr Leu Ala Gln Arg
            1955                1960                1965

gtc tac aac ctc aga cac aac ctc tcc att gat ggt caa cca ctc tac   5951
Val Tyr Asn Leu Arg His Asn Leu Ser Ile Asp Gly Gln Pro Leu Tyr
        1970                1975                1980

ctc cca atc tac gcc aca cca gct gac cca aag gct ctt ctc tct gct   5999
Leu Pro Ile Tyr Ala Thr Pro Ala Asp Pro Lys Ala Leu Leu Ser Ala
    1985                1990                1995

gct gtg gct acc agc caa ggt ggt ggc aag ctc cca gag tcc ttc atg   6047
Ala Val Ala Thr Ser Gln Gly Gly Gly Lys Leu Pro Glu Ser Phe Met
2000                2005                2010                2015

tcc ctc tgg agg ttc cca cac atg ttg gag aac gcc cgt ggc atg gtc   6095
Ser Leu Trp Arg Phe Pro His Met Leu Glu Asn Ala Arg Gly Met Val
                2020                2025                2030
```

```
tcc caa ctc acc cag ttc ggt tcc acc ctc cag aac atc att gag agg   6143
Ser Gln Leu Thr Gln Phe Gly Ser Thr Leu Gln Asn Ile Ile Glu Arg
          2035                2040                2045

caa gat gct gag gct ctc aac gct ttg ctc cag aac cag gca gct gag   6191
Gln Asp Ala Glu Ala Leu Asn Ala Leu Leu Gln Asn Gln Ala Ala Glu
       2050                2055                2060

ttg atc ctc acc aac ttg tcc atc caa gac aag acc att gag gag ctt   6239
Leu Ile Leu Thr Asn Leu Ser Ile Gln Asp Lys Thr Ile Glu Glu Leu
   2065                2070                2075

gat gct gag aag aca gtc ctt gag aag agc aag gct ggt gcc caa tct   6287
Asp Ala Glu Lys Thr Val Leu Glu Lys Ser Lys Ala Gly Ala Gln Ser
2080                2085                2090                2095

cgc ttc gac tcc tac ggc aag ctc tac gat gag aac atc aac gct ggt   6335
Arg Phe Asp Ser Tyr Gly Lys Leu Tyr Asp Glu Asn Ile Asn Ala Gly
               2100                2105                2110

gag aac cag gcc atg acc ctc agg gct tcc gca gct ggt ctc acc act   6383
Glu Asn Gln Ala Met Thr Leu Arg Ala Ser Ala Ala Gly Leu Thr Thr
          2115                2120                2125

gct gtc caa gcc tct cgc ttg gct ggt gca gct gct gac ctc gtt cca   6431
Ala Val Gln Ala Ser Arg Leu Ala Gly Ala Ala Ala Asp Leu Val Pro
       2130                2135                2140

aac atc ttc ggt ttc gct ggt ggt ggc tcc aga tgg ggt gcc att gct   6479
Asn Ile Phe Gly Phe Ala Gly Gly Gly Ser Arg Trp Gly Ala Ile Ala
   2145                2150                2155

gag gct acc ggt tac gtc atg gag ttc tct gcc aac gtc atg aac act   6527
Glu Ala Thr Gly Tyr Val Met Glu Phe Ser Ala Asn Val Met Asn Thr
2160                2165                2170                2175

gag gct gac aag atc agc caa tct gag acc tac aga agg cgc cgt caa   6575
Glu Ala Asp Lys Ile Ser Gln Ser Glu Thr Tyr Arg Arg Arg Arg Gln
               2180                2185                2190

gag tgg gag atc caa agg aac aac gct gag gca gag ttg aag caa atc   6623
Glu Trp Glu Ile Gln Arg Asn Asn Ala Glu Ala Glu Leu Lys Gln Ile
          2195                2200                2205

gat gct caa ctc aag tcc ttg gct gtc aga agg gag gct gct gtc ctc   6671
Asp Ala Gln Leu Lys Ser Leu Ala Val Arg Arg Glu Ala Ala Val Leu
       2210                2215                2220

cag aag acc tcc ctc aag acc caa cag gag caa acc cag tcc cag ttg   6719
Gln Lys Thr Ser Leu Lys Thr Gln Gln Glu Gln Thr Gln Ser Gln Leu
   2225                2230                2235

gct ttc ctc caa agg aag ttc tcc aac cag gct ctc tac aac tgg ctc   6767
Ala Phe Leu Gln Arg Lys Phe Ser Asn Gln Ala Leu Tyr Asn Trp Leu
2240                2245                2250                2255

aga ggc cgc ttg gct gcc atc tac ttc caa ttc tac gac ctt gct gtg   6815
Arg Gly Arg Leu Ala Ala Ile Tyr Phe Gln Phe Tyr Asp Leu Ala Val
               2260                2265                2270
```

```
gcc agg tgc ctc atg gct gag caa gcc tac cgc tgg gag ttg aac gat   6863
Ala Arg Cys Leu Met Ala Glu Gln Ala Tyr Arg Trp Glu Leu Asn Asp
          2275                2280                2285

gac tcc gcc agg ttc atc aag cca ggt gct tgg caa ggc acc tac gct   6911
Asp Ser Ala Arg Phe Ile Lys Pro Gly Ala Trp Gln Gly Thr Tyr Ala
      2290                2295                2300

ggt ctc ctt gct ggt gag acc ctc atg ctc tcc ttg gct caa atg gag   6959
Gly Leu Leu Ala Gly Glu Thr Leu Met Leu Ser Leu Ala Gln Met Glu
   2305                2310                2315

gat gct cac ctc aag agg gac aag agg gct ttg gag gtg gag agg aca   7007
Asp Ala His Leu Lys Arg Asp Lys Arg Ala Leu Glu Val Glu Arg Thr
2320                2325                2330                2335

gtc tcc ctt gct gag gtc tac gct ggt ctc cca aag gac aac ggt cca   7055
Val Ser Leu Ala Glu Val Tyr Ala Gly Leu Pro Lys Asp Asn Gly Pro
            2340                2345                2350

ttc tcc ctt gct caa gag att gac aag ttg gtc agc caa ggt tct ggt   7103
Phe Ser Leu Ala Gln Glu Ile Asp Lys Leu Val Ser Gln Gly Ser Gly
          2355                2360                2365

tct gct ggt tct ggt aac aac aac ttg gct ttc ggc gct ggt act gac   7151
Ser Ala Gly Ser Gly Asn Asn Asn Leu Ala Phe Gly Ala Gly Thr Asp
      2370                2375                2380

acc aag acc tcc ctc caa gcc tct gtc tcc ttc gct gac ctc aag atc   7199
Thr Lys Thr Ser Leu Gln Ala Ser Val Ser Phe Ala Asp Leu Lys Ile
   2385                2390                2395

agg gag gac tac cca gct tcc ctt ggc aag atc agg cgc atc aag caa   7247
Arg Glu Asp Tyr Pro Ala Ser Leu Gly Lys Ile Arg Arg Ile Lys Gln
2400                2405                2410                2415

atc tct gtc acc ctc cca gct ctc ttg ggt cca tac caa gat gtc caa   7295
Ile Ser Val Thr Leu Pro Ala Leu Leu Gly Pro Tyr Gln Asp Val Gln
            2420                2425                2430

gca atc ctc tcc tac ggt gac aag gct ggt ttg gcg aac ggt tgc gag   7343
Ala Ile Leu Ser Tyr Gly Asp Lys Ala Gly Leu Ala Asn Gly Cys Glu
          2435                2440                2445

gct ctt gct gtc tct cat ggc atg aac gac tct ggt caa ttc caa ctt   7391
Ala Leu Ala Val Ser His Gly Met Asn Asp Ser Gly Gln Phe Gln Leu
      2450                2455                2460

gac ttc aac gat ggc aag ttc ctc cca ttc gag ggc att gcc att gac   7439
Asp Phe Asn Asp Gly Lys Phe Leu Pro Phe Glu Gly Ile Ala Ile Asp
   2465                2470                2475

caa ggc acc ctc acc ctc tcc ttc cca aac gct tcc atg cca gag aag   7487
Gln Gly Thr Leu Thr Leu Ser Phe Pro Asn Ala Ser Met Pro Glu Lys
2480                2485                2490                2495

gga aag caa gcc acc atg ctc aag acc ctc aac gat atc atc ctc cac   7535
Gly Lys Gln Ala Thr Met Leu Lys Thr Leu Asn Asp Ile Ile Leu His
            2500                2505                2510

atc agg tac acc atc aag tgagctcgag aggcctgcgg ccgc               7577
```

Ile Arg Tyr Thr Ile Lys
2515

<210> 4
<211> 7541
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<222> (3)..(7517)

<220>
<223> Description of Artificial Sequence:hemicot tcbA

<400> 4

```
cc atg gct cag aac tcc ctc agc tcc acc att gac acc atc tgc cag     47
   Met Ala Gln Asn Ser Leu Ser Ser Thr Ile Asp Thr Ile Cys Gln
     1               5                  10                  15

aag ctt caa ctc acc tgc cca gct gag atc gcc ctc tac cca ttc gac     95
Lys Leu Gln Leu Thr Cys Pro Ala Glu Ile Ala Leu Tyr Pro Phe Asp
                20                  25                  30

acc ttc cgt gag aag acc aga ggc atg gtc aac tgg ggt gag gcc aag    143
Thr Phe Arg Glu Lys Thr Arg Gly Met Val Asn Trp Gly Glu Ala Lys
            35                  40                  45

agg atc tac gag att gct caa gct gag caa gac agg aac ctc ctt cat    191
Arg Ile Tyr Glu Ile Ala Gln Ala Glu Gln Asp Arg Asn Leu Leu His
        50                  55                  60

gag aag agg atc ttc gcc tac gct aac cca ttg ctc aag aac gct gtc    239
Glu Lys Arg Ile Phe Ala Tyr Ala Asn Pro Leu Leu Lys Asn Ala Val
    65                  70                  75

agg ctt ggt acc agg caa atg ttg ggt ttc atc caa ggt tac tct gac    287
Arg Leu Gly Thr Arg Gln Met Leu Gly Phe Ile Gln Gly Tyr Ser Asp
80                  85                  90                  95

ttg ttc ggc aac agg gct gac aac tac gca gct cct ggt tct gtt gct    335
Leu Phe Gly Asn Arg Ala Asp Asn Tyr Ala Ala Pro Gly Ser Val Ala
                100                 105                 110

agc atg ttc agc cca gct gcc tac ctc act gag ttg tac cgt gag gcc    383
Ser Met Phe Ser Pro Ala Ala Tyr Leu Thr Glu Leu Tyr Arg Glu Ala
            115                 120                 125

aag aac ctc cat gac agc tcc agc atc tac tac ctt gac aag agg cgc    431
Lys Asn Leu His Asp Ser Ser Ser Ile Tyr Tyr Leu Asp Lys Arg Arg
        130                 135                 140

cca gac ctt gct tcc ttg atg ctc tcc cag aag aac atg gat gag gag    479
Pro Asp Leu Ala Ser Leu Met Leu Ser Gln Lys Asn Met Asp Glu Glu
    145                 150                 155

atc agc acc ttg gct ctc tcc aac gag ctt tgc ttg gct ggc att gag    527
Ile Ser Thr Leu Ala Leu Ser Asn Glu Leu Cys Leu Ala Gly Ile Glu
160                 165                 170                 175
```

```
acc aag act ggc aag tcc caa gat gag gtc atg gac atg ctc tcc acc   575
Thr Lys Thr Gly Lys Ser Gln Asp Glu Val Met Asp Met Leu Ser Thr
                180                 185                 190

tac cgc ctc tct ggt gag act cca tac cac cat gct tac gag act gtc   623
Tyr Arg Leu Ser Gly Glu Thr Pro Tyr His His Ala Tyr Glu Thr Val
            195                 200                 205

agg gag att gtc cat gag agg gac cca ggt ttc cgc cac ctc tcc caa   671
Arg Glu Ile Val His Glu Arg Asp Pro Gly Phe Arg His Leu Ser Gln
        210                 215                 220

gct ccc att gtg gct gcc aag ttg gac cca gtc acc ctc ttg ggc atc   719
Ala Pro Ile Val Ala Ala Lys Leu Asp Pro Val Thr Leu Leu Gly Ile
    225                 230                 235

tcc agc cac atc agc cca gag ttg tac aac ctt ctc att gag gag atc   767
Ser Ser His Ile Ser Pro Glu Leu Tyr Asn Leu Leu Ile Glu Glu Ile
240                 245                 250                 255

cca gag aag gat gag gca gct ttg gac acc ctc tac aag acc aac ttc   815
Pro Glu Lys Asp Glu Ala Ala Leu Asp Thr Leu Tyr Lys Thr Asn Phe
                260                 265                 270

ggt gac atc acc act gct caa ctc atg agc cca tcc tac ttg gcc agg   863
Gly Asp Ile Thr Thr Ala Gln Leu Met Ser Pro Ser Tyr Leu Ala Arg
            275                 280                 285

tac tac ggt gtc tct cca gag gac att gct tac gtc acc aca agc ctc   911
Tyr Tyr Gly Val Ser Pro Glu Asp Ile Ala Tyr Val Thr Thr Ser Leu
        290                 295                 300

tcc cat gtg ggt tac tcc tct gac atc ctt gtc atc cca ctc gtg gat   959
Ser His Val Gly Tyr Ser Ser Asp Ile Leu Val Ile Pro Leu Val Asp
    305                 310                 315

ggt gtg ggc aag atg gag gtt gtc agg gtc acc agg act cca tct gac   1007
Gly Val Gly Lys Met Glu Val Val Arg Val Thr Arg Thr Pro Ser Asp
320                 325                 330                 335

aac tac acc tcc cag acc aac tac att gag ttg tac cca caa ggt ggt   1055
Asn Tyr Thr Ser Gln Thr Asn Tyr Ile Glu Leu Tyr Pro Gln Gly Gly
                340                 345                 350

gac aac tac ctc atc aag tac aac ctc tcc aac tct ttc ggt ttg gat   1103
Asp Asn Tyr Leu Ile Lys Tyr Asn Leu Ser Asn Ser Phe Gly Leu Asp
            355                 360                 365

gac ttc tac ctc cag tac aag gat ggt tct gct gac tgg act gag att   1151
Asp Phe Tyr Leu Gln Tyr Lys Asp Gly Ser Ala Asp Trp Thr Glu Ile
        370                 375                 380

gct cac aac cca tac cca gac atg gtc atc aac cag aag tac gag tcc   1199
Ala His Asn Pro Tyr Pro Asp Met Val Ile Asn Gln Lys Tyr Glu Ser
    385                 390                 395

caa gcc acc atc aag aga tct gac tct gac aac atc ctc tcc att ggt   1247
Gln Ala Thr Ile Lys Arg Ser Asp Ser Asp Asn Ile Leu Ser Ile Gly
400                 405                 410                 415

ctc caa agg tgg cac tct ggt tcc tac aac ttc gct gct gcc aac ttc   1295
```

```
Leu Gln Arg Trp His Ser Gly Ser Tyr Asn Phe Ala Ala Ala Asn Phe
                420                 425                 430

aag att gac caa tac tct cca aag gct ttc ctc ttg aag atg aac aag   1343
Lys Ile Asp Gln Tyr Ser Pro Lys Ala Phe Leu Leu Lys Met Asn Lys
            435                 440                 445

gcc atc agg ctc ttg aag gcc act ggt ctc tcc ttc gcc acc ctt gag   1391
Ala Ile Arg Leu Leu Lys Ala Thr Gly Leu Ser Phe Ala Thr Leu Glu
        450                 455                 460

agg att gtg gac tct gtc aac tcc acc aag tcc atc act gtg gag gtc   1439
Arg Ile Val Asp Ser Val Asn Ser Thr Lys Ser Ile Thr Val Glu Val
    465                 470                 475

ctc aac aag gtc tac aga gtc aag ttc tac att gac cgc tac ggc atc   1487
Leu Asn Lys Val Tyr Arg Val Lys Phe Tyr Ile Asp Arg Tyr Gly Ile
480                 485                 490                 495

tct gag gag act gct gcc atc ctt gcc aac atc aac atc tcc cag caa   1535
Ser Glu Glu Thr Ala Ala Ile Leu Ala Asn Ile Asn Ile Ser Gln Gln
                500                 505                 510

gct gtc ggc aac cag ctc tcc caa ttc gag caa ctc ttc aac cac cct   1583
Ala Val Gly Asn Gln Leu Ser Gln Phe Glu Gln Leu Phe Asn His Pro
            515                 520                 525

cca ctc aac ggc atc cgc tac gag atc agc gag gac aac tcc aag cac   1631
Pro Leu Asn Gly Ile Arg Tyr Glu Ile Ser Glu Asp Asn Ser Lys His
        530                 535                 540

ctc cca aac cca gac ctc aac ctc aag cca gac tcc act ggt gat gac   1679
Leu Pro Asn Pro Asp Leu Asn Leu Lys Pro Asp Ser Thr Gly Asp Asp
    545                 550                 555

caa agg aag gct gtc ctc aag agg gct ttc caa gtc aac gct tct gag   1727
Gln Arg Lys Ala Val Leu Lys Arg Ala Phe Gln Val Asn Ala Ser Glu
560                 565                 570                 575

ctt tac caa atg ctc ttg atc act gac agg aag gag gat ggt gtc atc   1775
Leu Tyr Gln Met Leu Leu Ile Thr Asp Arg Lys Glu Asp Gly Val Ile
                580                 585                 590

aag aac aac ttg gag aac ctc tct gac ctc tac ctt gtc tcc ctc ttg   1823
Lys Asn Asn Leu Glu Asn Leu Ser Asp Leu Tyr Leu Val Ser Leu Leu
            595                 600                 605

gcc caa atc cac aac ttg acc att gct gag ttg aac atc ctc ttg gtc   1871
Ala Gln Ile His Asn Leu Thr Ile Ala Glu Leu Asn Ile Leu Leu Val
        610                 615                 620

atc tgc ggt tac ggt gac acc aac atc tac caa atc act gac gac aac   1919
Ile Cys Gly Tyr Gly Asp Thr Asn Ile Tyr Gln Ile Thr Asp Asp Asn
    625                 630                 635

ctt gcc aag att gtg gag acc ctc ttg tgg atc acc caa tgg ctc aag   1967
Leu Ala Lys Ile Val Glu Thr Leu Leu Trp Ile Thr Gln Trp Leu Lys
640                 645                 650                 655

acc cag aag tgg act gtc aca gac ctc ttc ctc atg acc act gcc acc   2015
Thr Gln Lys Trp Thr Val Thr Asp Leu Phe Leu Met Thr Thr Ala Thr
```

```
                660                 665                 670

tac tcc acc act ctc act cca gag att tcc aac ctc act gcc acc ctc   2063
Tyr Ser Thr Thr Leu Thr Pro Glu Ile Ser Asn Leu Thr Ala Thr Leu
            675                 680                 685

agc tcc acc ctc cac ggc aag gag tcc ctc att ggt gag gac ctc aag   2111
Ser Ser Thr Leu His Gly Lys Glu Ser Leu Ile Gly Glu Asp Leu Lys
        690                 695                 700

agg gca atg gct cca tgc ttc acc tct gct ctc cac ctc acc tcc caa   2159
Arg Ala Met Ala Pro Cys Phe Thr Ser Ala Leu His Leu Thr Ser Gln
    705                 710                 715

gag gtg gct tac gac ctc ctt ctc tgg att gac caa atc caa cca gct   2207
Glu Val Ala Tyr Asp Leu Leu Leu Trp Ile Asp Gln Ile Gln Pro Ala
720                 725                 730                 735

caa atc act gtg gat ggt ttc tgg gag gag gtc caa acc act cca acc   2255
Gln Ile Thr Val Asp Gly Phe Trp Glu Glu Val Gln Thr Thr Pro Thr
                740                 745                 750

tcc ctc aag gtc atc acc ttc gct caa gtc ttg gct caa ctc tcc ctc   2303
Ser Leu Lys Val Ile Thr Phe Ala Gln Val Leu Ala Gln Leu Ser Leu
            755                 760                 765

atc tac aga agg att ggt ctc tct gag act gag ttg tcc ctc att gtc   2351
Ile Tyr Arg Arg Ile Gly Leu Ser Glu Thr Glu Leu Ser Leu Ile Val
        770                 775                 780

acc caa tcc agc ctc ttg gtc gct ggc aag tcc atc ctt gat cat ggt   2399
Thr Gln Ser Ser Leu Leu Val Ala Gly Lys Ser Ile Leu Asp His Gly
    785                 790                 795

ctc ttg acc ctc atg gct ctt gag ggt ttc cac acc tgg gtc aac ggt   2447
Leu Leu Thr Leu Met Ala Leu Glu Gly Phe His Thr Trp Val Asn Gly
800                 805                 810                 815

ttg ggt caa cat gct tcc ctc atc ttg gct gca ctc aag gat ggt gct   2495
Leu Gly Gln His Ala Ser Leu Ile Leu Ala Ala Leu Lys Asp Gly Ala
                820                 825                 830

ctc acc gtc acc gat gtg gct caa gcc atg aac aag gag gag tcc ctc   2543
Leu Thr Val Thr Asp Val Ala Gln Ala Met Asn Lys Glu Glu Ser Leu
            835                 840                 845

ttg caa atg gct gcc aac cag gtg gag aag gac ctc acc aag ctc acc   2591
Leu Gln Met Ala Ala Asn Gln Val Glu Lys Asp Leu Thr Lys Leu Thr
        850                 855                 860

tcc tgg acc caa atc gat gcc atc ctc caa tgg ctc caa atg tcc tct   2639
Ser Trp Thr Gln Ile Asp Ala Ile Leu Gln Trp Leu Gln Met Ser Ser
    865                 870                 875

gct ctt gct gtc agc cca ttg gac ctt gct ggc atg atg gct ctc aag   2687
Ala Leu Ala Val Ser Pro Leu Asp Leu Ala Gly Met Met Ala Leu Lys
880                 885                 890                 895

tac ggc att gat cac aac tac gct gcc tgg caa gca gct gcc gct gcc   2735
Tyr Gly Ile Asp His Asn Tyr Ala Ala Trp Gln Ala Ala Ala Ala Ala
                900                 905                 910
```

```
ctc atg gct gac cat gcc aac cag gct cag aag aag ttg gat gag acc   2783
Leu Met Ala Asp His Ala Asn Gln Ala Gln Lys Lys Leu Asp Glu Thr
            915                 920                 925

ttc tcc aag gct ctc tgc aac tac tac atc aac gcc gtg gtt gac tct   2831
Phe Ser Lys Ala Leu Cys Asn Tyr Tyr Ile Asn Ala Val Val Asp Ser
        930                 935                 940

gct gcc ggt gtc agg gac agg aac ggt ctc tac acc tac ctc ttg att   2879
Ala Ala Gly Val Arg Asp Arg Asn Gly Leu Tyr Thr Tyr Leu Leu Ile
    945                 950                 955

gac aac cag gtc tct gct gat gtc atc acc tcc aga att gct gag gcc   2927
Asp Asn Gln Val Ser Ala Asp Val Ile Thr Ser Arg Ile Ala Glu Ala
960                 965                 970                 975

att gct ggc atc caa ctc tac gtc aac agg gct ctc aac agg gat gag   2975
Ile Ala Gly Ile Gln Leu Tyr Val Asn Arg Ala Leu Asn Arg Asp Glu
                980                 985                 990

ggt cag ttg gct tct gat gtc tcc acc agg caa ttc ttc acc gac tgg   3023
Gly Gln Leu Ala Ser Asp Val Ser Thr Arg Gln Phe Phe Thr Asp Trp
            995                1000                1005

gag agg tac aac aag agg tac tcc acc tgg gct ggt gtc tct gag ttg   3071
Glu Arg Tyr Asn Lys Arg Tyr Ser Thr Trp Ala Gly Val Ser Glu Leu
       1010                1015                1020

gtc tac tac cca gag aac tac gtg gac cca acc caa agg att ggt cag   3119
Val Tyr Tyr Pro Glu Asn Tyr Val Asp Pro Thr Gln Arg Ile Gly Gln
   1025                1030                1035

acc aag atg atg gat gct ttg ctc caa tcc atc aac cag tcc caa ctc   3167
Thr Lys Met Met Asp Ala Leu Leu Gln Ser Ile Asn Gln Ser Gln Leu
1040                1045                1050                1055

aac gct gac act gtg gag gat gct ttc aag acc tac ctc acc tcc ttc   3215
Asn Ala Asp Thr Val Glu Asp Ala Phe Lys Thr Tyr Leu Thr Ser Phe
               1060                1065                1070

gag caa gtg gcc aac ctc aag gtc atc tct gct tac cat gac aac gtc   3263
Glu Gln Val Ala Asn Leu Lys Val Ile Ser Ala Tyr His Asp Asn Val
          1075                1080                1085

aac gtg gac caa ggt ctc acc tac ttc att ggc att gac caa gcc gct   3311
Asn Val Asp Gln Gly Leu Thr Tyr Phe Ile Gly Ile Asp Gln Ala Ala
       1090                1095                1100

cct ggc acc tac tac tgg agg tct gtg gac cac tcc aag tgc gag aac   3359
Pro Gly Thr Tyr Tyr Trp Arg Ser Val Asp His Ser Lys Cys Glu Asn
   1105                1110                1115

ggc aag ttc gct gcc aac gct tgg ggt gag tgg aac aag atc acc tgc   3407
Gly Lys Phe Ala Ala Asn Ala Trp Gly Glu Trp Asn Lys Ile Thr Cys
1120                1125                1130                1135

gct gtc aac cct tgg aag aac atc atc agg cca gtg gtc tac atg tcc   3455
Ala Val Asn Pro Trp Lys Asn Ile Ile Arg Pro Val Val Tyr Met Ser
               1140                1145                1150
```

```
aga ctc tac ttg ctc tgg ctt gag caa cag tcc aag aag tct gat gac   3503
Arg Leu Tyr Leu Leu Trp Leu Glu Gln Gln Ser Lys Lys Ser Asp Asp
            1155                1160                1165

ggc aag aca act atc tac cag tac aac ctc aag ttg gct cac atc cgc   3551
Gly Lys Thr Thr Ile Tyr Gln Tyr Asn Leu Lys Leu Ala His Ile Arg
        1170                1175                1180

tac gat ggt tcc tgg aac act cca ttc acc ttc gat gtc act gag aag   3599
Tyr Asp Gly Ser Trp Asn Thr Pro Phe Thr Phe Asp Val Thr Glu Lys
    1185                1190                1195

gtc aag aac tac acc tcc agc act gat gca gct gag tcc ctt ggt ctc   3647
Val Lys Asn Tyr Thr Ser Ser Thr Asp Ala Ala Glu Ser Leu Gly Leu
1200                1205                1210                1215

tac tgc act ggt tac caa ggt gag gac acc ctc ttg gtc atg ttc tac   3695
Tyr Cys Thr Gly Tyr Gln Gly Glu Asp Thr Leu Leu Val Met Phe Tyr
                1220                1225                1230

tcc atg caa tcc agc tac tcc agc tac act gac aac aac gct cca gtc   3743
Ser Met Gln Ser Ser Tyr Ser Ser Tyr Thr Asp Asn Asn Ala Pro Val
            1235                1240                1245

act ggt ctc tac atc ttc gct gac atg tcc tct gac aac atg acc aac   3791
Thr Gly Leu Tyr Ile Phe Ala Asp Met Ser Ser Asp Asn Met Thr Asn
        1250                1255                1260

gct caa gcc acc aac tac tgg aac aac tcc tac cca caa ttc gac act   3839
Ala Gln Ala Thr Asn Tyr Trp Asn Asn Ser Tyr Pro Gln Phe Asp Thr
    1265                1270                1275

gtc atg gct gac cca gac tct gac aac aag aag gtc atc acc agg cgt   3887
Val Met Ala Asp Pro Asp Ser Asp Asn Lys Lys Val Ile Thr Arg Arg
1280                1285                1290                1295

gtc aac aac cgc tac gct gag gac tac gag atc cca agc tct gtc acc   3935
Val Asn Asn Arg Tyr Ala Glu Asp Tyr Glu Ile Pro Ser Ser Val Thr
                1300                1305                1310

tcc aac agc aac tac tcc tgg ggt gac cac tcc ctc acc atg ctc tac   3983
Ser Asn Ser Asn Tyr Ser Trp Gly Asp His Ser Leu Thr Met Leu Tyr
            1315                1320                1325

ggt ggc tct gtc cca aac atc acc ttc gag tct gca gct gag gac ctc   4031
Gly Gly Ser Val Pro Asn Ile Thr Phe Glu Ser Ala Ala Glu Asp Leu
        1330                1335                1340

agg ctc tcc acc aac atg gct ctc tcc atc att cac aac ggt tac gct   4079
Arg Leu Ser Thr Asn Met Ala Leu Ser Ile Ile His Asn Gly Tyr Ala
    1345                1350                1355

ggc acc agg cgc atc caa tgc aac ctc atg aag caa tac gct tcc ctt   4127
Gly Thr Arg Arg Ile Gln Cys Asn Leu Met Lys Gln Tyr Ala Ser Leu
1360                1365                1370                1375

ggt gac aag ttc att atc tac gac tcc agc ttc gat gac gcc aac agg   4175
Gly Asp Lys Phe Ile Ile Tyr Asp Ser Ser Phe Asp Asp Ala Asn Arg
                1380                1385                1390

ttc aac ttg gtc cca ctc ttc aag ttc ggc aag gat gag aac tct gat   4223
```

```
Phe Asn Leu Val Pro Leu Phe Lys Phe Gly Lys Asp Glu Asn Ser Asp
          1395                1400                1405

gac tcc atc tgc atc tac aac gag aac cca agc tct gag gac aag aag   4271
Asp Ser Ile Cys Ile Tyr Asn Glu Asn Pro Ser Ser Glu Asp Lys Lys
       1410                1415                1420

tgg tac ttc agc tcc aag gac gac aac aag act gct gac tac aac ggt   4319
Trp Tyr Phe Ser Ser Lys Asp Asp Asn Lys Thr Ala Asp Tyr Asn Gly
   1425                1430                1435

ggc acc caa tgc att gat gct ggc acc tcc aac aag gac ttc tac tac   4367
Gly Thr Gln Cys Ile Asp Ala Gly Thr Ser Asn Lys Asp Phe Tyr Tyr
1440                1445                1450                1455

aac ctc caa gag att gag gtc atc tct gtc act ggt ggc tac tgg tcc   4415
Asn Leu Gln Glu Ile Glu Val Ile Ser Val Thr Gly Gly Tyr Trp Ser
               1460                1465                1470

agc tac aag atc agc aac ccc atc aac atc aac act ggc att gac tct   4463
Ser Tyr Lys Ile Ser Asn Pro Ile Asn Ile Asn Thr Gly Ile Asp Ser
          1475                1480                1485

gcc aag gtc aag gtc act gtc aag gct ggt ggc gat gac caa atc ttc   4511
Ala Lys Val Lys Val Thr Val Lys Ala Gly Gly Asp Asp Gln Ile Phe
       1490                1495                1500

act gct gac aac tcc acc tac gtc cca cag caa cct gct cca tcc ttc   4559
Thr Ala Asp Asn Ser Thr Tyr Val Pro Gln Gln Pro Ala Pro Ser Phe
   1505                1510                1515

gag gag atg atc tac caa ttc aac aac ctc acc att gac tgc aag aac   4607
Glu Glu Met Ile Tyr Gln Phe Asn Asn Leu Thr Ile Asp Cys Lys Asn
1520                1525                1530                1535

ctc aac ttc att gac aac cag gct cac att gag att gac ttc act gcc   4655
Leu Asn Phe Ile Asp Asn Gln Ala His Ile Glu Ile Asp Phe Thr Ala
               1540                1545                1550

aca gct caa gat ggc cgc ttc ttg ggt gct gag acc ttc atc att cca   4703
Thr Ala Gln Asp Gly Arg Phe Leu Gly Ala Glu Thr Phe Ile Ile Pro
          1555                1560                1565

gtc acc aag aag gtc ctt ggc act gag aac gtc att gct ctc tac tct   4751
Val Thr Lys Lys Val Leu Gly Thr Glu Asn Val Ile Ala Leu Tyr Ser
       1570                1575                1580

gag aac aac ggt gtc cag tac atg caa att ggt gct tac aga acc agg   4799
Glu Asn Asn Gly Val Gln Tyr Met Gln Ile Gly Ala Tyr Arg Thr Arg
   1585                1590                1595

ctc aac acc ctc ttc gct caa cag ttg gtc tcc cgt gcc aac aga ggc   4847
Leu Asn Thr Leu Phe Ala Gln Gln Leu Val Ser Arg Ala Asn Arg Gly
1600                1605                1610                1615

att gat gct gtc ctc agc atg gag act cag aac atc caa gag cca caa   4895
Ile Asp Ala Val Leu Ser Met Glu Thr Gln Asn Ile Gln Glu Pro Gln
               1620                1625                1630

ctt ggt gct ggc acc tac gtc caa ctt gtc ttg gac aag tac gat gag   4943
Leu Gly Ala Gly Thr Tyr Val Gln Leu Val Leu Asp Lys Tyr Asp Glu
```

```
          1635                1640                1645

tcc att cat ggc acc aac aag tcc ttc gcc att gag tac gtg gac atc   4991
Ser Ile His Gly Thr Asn Lys Ser Phe Ala Ile Glu Tyr Val Asp Ile
      1650                1655                1660

ttc aag gag aac gac tcc ttc gtc atc tac caa ggt gag ttg tct gag   5039
Phe Lys Glu Asn Asp Ser Phe Val Ile Tyr Gln Gly Glu Leu Ser Glu
   1665                1670                1675

acc tcc caa act gtg gtc aag gtc ttc ctc tcc tac ttc att gag gcc   5087
Thr Ser Gln Thr Val Val Lys Val Phe Leu Ser Tyr Phe Ile Glu Ala
1680                1685                1690                1695

acc ggt aac aag aac cac ctc tgg gtc agg gcc aag tac cag aag gag   5135
Thr Gly Asn Lys Asn His Leu Trp Val Arg Ala Lys Tyr Gln Lys Glu
               1700                1705                1710

acc act gac aag atc ctc ttc gac agg act gat gag aag gac cca cat   5183
Thr Thr Asp Lys Ile Leu Phe Asp Arg Thr Asp Glu Lys Asp Pro His
          1715                1720                1725

ggt tgg ttc ctc tct gat gac cac aag acc ttc tct ggt ctc agc tct   5231
Gly Trp Phe Leu Ser Asp Asp His Lys Thr Phe Ser Gly Leu Ser Ser
      1730                1735                1740

gct caa gct ctc aag aac gac tct gag cca atg gac ttc tct ggt gcc   5279
Ala Gln Ala Leu Lys Asn Asp Ser Glu Pro Met Asp Phe Ser Gly Ala
   1745                1750                1755

aac gct ctc tac ttc tgg gag ttg ttc tac tac act cca atg atg atg   5327
Asn Ala Leu Tyr Phe Trp Glu Leu Phe Tyr Tyr Thr Pro Met Met Met
1760                1765                1770                1775

gct cac agg ctc ctt caa gag cag aac ttc gat gct gcc aac cac tgg   5375
Ala His Arg Leu Leu Gln Glu Gln Asn Phe Asp Ala Ala Asn His Trp
               1780                1785                1790

ttc cgc tac gtc tgg agc cca tct ggt tac att gtg gat ggc aag att   5423
Phe Arg Tyr Val Trp Ser Pro Ser Gly Tyr Ile Val Asp Gly Lys Ile
          1795                1800                1805

gcc atc tac cac tgg aac gtc agg cca ttg gag gag gac acc tcc tgg   5471
Ala Ile Tyr His Trp Asn Val Arg Pro Leu Glu Glu Asp Thr Ser Trp
      1810                1815                1820

aac gct cag caa ctt gac tcc act gac cca gat gct gtg gct caa gat   5519
Asn Ala Gln Gln Leu Asp Ser Thr Asp Pro Asp Ala Val Ala Gln Asp
   1825                1830                1835

gac cca atg cac tac aag gtg gcc acc ttc atg gcc acc ttg gac ctt   5567
Asp Pro Met His Tyr Lys Val Ala Thr Phe Met Ala Thr Leu Asp Leu
1840                1845                1850                1855

ctc atg gcc aga ggt gat gct gcc tac cgc caa ttg gag agg gac acc   5615
Leu Met Ala Arg Gly Asp Ala Ala Tyr Arg Gln Leu Glu Arg Asp Thr
               1860                1865                1870

ttg gct gag gcc aag atg tgg tac acc caa gct ctc aac ttg ctg ggt   5663
Leu Ala Glu Ala Lys Met Trp Tyr Thr Gln Ala Leu Asn Leu Leu Gly
          1875                1880                1885
```

```
gat gag cca caa gtc atg ctc tcc aca acc tgg gcc aac cca acc ttg   5711
Asp Glu Pro Gln Val Met Leu Ser Thr Thr Trp Ala Asn Pro Thr Leu
       1890                1895                1900

ggc aac gct gcc tcc aag acc aca caa cag gtc agg caa cag gtc ctc   5759
Gly Asn Ala Ala Ser Lys Thr Thr Gln Gln Val Arg Gln Gln Val Leu
   1905                1910                1915

acc caa ctc agg ctc aac tct aga gtc aag act cca ctc ttg ggc act   5807
Thr Gln Leu Arg Leu Asn Ser Arg Val Lys Thr Pro Leu Leu Gly Thr
1920                1925                1930                1935

gcc aac tcc ctc act gct ctc ttc ctc cca caa gag aac tcc aaa ctt   5855
Ala Asn Ser Leu Thr Ala Leu Phe Leu Pro Gln Glu Asn Ser Lys Leu
               1940                1945                1950

aag ggt tac tgg agg acc ctt gct caa cgc atg ttc aac ctc agg cac   5903
Lys Gly Tyr Trp Arg Thr Leu Ala Gln Arg Met Phe Asn Leu Arg His
           1955                1960                1965

aac ctc tcc att gat ggt caa cca ctc tcc ttg cca ctc tac gct aag   5951
Asn Leu Ser Ile Asp Gly Gln Pro Leu Ser Leu Pro Leu Tyr Ala Lys
       1970                1975                1980

cca gct gac cca aag gct ctc ctt tcc gct gct gtc tcc gca tcc caa   5999
Pro Ala Asp Pro Lys Ala Leu Leu Ser Ala Ala Val Ser Ala Ser Gln
   1985                1990                1995

ggt ggt gct gac ctc cca aag gct cca ctc acc atc cac agg ttc cca   6047
Gly Gly Ala Asp Leu Pro Lys Ala Pro Leu Thr Ile His Arg Phe Pro
2000                2005                2010                2015

caa atg ttg gag ggt gcc cgt ggt ctt gtc aac cag ctc atc caa ttc   6095
Gln Met Leu Glu Gly Ala Arg Gly Leu Val Asn Gln Leu Ile Gln Phe
               2020                2025                2030

ggt tcc tct ctc ctt ggt tac tct gag agg caa gat gct gag gcc atg   6143
Gly Ser Ser Leu Leu Gly Tyr Ser Glu Arg Gln Asp Ala Glu Ala Met
           2035                2040                2045

tcc caa ctc ttg caa acc cag gct tct gag ttg atc ctc acc tcc atc   6191
Ser Gln Leu Leu Gln Thr Gln Ala Ser Glu Leu Ile Leu Thr Ser Ile
       2050                2055                2060

agg atg caa gac aac cag ctt gct gag ttg gac tct gag aag act gct   6239
Arg Met Gln Asp Asn Gln Leu Ala Glu Leu Asp Ser Glu Lys Thr Ala
   2065                2070                2075

ctc caa gtc tcc ctt gct ggt gtc caa cag agg ttc gac agc tac tcc   6287
Leu Gln Val Ser Leu Ala Gly Val Gln Gln Arg Phe Asp Ser Tyr Ser
2080                2085                2090                2095

caa ctc tac gag gag aac atc aac gct ggt gag caa agg gct ttg gct   6335
Gln Leu Tyr Glu Glu Asn Ile Asn Ala Gly Glu Gln Arg Ala Leu Ala
               2100                2105                2110

ctc agg tct gag tct gcc att gag tcc caa ggt gct caa atc tcc cgc   6383
Leu Arg Ser Glu Ser Ala Ile Glu Ser Gln Gly Ala Gln Ile Ser Arg
           2115                2120                2125
```

```
atg gct ggt gct ggc gtg gac atg gct cca aac atc ttc ggt ctt gct   6431
Met Ala Gly Ala Gly Val Asp Met Ala Pro Asn Ile Phe Gly Leu Ala
       2130                2135                2140

gat ggt ggc atg cac tac ggt gcc att gct tac gcc att gct gat ggc   6479
Asp Gly Gly Met His Tyr Gly Ala Ile Ala Tyr Ala Ile Ala Asp Gly
   2145                2150                2155

att gag ctt tct gct tct gcc aag atg gtt gat gct gag aag gtg gct   6527
Ile Glu Leu Ser Ala Ser Ala Lys Met Val Asp Ala Glu Lys Val Ala
2160                2165                2170                2175

caa tct gaa atc tac cgt cgc aga cgc caa gaa tgg aag atc caa agg   6575
Gln Ser Glu Ile Tyr Arg Arg Arg Arg Gln Glu Trp Lys Ile Gln Arg
               2180                2185                2190

gac aac gct caa gct gag atc aac cag ctc aac gct caa ctt gag tcc   6623
Asp Asn Ala Gln Ala Glu Ile Asn Gln Leu Asn Ala Gln Leu Glu Ser
          2195                2200                2205

ctc agc atc agg cgt gag gct gct gag atg cag aag gag tac ctc aag   6671
Leu Ser Ile Arg Arg Glu Ala Ala Glu Met Gln Lys Glu Tyr Leu Lys
       2210                2215                2220

acc caa cag gct caa gct cag gct caa ctc acc ttc ctc agg tcc aag   6719
Thr Gln Gln Ala Gln Ala Gln Ala Gln Leu Thr Phe Leu Arg Ser Lys
   2225                2230                2235

ttc tcc aac cag gct ctc tac tcc tgg ctc aga ggc cgc ctc tct ggc   6767
Phe Ser Asn Gln Ala Leu Tyr Ser Trp Leu Arg Gly Arg Leu Ser Gly
2240                2245                2250                2255

atc tac ttc caa ttc tac gac ttg gct gtc tcc cgc tgc ctc atg gct   6815
Ile Tyr Phe Gln Phe Tyr Asp Leu Ala Val Ser Arg Cys Leu Met Ala
               2260                2265                2270

gag caa tcc tac caa tgg gag gcc aac gac aac agc atc tcc ttc gtc   6863
Glu Gln Ser Tyr Gln Trp Glu Ala Asn Asp Asn Ser Ile Ser Phe Val
          2275                2280                2285

aag cca ggt gct tgg caa ggc acc tac gct ggt ctc ctt tgc ggt gag   6911
Lys Pro Gly Ala Trp Gln Gly Thr Tyr Ala Gly Leu Leu Cys Gly Glu
       2290                2295                2300

gct ctc atc cag aac ttg gct caa atg gag gag gct tac ctc aag tgg   6959
Ala Leu Ile Gln Asn Leu Ala Gln Met Glu Glu Ala Tyr Leu Lys Trp
   2305                2310                2315

gag tcc aga gct ttg gag gta gag agg act gtc tcc ctt gct gta gtc   7007
Glu Ser Arg Ala Leu Glu Val Glu Arg Thr Val Ser Leu Ala Val Val
2320                2325                2330                2335

tac gac tcc ttg gag ggc aac gac agg ttc aac ctt gct gag caa atc   7055
Tyr Asp Ser Leu Glu Gly Asn Asp Arg Phe Asn Leu Ala Glu Gln Ile
               2340                2345                2350

cca gct ctc ttg gac aag ggt gag ggc act gct ggc acc aag gag aac   7103
Pro Ala Leu Leu Asp Lys Gly Glu Gly Thr Ala Gly Thr Lys Glu Asn
          2355                2360                2365

ggt ctc tcc ttg gcc aac gcc atc ctc tct gct tct gtc aag ctc tct   7151
```

```
Gly Leu Ser Leu Ala Asn Ala Ile Leu Ser Ala Ser Val Lys Leu Ser
       2370                2375                2380

gac ctc aag ttg ggt act gac tac cca gac tcc att gtg ggt tcc aac   7199
Asp Leu Lys Leu Gly Thr Asp Tyr Pro Asp Ser Ile Val Gly Ser Asn
   2385                2390                2395

aag gtc aga agg atc aag caa atc tct gtc tcc ctc cca gct ttg gtg   7247
Lys Val Arg Arg Ile Lys Gln Ile Ser Val Ser Leu Pro Ala Leu Val
2400                2405                2410                2415

ggt cca tac caa gat gtc caa gcc atg ctc tcc tac ggt ggc tcc acc   7295
Gly Pro Tyr Gln Asp Val Gln Ala Met Leu Ser Tyr Gly Gly Ser Thr
               2420                2425                2430

caa ctc cca aag ggt tgc tct gct ttg gct gtc tcc cac ggc acc aac   7343
Gln Leu Pro Lys Gly Cys Ser Ala Leu Ala Val Ser His Gly Thr Asn
           2435                2440                2445

gac tct ggt caa ttc caa ctt gac ttc aac gat ggc aag tac ctc cca   7391
Asp Ser Gly Gln Phe Gln Leu Asp Phe Asn Asp Gly Lys Tyr Leu Pro
       2450                2455                2460

ttc gaa ggc att gct ttg gat gac caa ggc acc ctc aac ctc caa ttc   7439
Phe Glu Gly Ile Ala Leu Asp Asp Gln Gly Thr Leu Asn Leu Gln Phe
   2465                2470                2475

cca aac gcc act gac aag cag aag gcc atc ctc caa acc atg tct gac   7487
Pro Asn Ala Thr Asp Lys Gln Lys Ala Ile Leu Gln Thr Met Ser Asp
2480                2485                2490                2495

atc atc ctc cac atc agg tac acc atc agg tgagctcgag aggcctgcgg     7537
Ile Ile Leu His Ile Arg Tyr Thr Ile Arg
               2500                2505

ccgc                                                              7541
```

<210> 5
<211> 63
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:hemicot sequence encoding ER signal from 15 kDa zein from Black Mexican Sweet maize

<220>
<221> CDS
<222> (1)..(63)

```
<400> 5
atg gct aag atg gtc att gtg ctt gtg gtc tgc ttg gct ctc tct gct   48
Met Ala Lys Met Val Ile Val Leu Val Val Cys Leu Ala Leu Ser Ala
  1               5                  10                  15

gcc tgt gct tca gcc                                               63
Ala Cys Ala Ser Ala
            20
```

<210> 6
<211> 7621
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:hemicot tcdA fused to the modified 15 kDa zein endoplasmic reticulum signal peptide

<220>
<221> CDS
<222> (4)..(7614)

<400> 6

```
ncc atg gct aag atg gtc att gtg ctt gtg gtc tgc ttg gct ctc tct   48
    Met Ala Lys Met Val Ile Val Leu Val Val Cys Leu Ala Leu Ser
      1               5                  10                  15

gct gcc tgt gct tca gcc atg aac gag tcc gtc aag gag atc cca gac   96
Ala Ala Cys Ala Ser Ala Met Asn Glu Ser Val Lys Glu Ile Pro Asp
                 20                  25                  30

gtc ctc aag tcc caa tgc ggt ttc aac tgc ctc act gac atc tcc cac   144
Val Leu Lys Ser Gln Cys Gly Phe Asn Cys Leu Thr Asp Ile Ser His
             35                  40                  45

agc tcc ttc aac gag ttc aga caa caa gtc tct gag cac ctc tcc tgg   192
Ser Ser Phe Asn Glu Phe Arg Gln Gln Val Ser Glu His Leu Ser Trp
         50                  55                  60

tcc gag acc cat gac ctc tac cat gac gct cag caa gct cag aag gac   240
Ser Glu Thr His Asp Leu Tyr His Asp Ala Gln Gln Ala Gln Lys Asp
     65                  70                  75

aac agg ctc tac gag gct agg atc ctc aag agg gct aac cca caa ctc   288
Asn Arg Leu Tyr Glu Ala Arg Ile Leu Lys Arg Ala Asn Pro Gln Leu
 80                  85                  90                  95

cag aac gct gtc cac ctc gcc atc ttg gct cca aac gct gag ttg att   336
Gln Asn Ala Val His Leu Ala Ile Leu Ala Pro Asn Ala Glu Leu Ile
                100                 105                 110

ggt tac aac aac cag ttc tct ggc aga gct agc cag tac gtg gct cct   384
Gly Tyr Asn Asn Gln Phe Ser Gly Arg Ala Ser Gln Tyr Val Ala Pro
            115                 120                 125

ggt aca gtc tcc tcc atg ttc agc cca gcc gct tac ctc act gag ttg   432
Gly Thr Val Ser Ser Met Phe Ser Pro Ala Ala Tyr Leu Thr Glu Leu
        130                 135                 140

tac cgc gag gct agg aac ctt cat gct tct gac tcc gtc tac tac ttg   480
Tyr Arg Glu Ala Arg Asn Leu His Ala Ser Asp Ser Val Tyr Tyr Leu
    145                 150                 155

gac aca cgc aga cca gac ctc aag agc atg gcc ctc agc caa cag aac   528
Asp Thr Arg Arg Pro Asp Leu Lys Ser Met Ala Leu Ser Gln Gln Asn
160                 165                 170                 175

atg gac att gag ttg tcc acc ctc tcc ttg agc aac gag ctt ctc ttg   576
```

```
Met Asp Ile Glu Leu Ser Thr Leu Ser Leu Ser Asn Glu Leu Leu Leu
                180                 185                 190

gag tcc atc aag act gag agc aag ttg gag aac tac acc aag gtc atg   624
Glu Ser Ile Lys Thr Glu Ser Lys Leu Glu Asn Tyr Thr Lys Val Met
            195                 200                 205

gag atg ctc tcc acc ttc aga cca agc ggt gca act cca tac cat gat   672
Glu Met Leu Ser Thr Phe Arg Pro Ser Gly Ala Thr Pro Tyr His Asp
        210                 215                 220

gcc tac gag aac gtc agg gag gtc atc caa ctt caa gac cct ggt ctt   720
Ala Tyr Glu Asn Val Arg Glu Val Ile Gln Leu Gln Asp Pro Gly Leu
    225                 230                 235

gag caa ctc aac gct tct cca gcc att gct ggt ttg atg cac cag gca   768
Glu Gln Leu Asn Ala Ser Pro Ala Ile Ala Gly Leu Met His Gln Ala
240                 245                 250                 255

tcc ttg ctc ggt atc aac gcc tcc atc tct cct gag ttg ttc aac atc   816
Ser Leu Leu Gly Ile Asn Ala Ser Ile Ser Pro Glu Leu Phe Asn Ile
                260                 265                 270

ttg act gag gag atc act gag ggc aac gct gag gag ttg tac aag aag   864
Leu Thr Glu Glu Ile Thr Glu Gly Asn Ala Glu Glu Leu Tyr Lys Lys
            275                 280                 285

aac ttc ggc aac att gag cca gcc tct ctt gca atg cct gag tac ctc   912
Asn Phe Gly Asn Ile Glu Pro Ala Ser Leu Ala Met Pro Glu Tyr Leu
        290                 295                 300

aag agg tac tac aac ttg tct gat gag gag ctt tct caa ttc att ggc   960
Lys Arg Tyr Tyr Asn Leu Ser Asp Glu Glu Leu Ser Gln Phe Ile Gly
    305                 310                 315

aag gct tcc aac ttc ggt caa cag gag tac agc aac aac cag ctc atc   1008
Lys Ala Ser Asn Phe Gly Gln Gln Glu Tyr Ser Asn Asn Gln Leu Ile
320                 325                 330                 335

act cca gtt gtg aac tcc tct gat ggc act gtg aag gtc tac cgc atc   1056
Thr Pro Val Val Asn Ser Ser Asp Gly Thr Val Lys Val Tyr Arg Ile
                340                 345                 350

aca cgt gag tac acc aca aac gcc tac caa atg gat gtt gag ttg ttc   1104
Thr Arg Glu Tyr Thr Thr Asn Ala Tyr Gln Met Asp Val Glu Leu Phe
            355                 360                 365

cca ttc ggt ggt gag aac tac aga ctt gac tac aag ttc aag aac ttc   1152
Pro Phe Gly Gly Glu Asn Tyr Arg Leu Asp Tyr Lys Phe Lys Asn Phe
        370                 375                 380

tac aac gcc tcc tac ctc tcc atc aag ttg aac gac aag agg gag ctt   1200
Tyr Asn Ala Ser Tyr Leu Ser Ile Lys Leu Asn Asp Lys Arg Glu Leu
    385                 390                 395

gtc agg act gag ggt gct cct caa gtg aac att gag tac tct gcc aac   1248
Val Arg Thr Glu Gly Ala Pro Gln Val Asn Ile Glu Tyr Ser Ala Asn
400                 405                 410                 415

atc acc ctc aac aca gct gac atc tct caa cca ttc gag att ggt ttg   1296
Ile Thr Leu Asn Thr Ala Asp Ile Ser Gln Pro Phe Glu Ile Gly Leu
```

```
                420                 425                 430

acc aga gtc ctt ccc tct ggc tcc tgg gcc tac gct gca gcc aag ttc   1344
Thr Arg Val Leu Pro Ser Gly Ser Trp Ala Tyr Ala Ala Ala Lys Phe
            435                 440                 445

act gtt gag gag tac aac cag tac tct ttc ctc ttg aag ctc aac aag   1392
Thr Val Glu Glu Tyr Asn Gln Tyr Ser Phe Leu Leu Lys Leu Asn Lys
        450                 455                 460

gca att cgt ctc agc aga gcc act gag ttg tct ccc acc atc ttg gag   1440
Ala Ile Arg Leu Ser Arg Ala Thr Glu Leu Ser Pro Thr Ile Leu Glu
    465                 470                 475

ggc att gtg agg tct gtc aac ctt caa ctt gac atc aac act gat gtg   1488
Gly Ile Val Arg Ser Val Asn Leu Gln Leu Asp Ile Asn Thr Asp Val
480                 485                 490                 495

ctt ggc aag gtc ttc ctc acc aag tac tac atg caa cgc tac gcc atc   1536
Leu Gly Lys Val Phe Leu Thr Lys Tyr Tyr Met Gln Arg Tyr Ala Ile
                500                 505                 510

cat gct gag act gca ctc atc ctc tgc aac gca ccc atc tct caa cgc   1584
His Ala Glu Thr Ala Leu Ile Leu Cys Asn Ala Pro Ile Ser Gln Arg
            515                 520                 525

tcc tac gac aac cag cct tcc cag ttc gac agg ctc ttc aac act cct   1632
Ser Tyr Asp Asn Gln Pro Ser Gln Phe Asp Arg Leu Phe Asn Thr Pro
        530                 535                 540

ctc ttg aac ggc cag tac ttc tcc act ggt gat gag gag att gac ctc   1680
Leu Leu Asn Gly Gln Tyr Phe Ser Thr Gly Asp Glu Glu Ile Asp Leu
    545                 550                 555

aac tct ggc tcc aca ggt gac tgg aga aag acc atc ttg aag agg gcc   1728
Asn Ser Gly Ser Thr Gly Asp Trp Arg Lys Thr Ile Leu Lys Arg Ala
560                 565                 570                 575

ttc aac att gat gat gtc tct ctc ttc cgt ctc ttg aag atc aca gat   1776
Phe Asn Ile Asp Asp Val Ser Leu Phe Arg Leu Leu Lys Ile Thr Asp
                580                 585                 590

cac gac aac aag gat ggc aag atc aag aac aac ttg aag aac ctt tcc   1824
His Asp Asn Lys Asp Gly Lys Ile Lys Asn Asn Leu Lys Asn Leu Ser
            595                 600                 605

aac ctc tac att ggc aag ttg ctt gca gac atc cac caa ctc acc att   1872
Asn Leu Tyr Ile Gly Lys Leu Leu Ala Asp Ile His Gln Leu Thr Ile
        610                 615                 620

gat gag ttg gac ctc ttg ctc att gca gtc ggt gag ggc aag acc aac   1920
Asp Glu Leu Asp Leu Leu Leu Ile Ala Val Gly Glu Gly Lys Thr Asn
    625                 630                 635

ctc tct gca atc tct gac aag cag ttg gca acc ctc atc agg aag ttg   1968
Leu Ser Ala Ile Ser Asp Lys Gln Leu Ala Thr Leu Ile Arg Lys Leu
640                 645                 650                 655

aac acc atc acc tcc tgg ctt cac acc cag aag tgg tct gtc ttc caa   2016
Asn Thr Ile Thr Ser Trp Leu His Thr Gln Lys Trp Ser Val Phe Gln
                660                 665                 670
```

```
ctc ttc atc atg acc agc acc tcc tac aac aag acc ctc act cct gag   2064
Leu Phe Ile Met Thr Ser Thr Ser Tyr Asn Lys Thr Leu Thr Pro Glu
            675                 680                 685

atc aag aac ctc ttg gac aca gtc tac cac ggt ctc caa ggc ttc gac   2112
Ile Lys Asn Leu Leu Asp Thr Val Tyr His Gly Leu Gln Gly Phe Asp
        690                 695                 700

aag gac aag gct gac ttg ctt cat gtc atg gct ccc tac att gca gcc   2160
Lys Asp Lys Ala Asp Leu Leu His Val Met Ala Pro Tyr Ile Ala Ala
    705                 710                 715

acc ctc caa ctc tcc tct gag aac gtg gct cac tct gtc ttg ctc tgg   2208
Thr Leu Gln Leu Ser Ser Glu Asn Val Ala His Ser Val Leu Leu Trp
720                 725                 730                 735

gct gac aag ctc caa cct ggt gat ggt gcc atg act gct gag aag ttc   2256
Ala Asp Lys Leu Gln Pro Gly Asp Gly Ala Met Thr Ala Glu Lys Phe
                740                 745                 750

tgg gac tgg ctc aac acc aag tac aca cca ggc tcc tct gag gct gtt   2304
Trp Asp Trp Leu Asn Thr Lys Tyr Thr Pro Gly Ser Ser Glu Ala Val
            755                 760                 765

gag act caa gag cac att gtg caa tac tgc cag gct ctt gca cag ttg   2352
Glu Thr Gln Glu His Ile Val Gln Tyr Cys Gln Ala Leu Ala Gln Leu
        770                 775                 780

gag atg gtc tac cac tcc act ggc atc aac gag aac gct ttc aga ctc   2400
Glu Met Val Tyr His Ser Thr Gly Ile Asn Glu Asn Ala Phe Arg Leu
    785                 790                 795

ttc gtc acc aag cct gag atg ttc ggt gct gcc aca ggt gct gca cct   2448
Phe Val Thr Lys Pro Glu Met Phe Gly Ala Ala Thr Gly Ala Ala Pro
800                 805                 810                 815

gct cat gat gct ctc tcc ctc atc atg ttg acc agg ttc gct gac tgg   2496
Ala His Asp Ala Leu Ser Leu Ile Met Leu Thr Arg Phe Ala Asp Trp
                820                 825                 830

gtc aac gct ctt ggt gag aag gct tcc tct gtc ttg gct gcc ttc gag   2544
Val Asn Ala Leu Gly Glu Lys Ala Ser Ser Val Leu Ala Ala Phe Glu
            835                 840                 845

gcc aac tcc ctc act gct gag caa ctt gct gat gcc atg aac ctt gat   2592
Ala Asn Ser Leu Thr Ala Glu Gln Leu Ala Asp Ala Met Asn Leu Asp
        850                 855                 860

gcc aac ctc ttg ctc caa gct tcc att caa gct cag aac cac caa cac   2640
Ala Asn Leu Leu Leu Gln Ala Ser Ile Gln Ala Gln Asn His Gln His
    865                 870                 875

ctc cca cct gtc act cca gag aac gct ttc tcc tgc tgg acc tcc atc   2688
Leu Pro Pro Val Thr Pro Glu Asn Ala Phe Ser Cys Trp Thr Ser Ile
880                 885                 890                 895

aac acc atc ctc caa tgg gtc aac gtg gct cag caa ctc aac gtg gct   2736
Asn Thr Ile Leu Gln Trp Val Asn Val Ala Gln Gln Leu Asn Val Ala
                900                 905                 910
```

```
cca caa ggt gtc tct gct ttg gtc ggt ctt gac tac atc cag tcc atg   2784
Pro Gln Gly Val Ser Ala Leu Val Gly Leu Asp Tyr Ile Gln Ser Met
            915                 920                 925

aag gag aca cca acc tac gct caa tgg gag aac gca gct ggt gtc ttg   2832
Lys Glu Thr Pro Thr Tyr Ala Gln Trp Glu Asn Ala Ala Gly Val Leu
        930                 935                 940

act gct ggt ctc aac tcc caa cag gcc aac acc ctc cat gct ttc ttg   2880
Thr Ala Gly Leu Asn Ser Gln Gln Ala Asn Thr Leu His Ala Phe Leu
    945                 950                 955

gat gag tct cgc tct gct gcc ctc tcc acc tac tac atc agg caa gtc   2928
Asp Glu Ser Arg Ser Ala Ala Leu Ser Thr Tyr Tyr Ile Arg Gln Val
960                 965                 970                 975

gcc aag gca gct gct gcc atc aag tct cgc gat gac ctc tac caa tac   2976
Ala Lys Ala Ala Ala Ala Ile Lys Ser Arg Asp Asp Leu Tyr Gln Tyr
                980                 985                 990

ctc ctc att gac aac cag gtc tct gct gcc atc aag acc acc agg atc   3024
Leu Leu Ile Asp Asn Gln Val Ser Ala Ala Ile Lys Thr Thr Arg Ile
            995                1000                1005

gct gag gcc atc gct tcc atc caa ctc tac gtc aac cgc gct ctt gag   3072
Ala Glu Ala Ile Ala Ser Ile Gln Leu Tyr Val Asn Arg Ala Leu Glu
       1010                1015                1020

aac gtt gag gag aac gcc aac tct ggt gtc atc tct cgc caa ttc ttc   3120
Asn Val Glu Glu Asn Ala Asn Ser Gly Val Ile Ser Arg Gln Phe Phe
   1025                1030                1035

atc gac tgg gac aag tac aac aag agg tac tcc acc tgg gct ggt gtc   3168
Ile Asp Trp Asp Lys Tyr Asn Lys Arg Tyr Ser Thr Trp Ala Gly Val
1040                1045                1050                1055

tct caa ctt gtc tac tac cca gag aac tac att gac cca acc atg agg   3216
Ser Gln Leu Val Tyr Tyr Pro Glu Asn Tyr Ile Asp Pro Thr Met Arg
               1060                1065                1070

att ggt cag acc aag atg atg gat gct ctc ttg caa tct gtc tcc caa   3264
Ile Gly Gln Thr Lys Met Met Asp Ala Leu Leu Gln Ser Val Ser Gln
           1075                1080                1085

agc caa ctc aac gct gac act gtg gag gat gcc ttc atg agc tac ctc   3312
Ser Gln Leu Asn Ala Asp Thr Val Glu Asp Ala Phe Met Ser Tyr Leu
       1090                1095                1100

acc tcc ttc gag caa gtt gcc aac ctc aag gtc atc tct gct tac cat   3360
Thr Ser Phe Glu Gln Val Ala Asn Leu Lys Val Ile Ser Ala Tyr His
   1105                1110                1115

gac aac atc aac aac gac caa ggt ctc acc tac ttc att ggt ctc tct   3408
Asp Asn Ile Asn Asn Asp Gln Gly Leu Thr Tyr Phe Ile Gly Leu Ser
1120                1125                1130                1135

gag act gat gct ggt gag tac tac tgg aga tcc gtg gac cac agc aag   3456
Glu Thr Asp Ala Gly Glu Tyr Tyr Trp Arg Ser Val Asp His Ser Lys
               1140                1145                1150

ttc aac gat ggc aag ttc gct gca aac gct tgg tct gag tgg cac aag   3504
```

```
Phe Asn Asp Gly Lys Phe Ala Ala Asn Ala Trp Ser Glu Trp His Lys
          1155                1160                1165

att gac tgc cct atc aac cca tac aag tcc acc atc aga cct gtc atc   3552
Ile Asp Cys Pro Ile Asn Pro Tyr Lys Ser Thr Ile Arg Pro Val Ile
       1170                1175                1180

tac aag agc cgc ctc tac ttg ctc tgg ctt gag cag aag gag atc acc   3600
Tyr Lys Ser Arg Leu Tyr Leu Leu Trp Leu Glu Gln Lys Glu Ile Thr
   1185                1190                1195

aag caa act ggc aac tcc aag gat ggt tac caa act gag act gac tac   3648
Lys Gln Thr Gly Asn Ser Lys Asp Gly Tyr Gln Thr Glu Thr Asp Tyr
1200                1205                1210                1215

cgc tac gag ttg aag ttg gct cac atc cgc tac gat ggt acc tgg aac   3696
Arg Tyr Glu Leu Lys Leu Ala His Ile Arg Tyr Asp Gly Thr Trp Asn
               1220                1225                1230

act cca atc acc ttc gat gtc aac aag aag atc agc gag ttg aag ttg   3744
Thr Pro Ile Thr Phe Asp Val Asn Lys Lys Ile Ser Glu Leu Lys Leu
          1235                1240                1245

gag aag aac cgt gct cct ggt ctc tac tgc gct ggt tac caa ggt gag   3792
Glu Lys Asn Arg Ala Pro Gly Leu Tyr Cys Ala Gly Tyr Gln Gly Glu
       1250                1255                1260

gac acc ctc ttg gtc atg ttc tac aac cag caa gac acc ctt gac tcc   3840
Asp Thr Leu Leu Val Met Phe Tyr Asn Gln Gln Asp Thr Leu Asp Ser
   1265                1270                1275

tac aag aac gct tcc atg caa ggt ctc tac atc ttc gct gac atg gct   3888
Tyr Lys Asn Ala Ser Met Gln Gly Leu Tyr Ile Phe Ala Asp Met Ala
1280                1285                1290                1295

tcc aag gac atg act cca gag caa agc aac gtc tac cgt gac aac tcc   3936
Ser Lys Asp Met Thr Pro Glu Gln Ser Asn Val Tyr Arg Asp Asn Ser
               1300                1305                1310

tac caa cag ttc gac acc aac aac gtc agg cgt gtc aac aac aga tac   3984
Tyr Gln Gln Phe Asp Thr Asn Asn Val Arg Arg Val Asn Asn Arg Tyr
          1315                1320                1325

gct gag gac tac gag atc cca agc tct gtc agc tct cgc aag gac tac   4032
Ala Glu Asp Tyr Glu Ile Pro Ser Ser Val Ser Ser Arg Lys Asp Tyr
       1330                1335                1340

ggc tgg ggt gac tac tac ctc agc atg gtg tac aac ggt gac atc cca   4080
Gly Trp Gly Asp Tyr Tyr Leu Ser Met Val Tyr Asn Gly Asp Ile Pro
   1345                1350                1355

acc atc aac tac aag gct gcc tct tcc gac ctc aaa atc tac atc agc   4128
Thr Ile Asn Tyr Lys Ala Ala Ser Ser Asp Leu Lys Ile Tyr Ile Ser
1360                1365                1370                1375

cca aag ctc agg atc atc cac aac ggc tac gag ggt cag aag agg aac   4176
Pro Lys Leu Arg Ile Ile His Asn Gly Tyr Glu Gly Gln Lys Arg Asn
               1380                1385                1390

cag tgc aac ttg atg aac aag tac ggc aag ttg ggt gac aag ttc att   4224
Gln Cys Asn Leu Met Asn Lys Tyr Gly Lys Leu Gly Asp Lys Phe Ile
```

```
          1395                1400                1405

gtc tac acc tct ctt ggt gtc aac cca aac aac agc tcc aac aag ctc   4272
Val Tyr Thr Ser Leu Gly Val Asn Pro Asn Asn Ser Ser Asn Lys Leu
       1410                1415                1420

atg ttc tac cca gtc tac caa tac tct ggc aac acc tct ggt ctc aac   4320
Met Phe Tyr Pro Val Tyr Gln Tyr Ser Gly Asn Thr Ser Gly Leu Asn
   1425                1430                1435

cag ggt aga ctc ttg ttc cac agg gac acc acc tac cca agc aag gtg   4368
Gln Gly Arg Leu Leu Phe His Arg Asp Thr Thr Tyr Pro Ser Lys Val
1440                1445                1450                1455

gag gct tgg att cct ggt gcc aag agg tcc ctc acc aac cag aac gct   4416
Glu Ala Trp Ile Pro Gly Ala Lys Arg Ser Leu Thr Asn Gln Asn Ala
               1460                1465                1470

gcc att ggt gat gac tac gcc aca gac tcc ctc aac aag cct gat gac   4464
Ala Ile Gly Asp Asp Tyr Ala Thr Asp Ser Leu Asn Lys Pro Asp Asp
          1475                1480                1485

ctc aag cag tac atc ttc atg act gac tcc aag ggc aca gcc act gat   4512
Leu Lys Gln Tyr Ile Phe Met Thr Asp Ser Lys Gly Thr Ala Thr Asp
       1490                1495                1500

gtc tct ggt cca gtg gag atc aac act gca atc agc cca gcc aag gtc   4560
Val Ser Gly Pro Val Glu Ile Asn Thr Ala Ile Ser Pro Ala Lys Val
   1505                1510                1515

caa atc att gtc aag gct ggt ggc aag gag caa acc ttc aca gct gac   4608
Gln Ile Ile Val Lys Ala Gly Gly Lys Glu Gln Thr Phe Thr Ala Asp
1520                1525                1530                1535

aag gat gtc tcc atc cag cca agc cca tcc ttc gat gag atg aac tac   4656
Lys Asp Val Ser Ile Gln Pro Ser Pro Ser Phe Asp Glu Met Asn Tyr
               1540                1545                1550

caa ttc aac gct ctt gag att gat ggt tct ggc ctc aac ttc atc aac   4704
Gln Phe Asn Ala Leu Glu Ile Asp Gly Ser Gly Leu Asn Phe Ile Asn
          1555                1560                1565

aac tct gct tcc att gat gtc acc ttc act gcc ttc gct gag gat ggc   4752
Asn Ser Ala Ser Ile Asp Val Thr Phe Thr Ala Phe Ala Glu Asp Gly
       1570                1575                1580

cgc aag ttg ggt tac gag agc ttc tcc atc cca gtc acc ctt aag gtt   4800
Arg Lys Leu Gly Tyr Glu Ser Phe Ser Ile Pro Val Thr Leu Lys Val
   1585                1590                1595

tcc act gac aac gca ctc acc ctt cat cac aac gag aac ggt gct cag   4848
Ser Thr Asp Asn Ala Leu Thr Leu His His Asn Glu Asn Gly Ala Gln
1600                1605                1610                1615

tac atg caa tgg caa agc tac cgc acc agg ttg aac acc ctc ttc gca   4896
Tyr Met Gln Trp Gln Ser Tyr Arg Thr Arg Leu Asn Thr Leu Phe Ala
               1620                1625                1630

agg caa ctt gtg gcc cgt gcc acc aca ggc att gac acc atc ctc agc   4944
Arg Gln Leu Val Ala Arg Ala Thr Thr Gly Ile Asp Thr Ile Leu Ser
          1635                1640                1645
```

```
atg gag acc cag aac atc caa gag cca cag ttg ggc aag ggt ttc tac   4992
Met Glu Thr Gln Asn Ile Gln Glu Pro Gln Leu Gly Lys Gly Phe Tyr
       1650                1655                1660

gcc acc ttc gtc atc cca cct tac aac ctc agc act cat ggt gat gag   5040
Ala Thr Phe Val Ile Pro Pro Tyr Asn Leu Ser Thr His Gly Asp Glu
   1665                1670                1675

agg tgg ttc aag ctc tac atc aag cac gtg gtt gac aac aac tcc cac   5088
Arg Trp Phe Lys Leu Tyr Ile Lys His Val Val Asp Asn Asn Ser His
1680                1685                1690                1695

atc atc tac tct ggt caa ctc act gac acc aac atc aac atc acc ctc   5136
Ile Ile Tyr Ser Gly Gln Leu Thr Asp Thr Asn Ile Asn Ile Thr Leu
               1700                1705                1710

ttc atc cca ctt gac gat gtc cca ctc aac cag gac tac cat gcc aag   5184
Phe Ile Pro Leu Asp Asp Val Pro Leu Asn Gln Asp Tyr His Ala Lys
          1715                1720                1725

gtc tac atg acc ttc aag aag tct cca tct gat ggc acc tgg tgg ggt   5232
Val Tyr Met Thr Phe Lys Lys Ser Pro Ser Asp Gly Thr Trp Trp Gly
       1730                1735                1740

cca cac ttc gtc cgt gat gac aag ggc atc gtc acc atc aac cca aag   5280
Pro His Phe Val Arg Asp Asp Lys Gly Ile Val Thr Ile Asn Pro Lys
   1745                1750                1755

tcc atc ctc acc cac ttc gag tct gtc aac gtt ctc aac aac atc tcc   5328
Ser Ile Leu Thr His Phe Glu Ser Val Asn Val Leu Asn Asn Ile Ser
1760                1765                1770                1775

tct gag cca atg gac ttc tct ggt gcc aac tcc ctc tac ttc tgg gag   5376
Ser Glu Pro Met Asp Phe Ser Gly Ala Asn Ser Leu Tyr Phe Trp Glu
               1780                1785                1790

ttg ttc tac tac aca cca atg ctt gtg gct caa agg ttg ctc cat gag   5424
Leu Phe Tyr Tyr Thr Pro Met Leu Val Ala Gln Arg Leu Leu His Glu
          1795                1800                1805

cag aac ttc gat gag gcc aac agg tgg ctc aag tac gtc tgg agc cca   5472
Gln Asn Phe Asp Glu Ala Asn Arg Trp Leu Lys Tyr Val Trp Ser Pro
       1810                1815                1820

tct ggt tac att gtg cat ggt caa atc cag aac tac caa tgg aac gtc   5520
Ser Gly Tyr Ile Val His Gly Gln Ile Gln Asn Tyr Gln Trp Asn Val
   1825                1830                1835

agg cca ttg ctt gag gac acc tcc tgg aac tct gac cca ctt gac tct   5568
Arg Pro Leu Leu Glu Asp Thr Ser Trp Asn Ser Asp Pro Leu Asp Ser
1840                1845                1850                1855

gtg gac cct gat gct gtg gct caa cat gac cca atg cac tac aag gtc   5616
Val Asp Pro Asp Ala Val Ala Gln His Asp Pro Met His Tyr Lys Val
               1860                1865                1870

tcc acc ttc atg agg acc ttg gac ctc ttg att gcc aga ggt gac cat   5664
Ser Thr Phe Met Arg Thr Leu Asp Leu Leu Ile Ala Arg Gly Asp His
          1875                1880                1885
```

```
gct tac cgc caa ttg gag agg gac acc ctc aac gag gca aag atg tgg   5712
Ala Tyr Arg Gln Leu Glu Arg Asp Thr Leu Asn Glu Ala Lys Met Trp
       1890                1895                1900

tac atg caa gct ctc cac ctc ttg ggt gac aag cca tac ctc cca ctc   5760
Tyr Met Gln Ala Leu His Leu Leu Gly Asp Lys Pro Tyr Leu Pro Leu
   1905                1910                1915

agc acc act tgg tcc gac cca agg ttg gac cgt gct gct gac atc acc   5808
Ser Thr Thr Trp Ser Asp Pro Arg Leu Asp Arg Ala Ala Asp Ile Thr
1920                1925                1930                1935

act cag aac gct cat gac tct gcc att gtt gct ctc agg cag aac atc   5856
Thr Gln Asn Ala His Asp Ser Ala Ile Val Ala Leu Arg Gln Asn Ile
               1940                1945                1950

cca act cct gct cca ctc tcc ctc aga tct gct aac acc ctc act gac   5904
Pro Thr Pro Ala Pro Leu Ser Leu Arg Ser Ala Asn Thr Leu Thr Asp
         1955                1960                1965

ttg ttc ctc cca cag atc aac gag gtc atg atg aac tac tgg caa acc   5952
Leu Phe Leu Pro Gln Ile Asn Glu Val Met Met Asn Tyr Trp Gln Thr
       1970                1975                1980

ttg gct caa agg gtc tac aac ctc aga cac aac ctc tcc att gat ggt   6000
Leu Ala Gln Arg Val Tyr Asn Leu Arg His Asn Leu Ser Ile Asp Gly
   1985                1990                1995

caa cca ctc tac ctc cca atc tac gcc aca cca gct gac cca aag gct   6048
Gln Pro Leu Tyr Leu Pro Ile Tyr Ala Thr Pro Ala Asp Pro Lys Ala
2000                2005                2010                2015

ctt ctc tct gct gct gtg gct acc agc caa ggt ggt ggc aag ctc cca   6096
Leu Leu Ser Ala Ala Val Ala Thr Ser Gln Gly Gly Gly Lys Leu Pro
               2020                2025                2030

gag tcc ttc atg tcc ctc tgg agg ttc cca cac atg ttg gag aac gcc   6144
Glu Ser Phe Met Ser Leu Trp Arg Phe Pro His Met Leu Glu Asn Ala
          2035                2040                2045

cgt ggc atg gtc tcc caa ctc acc cag ttc ggt tcc acc ctc cag aac   6192
Arg Gly Met Val Ser Gln Leu Thr Gln Phe Gly Ser Thr Leu Gln Asn
       2050                2055                2060

atc att gag agg caa gat gct gag gct ctc aac gct ttg ctc cag aac   6240
Ile Ile Glu Arg Gln Asp Ala Glu Ala Leu Asn Ala Leu Leu Gln Asn
   2065                2070                2075

cag gca gct gag ttg atc ctc acc aac ttg tcc atc caa gac aag acc   6288
Gln Ala Ala Glu Leu Ile Leu Thr Asn Leu Ser Ile Gln Asp Lys Thr
2080                2085                2090                2095

att gag gag ctt gat gct gag aag aca gtc ctt gag aag agc aag gct   6336
Ile Glu Glu Leu Asp Ala Glu Lys Thr Val Leu Glu Lys Ser Lys Ala
               2100                2105                2110

ggt gcc caa tct cgc ttc gac tcc tac ggc aag ctc tac gat gag aac   6384
Gly Ala Gln Ser Arg Phe Asp Ser Tyr Gly Lys Leu Tyr Asp Glu Asn
          2115                2120                2125

atc aac gct ggt gag aac cag gcc atg acc ctc agg gct tcc gca gct   6432
```

```
Ile Asn Ala Gly Glu Asn Gln Ala Met Thr Leu Arg Ala Ser Ala Ala
       2130                2135                2140

ggt ctc acc act gct gtc caa gcc tct cgc ttg gct ggt gca gct gct   6480
Gly Leu Thr Thr Ala Val Gln Ala Ser Arg Leu Ala Gly Ala Ala Ala
   2145                2150                2155

gac ctc gtt cca aac atc ttc ggt ttc gct ggt ggt ggc tcc aga tgg   6528
Asp Leu Val Pro Asn Ile Phe Gly Phe Ala Gly Gly Gly Ser Arg Trp
2160                2165                2170                2175

ggt gcc att gct gag gct acc ggt tac gtc atg gag ttc tct gcc aac   6576
Gly Ala Ile Ala Glu Ala Thr Gly Tyr Val Met Glu Phe Ser Ala Asn
               2180                2185                2190

gtc atg aac act gag gct gac aag atc agc caa tct gag acc tac aga   6624
Val Met Asn Thr Glu Ala Asp Lys Ile Ser Gln Ser Glu Thr Tyr Arg
          2195                2200                2205

agg cgc cgt caa gag tgg gag atc caa agg aac aac gct gag gca gag   6672
Arg Arg Arg Gln Glu Trp Glu Ile Gln Arg Asn Asn Ala Glu Ala Glu
       2210                2215                2220

ttg aag caa atc gat gct caa ctc aag tcc ttg gct gtc aga agg gag   6720
Leu Lys Gln Ile Asp Ala Gln Leu Lys Ser Leu Ala Val Arg Arg Glu
   2225                2230                2235

gct gct gtc ctc cag aag acc tcc ctc aag acc caa cag gag caa acc   6768
Ala Ala Val Leu Gln Lys Thr Ser Leu Lys Thr Gln Gln Glu Gln Thr
2240                2245                2250                2255

cag tcc cag ttg gct ttc ctc caa agg aag ttc tcc aac cag gct ctc   6816
Gln Ser Gln Leu Ala Phe Leu Gln Arg Lys Phe Ser Asn Gln Ala Leu
               2260                2265                2270

tac aac tgg ctc aga ggc cgc ttg gct gcc atc tac ttc caa ttc tac   6864
Tyr Asn Trp Leu Arg Gly Arg Leu Ala Ala Ile Tyr Phe Gln Phe Tyr
          2275                2280                2285

gac ctt gct gtg gcc agg tgc ctc atg gct gag caa gcc tac cgc tgg   6912
Asp Leu Ala Val Ala Arg Cys Leu Met Ala Glu Gln Ala Tyr Arg Trp
       2290                2295                2300

gag ttg aac gat gac tcc gcc agg ttc atc aag cca ggt gct tgg caa   6960
Glu Leu Asn Asp Asp Ser Ala Arg Phe Ile Lys Pro Gly Ala Trp Gln
   2305                2310                2315

ggc acc tac gct ggt ctc ctt gct ggt gag acc ctc atg ctc tcc ttg   7008
Gly Thr Tyr Ala Gly Leu Leu Ala Gly Glu Thr Leu Met Leu Ser Leu
2320                2325                2330                2335

gct caa atg gag gat gct cac ctc aag agg gac aag agg gct ttg gag   7056
Ala Gln Met Glu Asp Ala His Leu Lys Arg Asp Lys Arg Ala Leu Glu
               2340                2345                2350

gtg gag agg aca gtc tcc ctt gct gag gtc tac gct ggt ctc cca aag   7104
Val Glu Arg Thr Val Ser Leu Ala Glu Val Tyr Ala Gly Leu Pro Lys
          2355                2360                2365

gac aac ggt cca ttc tcc ctt gct caa gag att gac aag ttg gtc agc   7152
Asp Asn Gly Pro Phe Ser Leu Ala Gln Glu Ile Asp Lys Leu Val Ser
```

```
       2370                2375                2380

caa ggt tct ggt tct gct ggt tct ggt aac aac aac ttg gct ttc ggc   7200
Gln Gly Ser Gly Ser Ala Gly Ser Gly Asn Asn Asn Leu Ala Phe Gly
   2385                2390                2395

gct ggt act gac acc aag acc tcc ctc caa gcc tct gtc tcc ttc gct   7248
Ala Gly Thr Asp Thr Lys Thr Ser Leu Gln Ala Ser Val Ser Phe Ala
2400                2405                2410                2415

gac ctc aag atc agg gag gac tac cca gct tcc ctt ggc aag atc agg   7296
Asp Leu Lys Ile Arg Glu Asp Tyr Pro Ala Ser Leu Gly Lys Ile Arg
               2420                2425                2430

cgc atc aag caa atc tct gtc acc ctc cca gct ctc ttg ggt cca tac   7344
Arg Ile Lys Gln Ile Ser Val Thr Leu Pro Ala Leu Leu Gly Pro Tyr
          2435                2440                2445

caa gat gtc caa gca atc ctc tcc tac ggt gac aag gct ggt ttg gcg   7392
Gln Asp Val Gln Ala Ile Leu Ser Tyr Gly Asp Lys Ala Gly Leu Ala
       2450                2455                2460

aac ggt tgc gag gct ctt gct gtc tct cat ggc atg aac gac tct ggt   7440
Asn Gly Cys Glu Ala Leu Ala Val Ser His Gly Met Asn Asp Ser Gly
   2465                2470                2475

caa ttc caa ctt gac ttc aac gat ggc aag ttc ctc cca ttc gag ggc   7488
Gln Phe Gln Leu Asp Phe Asn Asp Gly Lys Phe Leu Pro Phe Glu Gly
2480                2485                2490                2495

att gcc att gac caa ggc acc ctc acc ctc tcc ttc cca aac gct tcc   7536
Ile Ala Ile Asp Gln Gly Thr Leu Thr Leu Ser Phe Pro Asn Ala Ser
               2500                2505                2510

atg cca gag aag gga aag caa gcc acc atg ctc aag acc ctc aac gat   7584
Met Pro Glu Lys Gly Lys Gln Ala Thr Met Leu Lys Thr Leu Asn Asp
          2515                2520                2525

atc atc ctc cac atc agg tac acc atc aag tgagctc                  7621
Ile Ile Leu His Ile Arg Tyr Thr Ile Lys
       2530                2535
```

INTERNATIONAL SEARCH REPORT

Interna pplication No
PCT/US 00/22237

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C12N9/52 C12N15/82 C07K14/24 C12N15/11

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 C12N C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)
STRAND, EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 08932 A (DOW AGROSCIENCES LLC ;WISCONSIN ALUMNI RES FOUND (US)) 5 March 1998 (1998-03-05) cited in the application SEQ ID NO:11 in this document is the unmodified version of SEQ ID NO:3 of the present application. SEQ ID NO:46 corresponds to SEQ ID NO:5. page 16, line 31 -page 19, line 35	1-7
A	WO 97 13402 A (DOWELANCO) 17 April 1997 (1997-04-17) the whole document	1-7

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

° Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
1 December 2000	08/12/2000

Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Sprinks, M

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Information on patent family members

Interna pplication No
PCT/US 00/22237

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9808932 A	05-03-1998	AU 1050997 A	29-05-1997
		AU 2829997 A	19-03-1998
		BR 9606889 A	28-10-1997
		BR 9711441 A	24-10-2000
		CA 2209659 A	15-05-1997
		EP 0797659 A	01-10-1997
		EP 0970185 A	12-01-2000
		HU 9900768 A	28-06-1999
		PL 321212 A	24-11-1997
		PL 332033 A	16-08-1999
		SK 93197 A	06-05-1998
		WO 9717432 A	15-05-1997
WO 9713402 A	17-04-1997	AU 708256 B	29-07-1999
		AU 7446796 A	30-04-1997
		BR 9611000 A	28-12-1999
		CN 1199321 A	18-11-1998
		EP 0861021 A	02-09-1998
		JP 2000507808 T	27-06-2000